

**UNITED STATES OF AMERICA  
BEFORE THE  
FEDERAL ENERGY REGULATORY COMMISSION**

Independent Market Monitor for PJM	)	
	)	
v.	)	Docket No. EL14-20-000
	)	
PJM Interconnection, L.L.C.	)	
	)	

**ANSWER AND MOTION FOR LEAVE TO ANSWER  
OF THE INDEPENDENT MARKET MONITOR FOR PJM**

Pursuant to Rules 212 and 213 of the Commission’s Rules and Regulations,<sup>1</sup> Monitoring Analytics, LLC, acting in its capacity as the Independent Market Monitor for PJM (“Market Monitor”), submits this answer to the answer filed by PJM Interconnection, L.L.C. (“PJM”) on February 24, 2014, and to the protests filed by Nucor Corporation and Steel Dynamics, Inc. (“Steel Producers”) on February 18, 2014, and by EnerNOC, Inc. (“EnerNOC”) and the Maryland Public Service Commission (“Maryland PSC”), respectively, on February 24, 2014, and other comments,<sup>2</sup> in response to the complaint filed by the Market Monitor on January 27, 2014.

In its complaint the Market Monitor requests that the Commission direct PJM to include rules in its tariff providing: (i) a requirement that Demand Resources (DR) must

---

<sup>1</sup> 18 CFR § 385.212 & 213 (2013).

<sup>2</sup> Comments supporting the Market Monitor’s complaint and the relief sought were filed by American Electric Power Service Corporation, The Dayton Power and Light Company, and FirstEnergy Service Company, each on behalf of itself and its affected affiliates, and Duke Energy Ohio, Inc. (“Indicated Utilities Coalition”) on February 18, 2014; Exelon Corporation on February 28, 2014 (“Exelon”); Electric Power Supply Association and Electric Power Generation Association on February 24, 2014 (“EPSA/EPGA”); PJM Power Providers Group on February 24, 2014 (“Power Providers”). These comments also requested increasing the level of the system offer cap.

offer daily into the PJM Day-Ahead Energy Market, and (ii) a cap on offers from DR at \$1,000 per MWh, consistent with the offer cap applicable to Generation Capacity Resources.

Neither the answer nor the protests address the core argument raised in the complaint, that the rules applied to Demand Resources in the current market design do not treat Demand Resources in a manner comparable to other Capacity Resources, even though Demand Resources are sold in the same capacity market, are treated as a substitute for other Capacity Resources and displace other Capacity Resources in RPM auctions. The Reliability Pricing Model (“RPM”) cannot price capacity at efficient, just and reasonable levels if a MW of DR does not substitute for a MW of generation capacity.

The answer and protests raise some arguments that recognize, at least implicitly, that the rules do not treat capacity from DR comparably to capacity from generation resources, but claim that non comparable requirements for the capacity product are necessary to account for the different characteristics of the seller. No one disputes whether DR providers and generation are different, nor does anyone dispute whether the market rules can appropriately accommodate those differences. What is at issue is whether the capacity product is comparable.

The answers and protests do not identify any evidence of a problem. They ignore the inability of the capacity market as it is now designed to efficiently procure capacity. They ignore the failure of the current market design to comply with Commission policy on comparability. They ignore a statement of PJM with a supporting affidavit and more recent incidents that provide concrete examples of why the failure to apply daily offer rules to DR matters to the markets and to reliability. Any one of these constitutes substantial evidence that the current rules are unjust and unreasonable.

The Commission has the authority to correct market design flaws on the basis of economics or fairness alone, but it is not necessary to do so in this case because the Commission has already stated its policy relevant to this issue and the Market Monitor has offered evidence that PJM dispatchers are now confronting the concrete problem that is the

logical outcome of the issues identified by the Market Monitor. PJM can quickly and easily implement the proposed changes.

The Market Monitor agrees with other commenters that other RPM market design elements also require attention. The level of the system offer cap is ripe for review. Improved rules are needed to ensure that daily offers from all resources are competitive. Future proceedings can address those issues. Granting this complaint would establish a foundation for continued progress.

## I. ANSWER

### **A. The Commission Has the Authority to Grant Relief If It Agrees That a Market Design Issue Interferes with Just and Reasonable Price Formation and That the Issue Violates Its Policy on Comparability.**

#### **1. The Commission Has the Authority to Correct Fundamental Market Design Flaws That Undermine Market Performance and Accord Unjust and Unreasonable Preferences.**

At the core of the Market Monitor's complaint is a market design flaw that requires correction in order for the markets to function efficiently. Under the controlling regulatory paradigm that relies on competition to set prices, if the market rules do not set prices based on competition, and mitigation is not a remedy, those prices are not just and reasonable.<sup>3</sup> The capacity market is not efficient if an inferior product can be substituted for a superior product. Neither the energy market nor capacity market can establish just and reasonable

---

<sup>3</sup> See *Remedying Undue Discrimination through Open Access Transmission Service and Standard Electricity Design*, Notice of Proposed Rulemaking, 100 FERC ¶61,138 at P 390 (2002) ("In a structurally competitive market, one with many buyers and sellers who cannot influence price, the market can assure an overall efficient outcome where prices indicate the value of additional supplies and conservation. The development of structurally competitive markets is the Commission's long-term goal. However, at this stage of the industry's evolution, wholesale electric markets are not yet structurally competitive in all respects. The two significant structural flaws are the lack of price-responsive demand and generation concentration in transmission-constrained load pockets. Given these structural defects, the Commission cannot rely on the interaction of supply and demand in all instances to ensure that prices are competitive and thus just and reasonable.").

prices if the necessary link between those markets, the must offer requirement, is not enforced for all supply.<sup>4</sup> The system wide offer cap cannot serve its purpose if it fails to prevent the exercise of market power in extreme market conditions when a significant class of market participants is excluded from that protection.

Failure to treat capacity from DR comparably to capacity from generating units also results in unjust and unreasonable treatment of DR versus other sellers. DR sellers receive the same or substantially the same price for capacity that is inferior to capacity provided by other sellers.

DR sellers are customers who agree to interrupt load in return for a capacity payment which fully offsets their requirement to pay for capacity. It is unjust and unreasonable that customers who do choose to pay for capacity for a year face the same risk of involuntary curtailment as DR customers who choose not to pay for capacity for a year, after only ten six-hour emergency (or, if approved, pre-emergency) calls are used up (i.e., 0.7 percent of a year). Those customers who do pay for capacity also face an increased risk of involuntary curtailments simply as a result of DR's participation in the market because it is less available than generating capacity.

Protestors avoid directly addressing the unjust and unreasonable nature of the rules and their unjust and unreasonable implications to other suppliers and consumers. Instead, they argue that the Market Monitor has not met the applicable evidentiary standard.<sup>5</sup> The Commission grants complaints based on "substantial evidence."<sup>6</sup> This requires more than a

---

<sup>4</sup> See *2013 State of the Market Report for PJM*, Volume 2, Section 6: Demand Response, Emergency Program; *2012 State of the Market Report for PJM*, Volume 2, Section 5: Demand Response, Load Management Program at 177.

<sup>5</sup> See PJM at 2–3; EnerNOC at 10–15; Steel Producer at 3–6.

<sup>6</sup> The Supreme Court has explained: "[S]ubstantial evidence is more than a mere scintilla. It means such relevant evidence as a reasonable mind might accept as adequate to support a conclusion." *Universal Camera Corp. v. National Labor Relations Bd.*, 340 U.S. 474 477 (1951) (quoting *Consolidated Edison Co. v. Labor Bd.*, 305 U.S. 197, 229 (1938)); see also *Florida Gas Transmission*

“scintilla of evidence.”<sup>7</sup> The Market Monitor meets and exceeds that standard, even before one takes into account that granting this complaint requires mere application of the Commission’s policy on comparability as the policy has already been applied in ISO New England or the evidence provided by PJM in Docket No. ER14-822 that lack of access to DR on an economic basis threatens the markets and reliability when, as now, DR constitutes such a large proportion of the total capacity relied upon for resource adequacy.<sup>8</sup>

The Commission found the daily capacity market design that existed prior to RPM unjust and unreasonable on the basis of clearly identified design flaws.<sup>9</sup> The Commission appropriately exercised its authority to grant the relief sought by PJM even though PJM

---

Company v. FERC, 604 F.3d 636, 645 (D.C. Cir. 2010) (“the ‘substantial evidence’ standard requires more than a scintilla, but it can be satisfied by something less than a preponderance of the evidence.”). See also, e.g., *PJM Interconnection, L.L.C.*, 142 FERC ¶ 61,216 at P 85 (2013) (“Substantial evidence turns not on how many discrete pieces of evidence the Commission relies on, but on whether the evidence supports its ultimate decision.” (citing *Florida Gas* at 368)); *United Gas Pipe Line Company*, 40 FERC ¶ 61,062 (1987) (“The ‘substantial evidence’ standard requires only that there be some evidence, more than a scintilla, to support the decision reached as reasonable, not that every reasonable person would reach the same decision on that evidence. [n96: Substantial evidence is something less than the weight of the evidence, and the fact that two inconsistent conclusions may be drawn from the evidence does not prevent a finding from being supported by substantial evidence” citing *Consolo v. Federal Maritime Commission*, 383 U.S. 607, 620 (1966)).

<sup>7</sup> *Id.*

<sup>8</sup> See *2013 State of the Market Report for PJM*, Volume 2, Section 6: Demand Response, Table 6-14; *2013 State of the Market Report for PJM: Quarter 3*, Section 6: Demand Response, Table 6-14.

<sup>9</sup> See *PJM Interconnection, L.L.C.*, 115 FERC ¶ 61,079 at PP 3–5 (2006) (“The current PJM capacity construct assumes that generating resources located anywhere within PJM can satisfy the capacity needs in any local area within PJM. PJM states that while it has sufficient overall capacity for its system today, in recent years PJM has had difficulty from time to time in meeting reliability requirements in localized areas, and it expects this problem to expand to other areas as well... Because the stakeholders were unable to reach the requisite consensus on a single solution to this issue, PJM made the instant filing under sections 206 and 205 of the FPA asking the Commission to find that its existing capacity construct is unjust and unreasonable and that its RPM proposal is a just and reasonable replacement... As discussed below, the Commission finds that as a result of a combination of factors, PJM’s existing capacity construct is unjust and unreasonable as a long-term capacity solution, because it fails to set prices adequate to ensure energy resources to meet its reliability responsibilities.”).

failed to quantify the harm caused by the daily capacity market, and did not attempt to prove that the daily capacity market directly harmed PJM itself, which would not have been possible because PJM is a disinterested administrator of the markets.<sup>10</sup>

The Commission considered data on net revenues provided by the Market Monitor in support of PJM's position, but never stated that such data was necessary to its finding that the daily capacity market was unjust and unreasonable because it lacked design elements needed to produce efficient results and to serve its basic purpose. The Commission approved RPM for the whole PJM region, even though, considered as whole, the PJM region was significantly long in capacity. Sufficient evidence, in the form of arguments exposing the faulty design of the existing capacity market, constituted more than a scintilla of evidence that the daily capacity market design was flawed and unsustainable, including in areas of PJM where enjoyed a substantial surplus of capacity.

In addition to PJM's complaint against the daily capacity market's faulty design, the Commission frequently grants relief in complaint proceedings that are, at their core, about flawed rules that fail to operate consistent with their purpose.<sup>11</sup>

The current market rules fail to treat Generation Capacity Resources and DR comparably on fundamental aspects of the capacity product. Pricing in the capacity and the energy markets is closely connected. Entitlement to capacity payments is associated with a

---

<sup>10</sup> PJM does not appear to have considered the implications of its note about standing (at 3 n.8).

<sup>11</sup> See, e.g., *FirstEnergy Solutions Corp., et al. v. PJM Interconnection, L.L.C.*, 140 FERC ¶ 61,019 (2012) (granting complaint requiring PJM to change the rules governing the Auction Revenue Right allocation process); *PJM Power Providers Group v. PJM Interconnection, L.L.C.*, 135 FERC ¶ 61,022, Ordering Para. B (2011) (granting in part complaint that the design of the Minimum Price Offer Rule was not adequate to prevent exercise of market power); *Pepco Energy Services, Inc. v. PJM Interconnection, L.L.C.*, 128 FERC ¶ 61,051 (2009) (found on complaint that the rules governing peak-hour period availability charges unjust and unreasonable if based on annual availability); *Maryland Public Service Commission v. PJM*, 123 FERC ¶ 61,169 (2008) (grants complaint that market rule provisions that exempt certain generation resources from energy offer price mitigation are unjust and unreasonable).

specific shortfall of payments in the energy markets. The markets are linked only if a capacity resource is actually offered as supply in the energy market every day of the relevant Delivery Year. Generation Resources must offer into the Day-Ahead Energy Markets. Demand Resources must do the same. Otherwise, all capacity resources are not represented in the energy market.

DR's failure to make daily economic offers means that the system is at risk of involuntary curtailments when load exceeds offered supply as soon as PJM's limited calls on qualifying emergencies and, if PJM's proposal in Docket No. ER14-822 is approved, "pre-emergencies," are used up.<sup>12</sup> After the limited calls are exhausted, customers who have paid for capacity for a year face exactly the same risk of curtailment as those customers who did not pay for capacity for a year. It is unjust and unreasonable that customers who pay for capacity face the substantially same risk of involuntary curtailment as those who do not pay for it.

It is also a fact that DR has now evolved to constitute an important part of PJM's markets.<sup>13</sup> DR is not a pilot program in RPM. The core policy challenge now is to make sure the DR effectively substitutes for other capacity that it displaces. This is increasingly urgent because DR has a substantial impact on prices in the capacity market and the energy markets, and it is heavily relied upon to ensure resource adequacy.

PJM has made clear that consistency between the day-ahead and real-time energy markets is critical. PJM has recently made a number of changes to its markets in order to

---

<sup>12</sup> It is also worth noting that because PJM cannot dispatch DR nodally, it is at risk of quickly wasting its limited calls on DR by dispatching DR over areas well beyond the specific locations where it is actually needed. Capacity provided by generators can be dispatched nodally, and, of course, is not subject to limited calls in the first instance.

<sup>13</sup> See *2013 State of the Market Report for PJM*, Volume 2, Section 6: Demand Response, Table 6-14; *2013 State of the Market Report for PJM: Quarter 3*, Section 6: Demand Response, Table 6-14.

increase the consistency between the day-ahead and real-time markets.<sup>14 15</sup> Inclusion of DR in the real-time market only with the attendant probability that real-time prices will rise to the shortage pricing level, currently \$1,800 per MWh, while day-ahead prices would not rise above \$1,000 per MWh, would perpetuate a critical inconsistency between the day-ahead and real-time markets, with all the associated inefficiencies including FTR funding issues.

## **2. PJM Rules Requiring Daily Offers from Generation Capacity Resources and Not from Demand Resources Fail to Comply with the Commission's Comparability Policy.**

No protestor attempts to argue that the current rules for DR offers in the energy market treat capacity from DR and generation comparably, consistent with Commission policy.<sup>16</sup> Protestors instead mischaracterize the Market Monitor's position and what comparability means.

PJM (at 4–6) and EnerNOC (at 6–10, 12–13) recast Commission policy to mean a license to treat DR not comparably with other supply because they are not identical. This reading is nonsensical. The policy is to ensure that DR and other supply are comparable so that they can substitute for each other. The language providing that the sellers need not be

---

<sup>14</sup> See PJM, "Commitment Decision Making," PJM Presentation to the Energy Market Uplift Senior Task Force (August 20, 2013) for more detail on the combustion turbine optimizer tool, which can be accessed at: <<http://www.pjm.com/~media/committees-groups/task-forces/emustf/20130820/20130820-bor-commitment-education.ashx>>.

<sup>15</sup> See PJM, "Item 12 - October 2012 MIC DAM Cost Allocation," PJM Presentation to the Market Implementation Committee (October 12, 2012), which can be accessed at: <<http://www.pjm.com/~media/committees-groups/committees/mic/20121010/20121010-item-12-october-2012-mic-dam-cost-allocation.ashx>>.

<sup>16</sup> The Commission applies is "substantial evidence" standard with reference to its policy goals. See *BP Pipelines (Alaska), Inc.*, 144 FERC ¶ 61,025 at P 56 (2013) ("The record in this proceeding contains substantial evidence upon which the Commission can base a reasoned decision to approve the Pooling Agreement as a just and reasonable approach that achieves the Commission's goal, even if other approaches may also be just and reasonable.").

identical keeps the focus on whether the products are substitutable and not on whether the sellers have the same characteristics.

The definition of markets requires that competing products be substitutes. Substitutes do not need to be identical but they do need to provide the same service.

If the Commission grants the relief sought by the Market Monitor, DR and generation capacity resource providers will not be treated identically under the rules. The products provided will not be identical. Daily offer prices from DR will continue to exceed offer prices from generation capacity by many multiples. DR daily offers would likely equal the \$1,000 offer cap.<sup>17</sup> Generation capacity resources will continue to be required to make cost-based offers, so that they are required to offer competitively when they fail the three pivotal supplier test. No such cap or test would apply to DR, at least unless and until the capability to appropriately measure DR costs is developed.

The rules for generation capacity resources and DR will continue to differ, appropriately and inappropriately, in many other ways that this complaint has not sought to address. Granting this complaint will provide a needed foundation for further improvement, and bring PJM market design into conformity with the standard already achieved in ISO New England.

There is zero risk that granting this complaint will result in identical treatment of generation capacity and DR. Granting this complaint will result in only a modest step towards treating these resources, which are substitutes in the market MW-for-MW, more comparably under the rules. Granting this complaint will advance towards the long term goal of efficiently integrating an active component of demand into the wholesale markets.

EnerNOC (at 6–7) and Maryland PSC (*passim*) also miss the point of comparability, characterizing the policy as one that concerns comparable treatment of the sellers. It is not

---

<sup>17</sup> See 2013 State of the Market Report for PJM, Volume 2, Section 6: Demand Response, Table 6-25; 2013 State of the Market Report for PJM: Quarter 3, Section 6: Demand Response, Table 6-26.

the sellers that must be comparable; it is the value of the product that they provide.<sup>18</sup> The capacity product, not the providers of capacity, must be comparable in the sense that they can substitute for each other. DR and generation capacity must be able to replace each other MW-for-MW without degradation of reliability and without harm to the market, and this cannot happen unless capacity from DR and generation have comparable obligations to be available in the energy market on an economic basis.

### **3. DR Operates as a Seller in the Markets, So Rules Mitigating Sellers Should Apply Uniformly.**

EnerNOC claims (at 13) that the purpose of the daily must offer requirement is to prevent withholding to raise prices and that DR, as load, has no interest in higher prices and hopes to avoid curtailment. EnerNOC's assumptions about the nature and proper perspective of load that participates as DR are not valid. Nothing about DR prevents it from daily participation in the markets on an economic basis. Nothing about DR means that it can be assumed to have no interest in exercising market power. Nothing about DR means that it has no interest in raising prices. In addition, generation owners can have DR affiliate CSPs with the attendant incentives. The payment structures for DR in both the capacity market and the energy market are comparable to the generation side of the market, rather than the demand side. It is the payment structures that incent the exercise of market power, and DR does not differ from generators in this aspect.

---

<sup>18</sup> See, e.g., *Demand Response Compensation in Organized Wholesale Energy Markets*, Order No. 745, 134 FERC ¶61,187 at P 66 (2011) ("Order No. 745") ("The Commission agrees that as a general matter demand response providers and generators *should be subject to comparable rules that reflect the characteristics of the resource*" [emphasis added]). See also Order No. 745, Commissioner Moeller, Dissenting at 3 ("At the outset, the concept of "comparability" is at the core of this rulemaking, i.e., whether demand response resources are capable of providing a service comparable to generation resources and if so, whether these resources should receive comparable compensation for a comparable service. On this point, I believe they should. [fn 8: As explained below, I believe that comparable compensation is represented by the *value realized by the demand resource for providing a comparable service*, regardless of whether the source of that value is a payment from the market or a savings by the resource [emphasis added].]").

A reason why some customers may not like the offer rules that apply to capacity is because it is not actually in their rational self interest to sell capacity. Customers should decide whether or not to provide DR based on whether it is in their best interests to pay for capacity and avoid curtailment or to not pay for capacity at risk of curtailment when capacity is needed by those who do pay for it.

The must offer rule is about much more than preventing withholding. The must offer requirement confirms the essential link between the energy and the capacity markets. The capacity market is designed to address revenue shortfalls in the energy market. The must offer rule is designed to ensure that the capability to provide energy (the capacity product) that PJM customers pay for is available to provide actual energy whenever PJM customers need it. Capacity is worth nothing if it does not mean access to energy when needed. That is how the daily must offer requirement defines what capacity is, and why, when the rules fail to require a daily economic offer from DR, those rules fail to ensure that paying for capacity means having energy available whenever it is needed.

Having energy available means having energy available at a reasonable price. The cap is set to prevent the exercise of market power in extreme conditions and avoid market results that cannot be reversed. DR should not create a loophole to circumvent this important protection against market power. DR that cannot offer at or below the system offer cap applicable to generation is not an economically meaningful substitute for that generation. Load is better off procuring generation that must be offered daily at or below the system offer cap to provide energy than DR that is allowed to submit daily offers at levels higher than the highest that generators could justify. If DR cannot offer at or below a system offer price cap set on that basis it is not a reasonable substitute for displaced generation that can make such offers. The rational choice for load that values energy at price levels above the system offer cap is to pay for capacity and, if necessary, to pay for energy at prices as high as the system offer cap, and decline to assume an obligation to curtail whenever capacity available is needed by others.

Providing DR should not involve speculation that the system will never require curtailments. To the extent that customers providing DR do not really want to be curtailed at the price of capacity even though they have declined to purchase capacity, their behavior is rational only if they do not expect to be called. To whatever extent that strategy has worked in the past based on some combination of flawed rules and relatively low participation in DR, DR providers should not expect that windfall to continue. The evidence in Docket No. ER12-822 shows that DR providers face an increasing prospect of curtailment. Either DR will be required to provide comparable capacity, or the result will be degraded markets, and then degraded resource adequacy and/or out-of-market interventions such as reliability must run agreements. The way to avoid that result is to ensure that capacity is comparable regardless of who is selling it.

**B. Evidence That the Failure to Require Offers from DR Below the System Offer Cap Has Been Filed in Docket No. ER14-822.**

There is evidence that flawed rules for DR offers are now having a harmful impact on market performance and reliability. The PJM system emergencies in January 2014 show that annual capacity resources are needed to maintain system reliability and that the limited capacity from demand resources is not adequate. There were two incidents where PJM called for voluntary reductions from participants in the Emergency Load Response Program (“ELRP”) (almost all of which consists of DR) for the whole RTO on January 7, 2014; from 0530–1100 and from 1600–1815. While there are 7,153.4 committed MW of the ELRP product, approximately 24.0 percent, or 1,720 MW, were available for the call from 530–1100 and approximately 40.8 percent, or 2,920 MW, were available for the call from 1600–1815.<sup>19</sup> Similarly, Demand Resources on May 26, 2011 (1620 to 1820) and May 31, 2011

---

<sup>19</sup> See PJM, “Cold Weather Operations for January 2014 Questions, Comments, and Responses” (2014) at 10, which can be accessed at: <http://www.pjm.com/~media/documents/reports/20140306-january-2014-cold-weather-questions.ashx>. “Available” refers to the estimated reductions received from CSPs; actual response is verified weeks later.

(1705 to 1905) achieved 24 percent and 25 percent of committed reduction, since the events fell out of compliance period.<sup>20</sup> These examples show that PJM needs resources to be available at all times during the year. If subject to a daily must offer requirement, these resources would have been available. Voluntary response is no substitute for required availability.

In its filing initiating Docket No. ER14-822, PJM states:

“Participation of Demand Resources in the energy and ancillary service markets as economic Demand Resources has been minimal. The low participation level means PJM does not have available to it Demand Resources as part of the normal economic dispatch process until it initiates Emergency procedures.”<sup>21</sup>

In support of that statement, PJM submitted an Affidavit of Michael E. Bryson on Behalf of PJM, Interconnection, L.L.C. In this affidavit, Witness Bryson explains in detail, with reference to recent incidents, the difficulties faced by PJM dispatchers in making use of DR when it can only be called during emergency conditions and not on an economic basis.<sup>22</sup>

Witness Bryson states:

As shown in the events for July 18, 2013 and September 11, 2013, system conditions change rapidly and it is necessary to have operational flexibility in calling on Demand Resources to ensure the reliability of the system is maintained while also using Demand Resources as efficiently as possible. Operational flexibility in this sense means giving PJM’s dispatchers more available options for when they can call on Demand Resources, how long such resources must remain “on line,” and where such resources are located.

---

<sup>20</sup> See PJM, “Summary of PJM-Initiated Load Management Events” (2014) at 2, which can be accessed at: <http://www.pjm.com/planning/resource-adequacy-planning/~media/planning/res-adeq/load-forecast/alm-history.ashx>.

<sup>21</sup> PJM filing, Docket No. ER14-822-000 (December 24, 2013) at 3 (“PJM December 24<sup>th</sup> Filing”).

<sup>22</sup> See PJM December 24<sup>th</sup> Filing, Attachment A. A copy of PJM’s filing including Witness Bryson’s supporting affidavit is included as an Attachment.

Witness Bryson argues specifically for the “operational flexibility” that was included in PJM’s proposal in ER14-822. But as PJM confirms at length, in its transmittal letter, having DR available daily on an economic basis would also provide operational flexibility.<sup>23</sup> Witness Bryson’s testimony about incidents when PJM needed but did not have operational flexibility from DR demonstrates that the current rules exempting DR from the daily must offer requirement is unjust and unreasonable. Witness Bryson’s testimony also reveals the administrative burden from having to determine whether or not emergencies (or pre-emergencies) exist, instead of simply dispatching on an economic basis. It does not matter whether PJM recognizes where its own evidence points.<sup>24</sup>

Generation capacity does not pose similar problems because those resources are required to submit daily economic offers. Lack of comparable treatment did not present a significant issue from the PJM dispatcher’s standpoint when DR represented only a small fraction of the capacity relied upon for resource adequacy. Today, DR accounts for a substantial part of the reliability margin and reliance on it cannot be avoided. However, PJM cannot call on DR at any price unless emergency conditions exist (or “pre-emergency”). After ten calls, PJM may be forced to shed load in emergency conditions with no distinction made between customers who paid for capacity and those customers who did not.

---

<sup>23</sup> PJM December 24<sup>th</sup> Filing at 3–4 (Attachment) (“[I]n the 2012/2013 Delivery Year, only 2,250 MW of Demand Resources were registered as Economic Load Response resources and had the potential to offer into the energy market, while 8,548 MW of Emergency Load Response resources were registered. In other words, only approximately 25% of Emergency Load Response MWs took the additional step to register as Economic Load Response resources to enable such resources to participate in the energy market on a voluntary basis. Further, only 10% of Emergency Load Response MWs that were also registered as Economic Load Response MWs submitted valid offers into the Energy market on the peak day, and only 3% of such MWs were actually deployed based on economics during the peak day.”).

<sup>24</sup> See, e.g., *Boott Hydropower, Inc.*, 144 FERC ¶ 61,211 at P 20 (2013) (“As long as our decision is supported by substantial evidence, we are permitted to reach our own conclusions under the Lowell Act, notwithstanding the fact that the Park Service may have expressed a different view.”).

PJM offers proposals in ER14-822 that increase its operational flexibility to use DR, but none of those proposals correct a major flaw in the rules that it has identified, the failure to require economic offers from DR every day, as is required of other resource providers. PJM dropped consideration of a must offer for DR in the stakeholder process when it encountered resistance to that approach. Under PJM's proposal in ER14-822 it will be able to call DR without declaring emergency conditions, but this will also enable it to more quickly use up its ten calls per year, at which point involuntary curtailments will be required, and all customers will be equally subject to curtailment regardless of whether they have paid for capacity. In addition, a substantial block of DR provided by behind the meter generation is not included in these pre-emergency calls.

PJM points out (at 4) that it is not required to show that the current rules are unjust and unreasonable in order to obtain approval of its proposal in Docket No. ER14-822 under Section 205. That PJM was not required to meet that burden is not relevant to whether PJM's arguments and testimony in that docket meet or contribute toward meeting that burden. Because PJM was not required to show that the existing rules are unjust and unreasonable, it also was not required to provide a proposal that corrects the unjust and unreasonable aspects of its existing rules that it identified, and it did not provide such a proposal. It remains necessary to address the lack of a must offer requirement for DR or a uniform offer cap even if PJM's section 205 filing in ER14-822 is approved in its entirety.

**C. Comparable Offer Requirements Can Be Implemented for DR without Difficulty and Without Disrupting the Markets.**

The tariff can be amended to apply the daily must offer requirement and system offer cap to Demand Resources by inserting "and Demand Resources" after "Generation Capacity Resource[s]" at the appropriate places in section 1.10.1A(d) of Schedule 1 to the PJM Operating Agreement. The rule can be implemented about as easily, notwithstanding PJM's implausible objections (at 9) about "pricing aberrations and operational concerns." Applying the offer requirements to DR means that PJM would receive economic offers from

DR every day at levels at or below the system offer cap. This is well within PJM's capabilities.

PJM asserts (*Id.*) that "capping Emergency Load Response at \$1,000/MWh can lead to situations in which prices rise towards \$1,000, then drop significantly as PJM enters emergency conditions and a large quantity of offer-capped Emergency Load Response clears the market, and then rise by a very large amount." There is no reason to expect a uniform system offer cap to have this result. PJM experiences these phenomena under the current rules. During emergency events in the 2013/2014 Delivery Year, prices did not gradually rise to \$1,000 per MWh (nor to the higher \$1,800 cap in the current rules) before an emergency event nor did they gradually decline once the emergency event ended. PJM has here correctly identified other significant issues with the nature of the DR product, but those are not the result of the proposal for a uniform offer cap.

An emergency demand response event was called in the ATSI Control Zone from 1440–1800 on July 18, 2013. At 1400 (EPT) on July 18, 2013, the hourly integrated real-time location marginal price (LMP) was \$55.45 per MWh. Prices in the ATSI Zone drastically increased for the first hour of the emergency demand response event by 2,626 percent to \$1,511.80 per MWh during hour 1500 (EPT). The real-time LMP continued to rise to \$1,800.29 per MWh for hour 1600 (EPT). During the last hour of the emergency event, 1700 (EPT), the real-time LMP was \$1,803.03 per MWh in the ATSI Zone. After the event ended, the real-time LMP dropped by \$1,636.01 per MWh to \$167.02 per MWh during hour 1800 (EPT). Applying a uniform system offer price cap to demand response would have an opposite impact to that suggested by PJM. Price changes would have been less extreme.

**D. Protestors Arguments that DR Should Not Have a System Offer Cap Comparable to Generation Capacity Resources Lacks Merit.**

EnerNOC claims (at 18) that applying a uniform offer cap is a collateral attack on prior Commission orders. The Market Monitor's January 27<sup>th</sup> complaint already explains (at 6) that the orders in question approved a higher system offer cap higher for DR explicitly

because DR had no must offer requirement. If the must offer requirement is applied to DR in this proceeding, then this rationale disappears.

The PJM scarcity pricing orders were issued prior to the Commission's approval of a uniform offer cap in ISO New England. At present, the overriding concern is to ensure that DR can serve its purpose, as it is now an important component in the capacity market and is heavily relied upon for resource adequacy.

**E. The Level of the System Cap is Ripe for Review, but That Issue Is Not within the Scope of This Proceeding.**

PJM (at 10–13), Exelon (at 4–7), Indicated Utilities (at 5), and EPSA/EPGA (at 11) argue for a higher system offer price cap than \$1,000 per MWh. The Market Monitor agrees that recent events have shown that the level of the system offer cap is an issue ripe for review. Raising the offer cap is not within the limited scope of relief requested in this complaint. The relief requested in this complaint is that the Commission require a uniform system offer cap for Capacity Resources. That level currently is \$1,000. No alternative level has been proposed. Based on the principle of uniform treatment, any future change to the system offer price should apply to both Generation Capacity Resources and Demand Resources. Accordingly, proposals to alter the offer cap in this proceeding should be rejected without prejudice.

**II. MOTION FOR LEAVE TO ANSWER**

The Commission's Rules of Practice and Procedure, 18 CFR § 385.213(a)(2), do not permit answers to answers or protests unless otherwise ordered by the decisional authority. The Commission has made exceptions, however, where an answer clarifies the issues or assists in creating a complete record.<sup>25</sup> In this answer, the Market Monitor provides the

---

<sup>25</sup> See, e.g., *N.Y. Indep. Sys. Operator, Inc.*, 121 FERC ¶61,112 at P 4 (2007) (answer to protest accepted because it provided information that assisted the Commission in its decision-making process); *PJM Interconnection, L.L.C.*, 119 FERC ¶61,318 at P 36 (2007) (accepted answer to answer that "provided information that assisted ... decision-making process"); *California Independent System Operator*

Commission with information useful to the Commission's decision-making process and which provides a more complete record. Accordingly, the Market Monitor respectfully requests that this answer be permitted.

### III. CONCLUSION

The Market Monitor respectfully requests that the Commission afford due consideration to this pleading as the Commission resolves the issues raised in this proceeding.

Respectfully submitted,



---

Jeffrey W. Mayes

Joseph E. Bowring  
Independent Market Monitor for PJM  
President  
Monitoring Analytics, LLC  
2621 Van Buren Avenue, Suite 160  
Valley Forge Corporate Center  
Eagleville, Pennsylvania 19403  
(610) 271-8051  
[joseph.bowring@monitoringanalytics.com](mailto:joseph.bowring@monitoringanalytics.com)

General Counsel  
Monitoring Analytics, LLC  
2621 Van Buren Avenue, Suite 160  
Valley Forge Corporate Center  
Eagleville, Pennsylvania 19403  
(610) 271-8053  
[jeffrey.mayes@monitoringanalytics.com](mailto:jeffrey.mayes@monitoringanalytics.com)

Dated: March 11, 2014

---

*Corporation*, 110 FERC ¶ 61,007 (2005) (answer to answer permitted to assist Commission in decision-making process); *New Power Company v. PJM Interconnection, L.L.C.*, 98 FERC ¶ 61,208 (2002) (answer accepted to provide new factual and legal material to assist the Commission in decision-making process).

## CERTIFICATE OF SERVICE

I hereby certify that I have this day served the foregoing document upon each person designated on the official service list compiled by the Secretary in this proceeding.

Dated at Eagleville, Pennsylvania,  
this 11<sup>th</sup> day of March, 2014.



---

Jeffrey W. Mayes

General Counsel

Monitoring Analytics, LLC

2621 Van Buren Avenue, Suite 160

Valley Forge Corporate Center

Eagleville, Pennsylvania 19403

(610) 271-8053

*jeffrey.mayes@monitoringanalytics.com*

# **Attachment**



PJM Interconnection  
Valley Forge Corporate Center  
2750 Monroe Boulevard  
Audubon, PA 19403

Jennifer H. Tribulski  
Senior Counsel  
610.666.4363 | fax 610.666.8211  
Jennifer.tribulski@pjm.com

December 24, 2013

Honorable Kimberly D. Bose  
Secretary  
Federal Energy Regulatory Commission  
888 First Street, N.E.  
Washington, DC 20426

Re: PJM Interconnection L.L.C., Docket No. ER14- 822 -000

Dear Secretary Bose:

Pursuant to Section 205 of the Federal Power Act<sup>1</sup> and part 35 of the rules and regulations of the Federal Energy Regulatory Commission (“Commission” or “FERC”),<sup>2</sup> PJM Interconnection, L.L.C. (“PJM”) hereby submits modifications to the PJM Open Access Transmission Tariff (“Tariff”), Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”) and the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region (“RAA”). The proposed modifications were developed with PJM’s stakeholders to increase the operational flexibility of Demand Resources.<sup>3</sup> As supported by the *Affidavit of Michael E. Bryson on Behalf of PJM, Interconnection, L.L.C.* included as Attachment A to this filing (“Bryson

---

<sup>1</sup> 16 U.S.C. § 824d (2012).

<sup>2</sup> 18 C.F.R. Part 35 (2010).

<sup>3</sup> All capitalized terms that are not otherwise defined herein shall have the same meaning as they are defined in the Tariff, Amended and Restated Operating Agreement of PJM Interconnection, L.L.C. (“Operating Agreement”) or the Reliability Assurance Agreement Among Load Serving Entities in the PJM Region (“RAA”). Where PJM refers herein to provisions in Schedule 1 of the Operating Agreement, those references also are intended to encompass the identical, parallel provisions of Attachment K-Appendix of

Affidavit”), the proposed modifications are informed by the specific experience of PJM’s dispatchers in calling on Demand Resources when PJM is approaching a system emergency. PJM worked with its stakeholders to review the specific experiences and needs of PJM’s dispatchers in utilizing Demand Resources in response to emergencies. Moreover through a number of stakeholder meetings, PJM explored the means to address these operational needs in a manner which also reasonably accommodates the needs of Demand Resources. PJM requests that the Commission issue an order accepting the enclosed revisions by no later than March 14, 2014, more than sixty (60) days after the date of this filing, with an effective date of March 15, 2014.

#### **I. Background**

The growing amount of Demand Resources being committed in PJM’s Reliability Pricing Model (“RPM”) Auctions<sup>4</sup> coupled with announced and completed retirements of Generation Capacity Resources<sup>5</sup> is causing PJM to rely on Demand Resources more than ever before. As a result, PJM expects its system operators will deploy Demand Resources more often and at higher levels than it ever has in the past to maintain reliability.

Today, Curtailment Service Providers (“CSP”) have the option of choosing either a one hour or two hour prior notification time of an anticipated PJM request to reduce

---

the Tariff. Where PJM refers herein to provisions in Attachment DD-1 of the Tariff, those references are also intended to encompass the identical, parallel provisions of Schedule 6 of the RAA.

<sup>4</sup> More than 14,000 MWs (stated as unforced capacity) cleared in each of the last two BRAs. This is up from 9,281 MW for the 2013/2014 Delivery Year and 7,047 for the 2012/2013 Delivery Year. See Base Residual Auction Results Reports at the following URLs: <http://www.pjm.com/~media/markets-ops/rpm/rpm-auction-info/2013-2014-base-residual-auction-report.ashx> and <http://www.pjm.com/~media/markets-ops/rpm/rpm-auction-info/20120518-2015-16-base-residual-auction-report.ashx>.


<sup>5</sup> Nearly 14,000 MW of Generation Capacity Resources are pending deactivation and are expected to retire by 2017. See Future Deactivation Status Sheet which can be found at the following URL: <http://www.pjm.com/~media/planning/gen-retire/pending-deactivation-requests.ashx>.

energy consumption from their capacity resources in response to the declaration of a system emergency. Approximately 94% of MWs nominated for the 2013/2014 Delivery Year of PJM's Demand Resources have elected a two hour notification time, and therefore are not required to achieve full load reduction until two hours from the time PJM issues a notice that Emergency Load Response is needed under emergency conditions.

Under current PJM market rules, Demand Resources that clear an RPM Auction can fulfill their RPM commitments by registering in PJM's Emergency Load Response Program. But, PJM must initiate emergency procedures before calling on such resources. Additionally, Demand Resources may also participate in PJM's energy and ancillary service markets as an Economic Load Response resource on a voluntary basis.

Participation of Demand Resources in the energy and ancillary service markets as economic Demand Resources has been minimal. The low participation level means PJM does not have available to it Demand Resources as part of the normal economic dispatch process until it initiates Emergency procedures.

**Figure 1.**



For example, as shown in Figure 1, in the 2012/2013 Delivery Year, only 2,250 MW of Demand Resources were registered as Economic Load Response resources and had the potential to offer into the energy market, while 8,548 MW of Emergency Load Response resources were registered. In other words, only approximately 25% of Emergency Load Response MWs took the additional step to register as Economic Load Response resources to enable such resources to participate in the energy market on a voluntary basis. Further, only 10% of Emergency Load Response MWs that were also registered as Economic Load Response MWs submitted valid offers into the Energy market on the peak day, and only 3% of such MWs were actually deployed based on economics during the peak day. Because CSPs have registered nearly all these resources with a two hour notification time prior to dispatch, and PJM's rules require a two hour minimum Load Management event duration, current rules leave PJM with little ability to flexibly address changing conditions on its system.

To illustrate this point, on two specific occasions during the Summer of 2013, PJM experienced the inefficiencies of not only having to decide to call on Demand

Resources two hours before an anticipated capacity shortage, but also not being able to reverse this decision based on changes to system conditions until at least two hours after such resources have achieved their load reductions despite that the operational need for such resources had dissipated.<sup>6</sup> These two events are highlighted below and explained in detail in the Bryson Affidavit.

July 18, 2013:

As of 12:00 on July 18, 2013, based on information PJM had received from neighboring systems about their anticipated conditions, PJM anticipated very little in the way of energy imports from its neighbors over the peak period on this very warm day. In fact, the New York Independent System Operator (“NYISO”) and ISO New England (“ISO-NE”) indicated they were anticipating emergency conditions themselves, and therefore not only would they likely need to recall the energy transfers from their regions to PJM, but indicated that they may also need to purchase emergency energy over the peak hours. Thus, PJM anticipated the need to call on additional capacity during the afternoon of July 18.

By 12:40, believing the system was close to a capacity shortage emergency as described in PJM Manual 13,<sup>7</sup> PJM called for Demand Resources with a notification time of between one and two hours (referred to as “Long Lead Time Emergency Mandatory Load Management Response” in Manual 13)<sup>8</sup> in the PECO and PPL Zones to ensure reliability. At the same time PJM, as it is required to do, notified the NERC

---

<sup>6</sup> Bryson Affidavit at 4 & 5.

<sup>7</sup> PJM Manual 13: Emergency Operations, Revision 55, Effective Date: January 1, 2014 (PJM Manual 13”), Section 2.3.

<sup>8</sup> See PJM Manual 13, Section 2.3.2.

Reliability Entities of an Energy Emergency Alert Step 2 (“NERC EEA2”) in both the PECO and PPL Zones to obtain 1,000 MW of additional capacity needed during the afternoon.

However, at 14:00, PJM learned the NYISO implemented load management in its footprint, and as a result did not need to curtail the energy transfers into PJM, nor request emergency energy purchases from PJM. PJM also observed a coincident sharp increase in interchange into PJM from the NYISO as well as other areas to the west and south. This change was contrary to the forecasts PJM made earlier in the day based on information PJM had at the time. Nevertheless given the timing, PJM could not recall its request for Demand Resources until at least 16:40 due to the mandatory two hour event duration requirement, explained above.

By 14:40, prices in PJM began to plummet (from \$465 to \$62) due to the increased interchange as well as the response of the Demand Resources that were called on at 12:40. As soon as it was able to do so, PJM canceled its Long Lead-Time Emergency Mandatory Load Management in PECO and PPL Zones, as well as the NERC EEA2.

While these resources were anticipated to be needed to maintain reliability at the time they were dispatched – two hours prior to when they were expected to be needed - the end result was that they were not required to maintain reliability due to the sharp increase in interchange. Based on the high offer prices of Demand Resources, PJM was required to make significant make-whole payments to these resources on the order of \$3.96 million dollars over the two hour period they were dispatched. These additional costs largely could have been avoided if PJM had the flexibility to wait to call Demand

Resources until closer to the anticipated emergency condition, at which point PJM would have recognized that doing so was no longer necessary. Additionally, the ability to release Demand Resources more quickly as system conditions change would also help avoid the additional costs.

September 11, 2013:

On September 10, 2013, PJM under-forecasted the load by 4,000 MW. PJM also experienced operational issues due to poor generator response during a Synchronized Reserve Event. In addition, PJM faced numerous transmission contingencies due to the combination of unseasonably hot weather and generation and transmission facilities experiencing planned and unplanned maintenance outages. Given these conditions, as well as an even higher load forecast for September 11, 2013,<sup>9</sup> between 12:00:00 and 12:59:59 PJM issued five calls for both Long Lead Time Emergency Mandatory Load Management response and Demand Resources with a notification time of less than one hour (referred to as “Short Lead Time Emergency Mandatory Load Management Response” in Manual 13)<sup>10</sup> in the AEP, ATSI, Dominion, Mid-Atlantic Region, and Duquesne Zones, totaling nearly 6,000 MW.<sup>11</sup> However, shortly after 13:00, the actual load began to decrease and, ultimately, actual load was much lower than previously forecasted. As a result, PJM did not need as many MWs of Demand Resources as it called. Given the notification time and event duration time, PJM could not release the unnecessary Demand Resources until beginning at 17:00.<sup>12</sup>

---

<sup>9</sup> By 09:00 on September 11, 2013, PJM increased the peak load forecast by approximately 3,500 MW.

<sup>10</sup> See Manual 13, Section 2.3.2.

<sup>11</sup> Bryson Affidavit at 4.

<sup>12</sup> Bryson Affidavit at 6.

Similar to the event on July 18, the Demand Resources dispatched were anticipated to be needed at the time they were called, but, due to changing system conditions within the two hour notification time, those resources were not needed to maintain reliability and, again, did not set price (with the exception of the ATSI Zone). PJM was required to make significant payments – totaling \$38 million – during this period to compensate the dispatched Demand Resources up to their offer prices. As with July 18, much of these costs could have been avoided had PJM's market rules not required a two hour notification time and a two hour minimum duration.

### Proposed Changes

PJM already had commenced a stakeholder process in June, 2013 to consider additional obligations for Demand Resources that clear an RPM Auction to provide the increased operational flexibility needed to dispatch Demand Resources more efficiently by being able to respond more quickly and cost effectively to anticipated emergencies, and to change course as conditions change. The events that took place in July and September underscored the need for PJM to continue to work with its stakeholders and develop the proposal contained herein.

Specifically, through the attached Operating Agreement, Tariff, and RAA amendments, PJM proposes the following modifications:

- creating a new category of Demand Resources that can be offered into an RPM Auction, called Pre-Emergency Load Response, that are eligible for PJM dispatch before an emergency is called, providing PJM system operators with the ability to call on these capacity resources prior to, and therefore potentially avoid, or at least reduce the duration and breadth of, a system emergency;
- incorporating a requirement that all Demand Resources that submit Sell Offers into an RPM Auction be considered Pre-Emergency Load Response unless the Demand Resource meets its obligations through

generation that is behind the meter and has strict environmental restrictions on when it can operate;

- modifying the notification time procedures to give PJM more flexibility to call on Demand Resources such that, after a transition period, all Demand Resources that clear an RPM Auction will be required to meet a default 30 minute notification time unless they can demonstrate, through an exception process, they have a physical limitation that would prevent them from reducing load in 30 minutes and instead need 60 or 120 minutes notification time;
- modifying the minimum Load Management event duration time from two hours to one hour to provide PJM dispatchers with additional flexibility to reverse course if system conditions change mid-Load Management event such that Demand Resources are no longer needed to address the emergency or if the emergency conditions are no longer in effect;
- establishing caps on the Offer Price for Pre-Emergency and Emergency Load Response which are linked to their respective notification times, with 30 minute notification time resources having the highest cap and resources with an approved exception to respond in 60 or 120 minutes being subject to lower caps;
- adding granularity to the compliance measurement and verification procedures to allow PJM to measure Demand Resource compliance during a clock hour<sup>13</sup> even if a resource is only dispatched for part of that clock hour (so long as it was dispatched for at least 30 minutes of that clock hour), and giving CSPs the ability to submit 1 minute load data<sup>14</sup> if available and certain conditions are met, in order to allow PJM to measure compliance more accurately than under the current rules; and
- modifying the sub-Zonal dispatch rules such that, after a transition period, PJM will be able to require compliance with a sub-Zonal dispatch provided it is called during the Operating Day of the Load Management event, rather than measuring compliance based on the sub-Zone the day before the Operating Day, thereby greatly increase the ability of PJM dispatchers to react to system conditions in real time.<sup>15</sup>

---

<sup>13</sup> A "clock hour" is the sixty minute period of time the top of the hour (e.g., 13:00:00 to 13:59:59) rather than a rolling 60-minute period (e.g., 13:10:00 to 14:09:59).

<sup>14</sup> 1 minute load data is the electricity consumption over 1 minute.

<sup>15</sup> As the proposals contained in this filing are focused on enhancing operational flexibility during an Operating Day, this filing differs from PJM's recent filing addressing Demand Resources which concentrated on clearing of the various types of Demand Resources in PJM's forward capacity market -- RPM.

PJM also proposes various revisions that are clarifying or clean-up in nature.

Not only will these revisions provide much needed operational flexibility, but the revisions will bring Demand Resources more in line with Generation Capacity Resources. As the Commission has held, “while generation and demand response may not be identical resources in every respect, both types of resources are equally able to assist RTOs and ISOs in maintaining a balance between supply and demand when they meet an RTO’s or ISO’s requirements to deliver their product or service when and where needed on the margin.”<sup>16</sup> In that regard, FERC said it “linked comparability to the technical capability of a demand response resource to provide a particular service, not to whether the performance requirements of a demand response resource are identical to a generation resource.”<sup>17</sup> Here, PJM seeks to align the technical capabilities of Demand Resources with its obligations to respond to PJM directions earlier on by creating a new category of “Pre-Emergency Load Response” resources, as well as more quickly, by setting the default notification time as 30 minutes (and setting the offer price cap in a manner intended to incentivize this response time) and reducing the minimum event duration to one hour. Moreover, PJM proposes an exception, with supporting documentation, for those Demand Resources which may not, in the words of the Commission, have the “technical capability” to meet the default notification time period. While PJM has not gone so far as to require Demand Resources have a must offer obligation like that of Generation Capacity Resources, PJM believes the reforms it is proposing will ensure a more efficient use of Demand

---

<sup>16</sup> *Demand Response Compensation in Organized Wholesale Energy Markets*, 137 FERC ¶ 61,215 at P 57 (2011) (Order No. 745-A).

<sup>17</sup> *Id.*

Resources in a manner that will help PJM balance demand with supply in the same manner as it relies on Generation Capacity Resources.

## **II. Proposed Revisions**

### **A. Implementation of Pre-Emergency Load Response Program**

Today, PJM can require cleared Demand Resources to reduce load *only* when PJM has reached emergency conditions under its Emergency Load Response Program. CSPs can elect to participate in in the Emergency Load Response Program as Full Program Option or Energy Only option to fulfill their capacity commitment. Because only 10% of cleared Demand Resource MWs participate in PJM's Economic Load Response Program on a peak day as noted above, the vast majority of Demand Resource MWs (approximately 90%) can be dispatched only during emergency conditions. Capacity Market Sellers have registered nearly all these resources subject to a two hour notification, seriously impeding PJM's ability to flexibly address changing conditions on its system under the current rules. Additionally, PJM cannot reverse a decision made to call on Demand Resources until at least two hours after the resource had achieved its load reduction even if it had made a later determination that emergency conditions are no longer expected. Thus, the current market rules have created operational inefficiencies as demonstrated above through the examples of July 18 and September 11, 2013. With more flexibility to call on Demand Resources earlier, PJM believes it can use Demand Resources more efficiently and cost effectively.

For these reasons, this filing proposes a new type of Demand Resource which can be called on to reduce load prior to PJM reaching impending or actual emergency conditions. PJM identifies this new resource as Pre-Emergency Load Response.

Giving PJM the authority to require load reductions at two different stages – emergency and pre-emergency – will provide PJM system operators the operational flexibility to address changing conditions on PJM's bulk power system and thereby eliminate operational impediments and inefficiencies that could negatively impact reliability.

Under PJM's proposal, in the first instance PJM will have authority to dispatch *Pre-Emergency* Load Response prior to emergency events. All CSPs desiring to submit a Sell Offer for Demand Resources in an RPM Auction will be required to register any resources that clear such auction as *Pre-Emergency* Load Response, unless they obtain an exception to remain as Emergency Load Response resources, as discussed below. PJM will dispatch these Pre-Emergency Load Response resources in a manner comparable to its dispatch of Emergency Load Response resources, except that they will be dispatched prior to the implementation of emergency procedures, and PJM will take into account the strike price of the resource when determining whether to dispatch such resource.

Originally, PJM proposed to incorporate a must-offer requirement for Emergency Load Response resources which would have required Capacity Market Sellers with cleared Sell Offers for Emergency Load Response resources in RPM Auctions to offer their cleared MW of load reduction into PJM's Day-ahead Energy Market every day. This proposal would have treated cleared MW of Emergency Load Response resources in the same manner as cleared MW of Generation Capacity Resources, which are subject to a must-offer requirement under PJM's current market rules.<sup>18</sup> However, CSPs preferred a different approach – one which included the concept of “pre-

---

<sup>18</sup> Tariff, Attachment DD, Section 6.6(a); Operating Agreement, Schedule 1, Section 1.10.1A(d), and the parallel provision of Tariff, Attachment K-Appendix.

emergency” Demand Resources – which provides the flexibility PJM requires because their obligation to perform exists even outside of declared emergency conditions. PJM therefore modified its proposal as a result of discussions of this issue in the stakeholder process, and in recognition that, given their extremely high offer prices and given the presence of price-sensitive demand and decrement bids, these Demand Resources are highly unlikely to be dispatched in the Day-ahead Energy Market. The “pre-emergency” designation gives PJM most of the operational flexibility to call upon demand response as a capacity resource that it was seeking with its prior proposal.

To implement these new market rules PJM proposes the following:

### **8.1 Emergency Load Response and Pre-Emergency Load Response Program Options**

The Emergency Load Response Program and Pre-Emergency Load Response Program are ~~is~~ designed to provide a method by which end-use customers may be compensated by PJM for reducing load immediately prior to an anticipated emergency event (“pre-emergency event”) or during an emergency event. As used in the Emergency Load Response Program and Pre-Emergency Load Response Program, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program and Pre-Emergency Load Response Program:

- Full Program Option

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during a pre-emergency or an emergency event, and (ii) a capacity payment for load reductions during an pre-emergency event or emergency event measured as set forth in the Reporting and Compliance provisions below.

- Energy Only Option

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

PJM will retain its current authority to dispatch *Emergency Load Response* in the second instance, in the same manner it is dispatched today – by Zone or sub-Zone, product, lead time and strike price. Additionally, the proposed rules will require all Pre-Emergency Load Response to reduce load (as is currently the case for Emergency Load Response resources) when PJM is in emergency conditions. The only type of resources that will be permitted to be Emergency Load Response under the new Operating Agreement provisions are Demand Resources which use behind the meter generation to meet their Demand Resource obligations and that have strict environmental restrictions on when they can operate. The revisions PJM proposes to effectuate these changes are:

## **8.2 Participant Qualifications**

Two primary types of distributed resources are candidates to participate in ~~either of the two options provided by the PJM Emergency Load Response Program and Pre-Emergency Load Response Program:~~

### On Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

### Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

~~PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program.~~ Only Members or Special Members may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response and Pre-Emergency Load Response Program provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member or Special Member may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program on behalf of a third party for non-members, in which case the third party will be referred to as the Curtailment Service Provider (CSP). All payments are made to the PJM Member or Special Member in such case. Participants Curtailment Service Providers must become signatories to the PJM Operating Agreement, as described in the ***PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.*** However, for the ~~s~~Special Mmembers the \$5,000 annual member fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications.

Special Members are limited to be PJM market sellers;  
Voting privileges and sector designation are waived;  
Thirty day notice for waiting period is waived;  
Requirement for 24/7 control center coverage is waived;  
No PJM-supported user group capability is permitted.

~~To participate in either of the two options provided by the Emergency Load Response Program and Pre-Emergency Load Response Program,~~ the distributed Demand Resource must:

Be capable of reducing at least 100 kW of load;  
Be capable of receiving PJM notification of a Load Management event ~~to participate during emergency conditions.~~

PJM describes its proposed pre-emergency operations in a new Section 8.5 of Schedule 1 of the Operating Agreement. This new section provides, among other things, the requirements for participation in Pre-Emergency Load Response, and explains how a pre-emergency event is implemented. PJM further indicates therein that Pre-Emergency Load Response is eligible to set the Locational Marginal Price when required to reduce demand in the PJM Region, just as Emergency Load Response is eligible to do so under Section 8.6.<sup>19</sup>

Specifically, the proposed revisions are:

### **8.5 Pre-Emergency Operations**

All participants in the Emergency Load Response Program shall be subject to the pre-emergency procedures herein, unless the participant can demonstrate it: (1) relies on Behind the Meter generation to fulfill its load reduction obligations; and (2) it has environmental restrictions on when it can operate such that it is only permitted to operate if PJM is in emergency conditions, in which case the participant shall be subject to the emergency operation procedures contained in Section 8.6. In such case, the Curtailment Service Provider shall submit a request for the relevant Demand Resource(s) to be an emergency (versus pre-emergency) Demand Resource to the Office of the Interconnection, at the time the Registration Form is submitted in accordance with this Agreement. A Curtailment Service Provider shall not submit a request for an exception unless it has done its due diligence to confirm that the Demand Resource meets the requirements referenced herein and has obtained from the end-use customer documentation supporting the exception request. The Curtailment Service Provider shall provide the Office of the Interconnection with a copy of such supporting documentation within three (3) business days of a request

---

<sup>19</sup> PJM modified slightly the language endorsed by the Markets and Reliability Committee, and endorsed and approved by the Members Committee, to remove “Emergency Load Response and” from 8.5 when describing setting of the LMP. This is because setting of the LMP by Emergency Load Response is already covered in Section 8.6 and does not need to be described in Section 8.5.

therefor. Failure to provide such supporting documentation by the deadline shall result in the Demand Resource being subject to the pre-emergency procedures herein.

PJM will initiate a pre-emergency event prior to the declaration of a Maximum Generation Emergency or an emergency event when practicable. A pre-emergency event is implemented when economic resources are not adequate to serve load and maintain reserves or maintain system reliability, and prior to proceeding into emergency procedures. Understanding the primary responsibility of the Office of the Interconnection to maintain system security, the Office of the Interconnection will strive to exhaust, but it is not obligated to exhaust, all economic resources prior to initiating a pre-emergency event. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the pre-emergency event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the pre-emergency event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Pre-Emergency Load Response Program are eligible to set the real time

Locational Marginal Prices (“LMP”) when the Office of the Interconnection has implemented pre-emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM’s telemetry requirements.

Curtailment Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, and comply with operational procedures, as described in detail in the PJM Manuals.

Consistent changes to the Emergency Operations provisions in Sections 8.6 and 8.7 are proposed to certain existing language for clarity, as well as to reflect that CSPs must provide real-time operational data regarding the availability and status of their Pre-Emergency Load Response to PJM.

Finally, PJM inserted references to Pre-Emergency Load Response and/or the Pre-Emergency Load Response Program throughout the Tariff, Operating Agreement and RAA, as needed to reflect the vast majority of cleared Demand Resources shall be required to make themselves available to PJM for load reduction prior to the implementation of emergency procedures, under virtually the same requirements that currently apply to Emergency Load Response resources only. Such revisions are reflected in:

- the Tables of Contents of the Tariff and Operating Agreement;
- Schedule 1 of the Operating Agreement and the parallel provisions of Attachment K-Appendix of the Tariff,
  - Section 1.3.31.02 (Special Member),
  - Section 1.5A.3 (Registration),

- Section 1.5A.3.02 (Economic Load Response Regulation Only Registrations),
  - Section 1.5A.7 (Non-Hourly Metered Customer Pilot),
  - Section 2.2 (General),
  - Section 8.1 (Emergency Load Response and Pre-Emergency Load Response Program);
  - Section 8.2 Participant Qualifications,
  - Section 8.3 (Metering Requirements),
  - Section 8.4 (Registration),
  - Section 8.6 (Emergency Operations),
  - Section 8.8 (Market Settlements),
  - Section 8.9 (Reporting and Compliance), and
  - Section 8.11 (Emergency Load Response and Pre-Emergency Load Response Participant Aggregation);
- Tariff, Attachment DD-1, Sections A.4 and A.6 and the parallel provisions of RAA, Schedule 6; and
  - RAA, Schedule 6.1, Section B.

**B. PJM Proposes To Modify the Notification Time And Minimum Load Management Event Duration To Ensure More Efficient Dispatch Of Demand Resources**

Current PJM market rules allow a Demand Resource to achieve its full load reduction within two hours. As explained herein and in the Bryson Affidavit, requiring Demand Resources to achieve full load reductions within thirty minutes, rather than the current two hour requirement, would greatly increase operational flexibility, which will lead to a more reliable system and more efficient use of Demand Resources.

As PJM's bulk power system approaches emergency conditions, such as a capacity shortage, PJM dispatchers take various steps to ensure reliability is maintained starting with the day before the Operating Day, and, as needed, during the Operating Day in real time. These alerts, warnings and actions are detailed in Section 2.5 of

Schedule 1 of the Operating Agreement, so as to put Members on notice of the possible need to use emergency procedures during the Operating Day.<sup>20</sup>

Particularly during the Operating Day, PJM dispatchers are watching a myriad of system conditions including changes in weather, load, generator performance, generator outages, transmission outages, and interchange; as such conditions can change moment to moment. One of the resources PJM dispatchers can use prior to shedding load (also called “Manual Load Dump”) is to call on Demand Resources. This is accomplished through dispatching Long Lead Time Emergency Mandatory Load Management Reductions or Short Lead Time Emergency Mandatory Load Management Reductions. Long Lead Time and Short Lead Time Emergency Mandatory Load Management Reductions are designed to provide additional load relief by using PJM controllable load management programs. Load Management is expected to be required after initiating Maximum Emergency Generation.<sup>21</sup>

As noted above, PJM’s proposed changes will allow its dispatchers to call on Pre-Emergency Load Response resources before calling on Emergency Load Response resources, ensuring Demand Resources are available to PJM dispatchers in advance of having to declare an emergency and may in fact obviate the need to declare an emergency. Nevertheless, when a Pre-Emergency Load Response resource is given up to two hours to achieve its full load reduction, as is the case under current rules, PJM dispatchers must call on them at a time when forecasted system conditions are still in flux. As a result, PJM could, and as the examples above illustrate, often

---

<sup>20</sup> Bryson Affidavit at 2-3; see also Operating Agreement, Schedule 1, Section 2.5(b) and (c), and the parallel provisions of Tariff, Attachment K-Appendix. Such alerts include Primary Reserve Alert, Voltage Reduction Alert.

<sup>21</sup> *Id.*

does, call on more Demand Resources to respond to a Load Management event than those which are ultimately needed to maintain reliability and avoid shedding load.

In addition to the long minimum lead times for calling on Demand Resources, PJM has become hamstrung by the fact Demand Resources have a minimum Load Management event duration of two hours.<sup>22</sup> That is, once a Demand Resource is called upon, it is required to achieve its load reduction for a minimum of two hours and PJM cannot recall the dispatch of such resource until at least two hours after the load reduction has been achieved. As demonstrated by the events on July 18 and September 11, 2013, Demand Resources may be needed only for a short period of time; or may be dispatched but then not actually needed for as long as two hours due to changed conditions.<sup>23</sup>

As described in the attached Bryson Affidavit, and as summarized in the Background section above, PJM experienced the inefficiencies of not only having to decide to call on Demand Resources two hours before an anticipated capacity shortage, but also not being able to reverse this decision until at least two hours after the resource had achieved its load reduction.<sup>24</sup> Specifically, on July 18, 2013 and September 11, 2013, PJM dispatchers called on Demand Resources expecting that the system was heading into emergency conditions based on system conditions both in and external to PJM at the time. When such conditions did not materialize the dispatchers could not reverse their decision until after the minimum event time expired.<sup>25</sup> This can result in

---

<sup>22</sup> See Operating Agreement, Schedule 1, Section 8.8, and the parallel provision of Tariff, Attachment K-Appendix.

<sup>23</sup> Bryson Affidavit at 3-6.

<sup>24</sup> See Section I, *supra*; Bryson Affidavit at 3-6.

<sup>25</sup> Bryson Affidavit at 3-6.

PJM dispatchers backing down more cost effective generation until such time as Demand Resources cease responding (which, in turn, will increase load levels). A consequence of this is low market clearing prices that are counterintuitive given the use of Emergency Load Response resources and significant payments to such resources.

It is likely that the default 30 minute notification time proposed herein would have allowed PJM considerably more time to evaluate system conditions on both July 18 and September 11, 2013, and could have resulted in more precise calls of Emergency Load Response, or more likely, no calls for Emergency Load Response given the changing weather conditions and interchange swings. If the PJM dispatchers could have waited until up to 30 minutes prior to time when they believed Emergency Load Response would be necessary, actual system conditions at that time would have showed the resources were no longer required and PJM could have avoided dispatching them altogether.

To address the issues raised above, PJM is modifying Attachment DD-1 and the corresponding provision in Schedule 6 of the RAA to require all Emergency and Pre-Emergency Load Response Program participants to achieve full load reduction within 30 minutes.<sup>26</sup> However, similar to the Tariff provisions on physical limitations of generators,<sup>27</sup> PJM recognizes there may be circumstances, detailed specifically in the proposed tariff language, when a Demand Resource simply cannot, nor should not, be required to respond within 30 minutes. PJM does not want to lose these Demand Resources altogether. Thus, PJM proposes an exception process that would allow

---

<sup>26</sup> eTariff records ATTACHMENT DD-1 and RAA SCHEDULE 6.

<sup>27</sup> See Parameter Limited Schedules contained in Operating Agreement, Schedule 1, Section 6.6, and the parallel provision of Tariff, Attachment K-Appendix.

CSPs to notify PJM at the time the resource registers that it is not able to meet the 30 minute notification time requirement. The specific categories for exemptions are as follows:

- The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or
- The Demand Resource is comprised of mass market residential customers which collectively cannot be notified of a Load Management event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.<sup>28</sup>

A CSP can obtain an exception that would allow for either 60 minute or 120 minute notification time before the Demand Resource achieves its full load reduction. The intent of these exemptions is to accommodate resources with legitimate, physical reasons as to why the load reduction cannot be achieved in the default, 30 minute notification time period. PJM therefore proposes to require a CSP perform due diligence prior to submitting an exception request to ensure only those resources that meet one of the exceptions will be seeking such exception. Should PJM require additional information before it can grant an exception, PJM shall notify the CSP and the CSP must respond with additional data and information within three business days. PJM will make its determination within ten business days of receiving such additional

---

<sup>28</sup> *Id.*

information.<sup>29</sup> PJM's review will be limited to ensure the request is based on a physical limitation that would prevent the Demand Resource from achieving its load reduction in 30 minutes.

PJM balanced its immediate need for a default 30 minute notification time provision with its CSPs' need to manage their current contracts over the next year before implementation of such default time frame. As such, PJM proposes a transition period of one year before implementing the default 30 minute notification time. Specifically, Section A.2.a of Tariff Attachment DD-1 and corresponding section of RAA Schedule 6 provide: "For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management event." FERC has allowed similar transitions to allow adequate time for CSPs to work with their customers with respect to the new rules.<sup>30</sup> To be clear, registrations for the upcoming 2013/2014 Delivery Year, as well as registrations for the 2014/2015 Delivery Year will be able to elect 30, 60 or 120 minute notification times. It is not until the registrations for the 2015/2016 Delivery Year that the 30 minute default notification time will be in full force and effect.<sup>31</sup>

As explained in the Affidavit of Michael Bryson, while changing system conditions can obviate the need for Demand Resources during a Load Management event, current rules impose a two hour minimum event duration leave a dispatcher no choice but to

---

<sup>29</sup> *Id.*

<sup>30</sup> See, e.g., *PJM Interconnection, L.L.C.*, 139 FERC ¶ 61,165 (2012).

<sup>31</sup> eTariff records ATTACHMENT DD-1 and RAA SCHEDULE 6.

work around Demand Resources that have already been dispatched.<sup>32</sup> This currently results in releasing cheaper generation resources to manage the two hour duration. To provide additional operational flexibility, PJM proposes to modify the minimum event duration to one hour.<sup>33</sup>

**C. PJM Proposes To Establish Offer Price Caps For Emergency And Pre-Emergency Demand Resources Based On Notification time And Establish The Offer Price Cap For Economic Demand Resources To Be The Same As The Offer Price For The 30-Minute Notification time**

The current rules which allow for an offer cap on Demand Resources of \$1,000 + [2 x Primary Reserve Penalty Factor<sup>34</sup>] result in an inconsistency between the LMPs that can result during a Demand Response deployment and the prices that would result during an actual Shortage Pricing event. Under the PJM Shortage Pricing rules, energy prices can only reach the level of \$1,000 + [2 x Primary Reserve Penalty Factor] when PJM is actually short of both Non-Synchronized and Synchronized Reserve. In other words, energy prices can only reach this level when PJM is in a reserve shortage condition. Such reserve shortage conditions (which means that PJM dispatches generation to provide energy that would otherwise be held in reserve in order to respond to the contingency loss of another resource) are highly undesirable. Entering a reserve shortage harms reliability because the pool of resources available to respond to the contingency loss of another resource is insufficient to completely replace the energy lost as a result of the contingency. Therefore, PJM deploys Demand Resources

---

<sup>32</sup> Bryson Affidavit at 3-6.

<sup>33</sup> eTariff records OA Schedule 1 Sec 8.8 and OATT ATT K APPX Sec 8.8.

<sup>34</sup> The Primary Reserve Penalty Factor is being phased in as follows (i) \$250/MWh for the 2012/2013 Delivery Year; (ii) \$400/MWh for the 2013/2014 Delivery Year; (iii) \$550/MWh for the 2014/2015 Delivery Year; and (iv) \$850/MWh as of the 2015/2016 Delivery Year. See Operating Agreement, Schedule 1, Section 3.2.3A.001(c), and the parallel provision of Tariff, Attachment K-Appendix.

(currently Emergency Load Response, and under this proposal, both Pre-Emergency and Emergency Load Response) in order to avoid reserve shortage conditions.

Allowing Demand Resources to submit offer prices up to  $\$1,000 + [2 \times \text{Primary Reserve Penalty Factor}]$  means that when such Demand Resources are dispatched to maintain reserves and are the marginal resources on the system, they will set price at the level of their offers, which is otherwise unattainable unless the system is short reserves. As explained in more detail in the next section, PJM therefore proposes to establish an offer strike price to ensure Demand Resources are dispatched and price formation is consistent with conditions prior to the system entering a reserve shortage. Further, PJM proposes to stratify the offer prices based on notification time by allowing those resources presenting the shortest notice to offer at the highest of the range.

Stratifying the offer price limits in this manner will provide incentives for Demand Resources to submit the shortest lead time possible. As PJM explained above regarding reforms to the notification time, the longer PJM dispatchers can wait before determining whether Demand Resources will be necessary during stressed system conditions, the less likely PJM dispatchers will have to call on Demand Resources at all. That is because, the closer in time the dispatchers can get to the point when they think the Demand Resources actually will be needed, the better the information they have about exactly what the peak load will be and the quantity of other resources, such as imports from areas surrounding PJM, that will be available to meet that peak load. As long as the dispatchers believe they have sufficient short lead time resources to meet the anticipated peak, they will forego calling upon longer time resources (even though such resources have a lower offer price), to get closer to the time when the

Demand Resources might be necessary. Given that Demand Resources' primary business is reliant on consuming energy and when they are dispatched they must interrupt that other business, minimizing the probability of being called, together with the ability to be compensated as much as possible for doing so, form a strong incentive for Demand Resources to submit as short a lead time as possible. The offer price stratification will also help to ensure rational price formation when longer lead time resources are required to be dispatched farther in advance of a projected need for those resources. Finally, PJM proposes to set the offer price ceiling at the 30-minute lead time amount for all Economic Load Response.

To address this issue, PJM proposes to add offer price ceilings in Section 1.10.1A of Schedule 1 of the Operating Agreement based on the notification time to which a Demand Resource is subject. Specifically, PJM proposes the following stratification of offer strike prices:

- 30 minute lead time: \$1,000/MWh, plus the applicable Primary Reserve Penalty Factor, minus \$1.00;
- approved 60 minute lead time: \$1,000/MWh, plus [the applicable Primary Reserve Penalty Factor divided by 2]; and
- approved 120 minute lead time: \$1,100/MWh.<sup>35</sup>

PJM linked the strike prices with the notification time to recognize that the 30-minute lead time provides PJM the most operational value and, thus, such Demand Resources should be permitted to offer at a higher price. The proposed offer price cap for the 30-minute product is set at \$1,000/MWh, plus the applicable Primary Reserve

---

<sup>35</sup> eTariff records OA Schedule 1 Sec 1.10 and OATT ATT K APPX Sec 1.10.

Penalty Factor, minus \$1.00 because, given the short lead time, deployment of these resources is expected to be one of the last steps taken prior to entering a shortage of at least one reserve product. Therefore, the resource should be eligible to set price at a level that is just below the price that will result from the penalty factor that will be applied under PJM's Shortage Pricing rules when PJM is short one reserve product. The offer price caps for the 60-minute and 120-minute lead time products were set to be meaningfully lower than that proposed for the 30-minute product, such that the offer price cap for the 120-minute product was still above the \$1,000 offer cap applicable to generation resources. As proposed, all Emergency and Pre-Emergency Load Response will be required to follow a 30 minute notification time unless PJM grants the resource an exception due to physical limitations preventing the resource from achieving full load reduction within 30 minutes. However, PJM expects the higher strike price proposed for 30 minute notification lead resources to strive to meet such lead times. PJM's rationale for these strike prices, as noted above, is to ensure PJM will have economic basis for calling Demand Resources before hitting a reserve shortage condition.

For Economic Load Response, PJM proposes to set the offer price cap at the 30 minute notification time strike price (\$1,000/MWh plus Primary Penalty Reserve Factor minus \$1.00).<sup>36</sup> This offer cap will ensure there is adequate incentive for Economic Load Response to bid in to the Day-ahead Energy Market because they will be eligible to offer at a price equal to the maximum LMP achievable in real time.

---

<sup>36</sup> eTariff records OA Schedule 1 Sec 1.10 and OATT ATT K APPX Sec 1.10.

**D. PJM Proposes Modification To The Compliance Measurement and Verification Process To Account For Demand Resources Dispatched For At Least 30 Minutes Within A Clock Hour**

Under current rules, PJM averages compliance using only full clock hours of a Load Management event -- meaning, from the top of one hour to one second before the top of the next hour such as 13:00-13:59:59. For instance, if a Load Management event is called at 12:40 and the Demand Resource achieves its full load reduction by 14:40 and is reduced for two hours until 16:40, PJM will only measure compliance during the full clock hour of 15:00-15:59:59 but would not measure compliance from 14:40 to 14:59:59 or from 16:00-16:40. This can be problematic because PJM relies upon Demand Resources to fully reduce load from 14:40 through 16:39:59 while PJM only measures compliance from 15:00 through 15:59:59. This may provide a disincentive for CSPs to follow PJM's dispatch instructions and could create confusion in the market between CSPs and their customers regarding necessary actions.

The reason PJM has only measured based on clock hours in the past is because the primary mechanism to record and store load data for retail customers is based on clock hours or some subset of clock hours, such as 30 or 15 minute intervals. PJM seeks to balance the need to ensure more accurate measurement of Demand Resources to incentivize the appropriate load reduction with the practical reality that a significant number of entities still record and store load data based on clock hours.

To capture more accurate compliance information for Load Management events, PJM proposes changes to Paragraph K of Attachment DD-1 of the Tariff to measure compliance for all hours when a Demand Resource was dispatched for at least 30 minutes of the clock hour. PJM will conduct a time-based proration to determine

compliance during the partial hour. This methodology will apply to Firm Service Level (“FSL”) and Guaranteed Load Drop (“GLD”) customers, but will not apply to non-interval metered Direct Load Control programs because non-interval metered Direct Load control customers are already measured based on the actual time when the signal is sent to the devices because they do not have interval load data available.

Table 1 shows an example of how compliance is currently measured with what the measurement will look like as proposed.

**Table 1**

	Dispatch start	Dispatch end	Capacity Commitment (MW)	Hour Ending 14	Hour Ending 15	Hour Ending 16
Current	14:40	16:40	1	NA	1	NA
Proposed	14:40	16:40	1	NA (<30 minutes)	1	0.67

As shown in the table, PJM would be able to measure compliance for one additional hour and prorate the capacity commitment for the partial dispatch hour from 1 MW (60 minute) to 0.67 MW because the resource only needed to reduce 1 MW for 40 of the 60 minutes during the hour (i.e. two thirds of the hour.)

PJM also proposes to allow CSPs to submit 1 minute load data, to the extent they are able to do so, for PJM to be able to conduct more granular compliance measurements. This will allow those resources to provide more granular load data rather than using a time based prorate to estimate the load data during the time period. Specifically, to ensure the CSPs can accurately provide the more granular data, PJM proposes: (a) metering must meet all Tariff and PJM Manual requirements, (b) the 1

minute load data shall be submitted to PJM for all locations on the registration, and (c) the 1 minute load data must measure energy consumption over the minute.<sup>37</sup>

**E. PJM Proposes To Define A Sub-Zone During The Operating Day Of A Load Management Event And Ensure Demand Resources Are Subject to Compliance Penalty Charge For Inadequate Response To Such Sub-Zonal Dispatch.**

Beginning in the Summer of 2010, PJM initiated a process to call on Demand Resources from a specific state in a multi-state Zone. In 2011, PJM worked with its stakeholders to implement a more focused sub-Zonal Dispatch process which, ultimately, was brought through a formal stakeholder process and filed with the Commission in March, 2012.<sup>38</sup> In that filing, PJM proposed, and the Commission accepted, a process whereby so long as PJM defined a sub-Zone the day before a Load Management event, Demand Resources would be subject to the Compliance Penalty Charge for inadequate response to such sub-Zonal dispatch. PJM implemented a transition period where for the first two upcoming Delivery Years (2011/2012 and 2012/2013) were voluntary; but for the 2014/2015 Delivery Year and beyond, compliance became mandatory.<sup>39</sup>

The more granular locational dispatch afforded by PJM defining sub-Zones the day before a Load Management event has led to more accurate deployment of Demand Resources, rather than calling on Demand Resources in bulk by Zone. For instance, in being able to define a sub-Zone the day before the Operating Day allowed PJM to dispatch Demand Resources in the AEP South Canton sub-Zone during the Load

---

<sup>37</sup> eTariff records ATTACHMENT DD-1 and RAA SCHEDULE 6.

<sup>38</sup> *PJM Interconnection, L.L.C.*, Docket No. ER12-1372, Transmittal Letter (Mar. 28, 2012).

<sup>39</sup> *Id.* at 8; *PJM Interconnection, L.L.C.*, 139 FERC ¶ 61,165 (2012).

Management events on July 18 and September 10, rather than calling on Demand Resources in the entire AEP Zone. The AEP South Canton sub-Zone represents less than 10% of the total AEP Zone Demand Resources (~1,250 MW for the AEP Zone compared with ~115MW in the AEP South Canton sub-Zone).

PJM now seeks to increase the operational flexibility and define a sub-Zone during the Operating Day when the Load Management event occurred, with inadequate response by Demand Resources being subject to the Demand Resource Compliance Penalty Charge. As PJM did previously, it proposes a transition period to allow CSPs time to work with their registered end-users ensure they will be able to perform. However, here, PJM is proposing a one year transition rather than two years because in the former proceeding, CSPs were being asked to get used to sub-Zonal dispatch generally, where as now – nearly two years later -- they have had the opportunity to become familiar with sub-Zonal dispatch. Specifically, PJM proposes that for the 2014/2015 Delivery Year, compliance with day-of sub-Zonal dispatch will be voluntary. Compliance will become mandatory – i.e., subject to the Compliance Penalty Charge – in 2015/2016 Delivery Year and beyond.<sup>40</sup>

**F. PJM Proposes Minor, Non-substantive Revisions for Consistency and Clarity**

In addition to the substantive revisions proposed in this filing, PJM also proposes to make several minor, non-substantive revisions for consistency and clarity, and to correct formatting and typographical errors.

First, for ease of future reference to those provisions, PJM incorporated section numbers for the Emergency and Pre-Emergency Load Response Program provisions of

---

<sup>40</sup> eTariff record ATTACHMENT DD.11.

Schedule 1 of the Operating Agreement, and the parallel provisions of Attachment K-Appendix of the Tariff, from Section 8 to 8.11 because none currently exist.

In Schedule 1 of the Operating Agreement, and the parallel provisions of Attachment K-Appendix, PJM also corrected typographical errors in Section 8.9 (Reporting Requirements), changed an incorrect reference to “section 1.5.3 of PJM Emergency Load Response Program” because there is no such section, to the correct reference to “section 1.5A.3 of PJM Economic Load Response Program,” and deleted obsolete or unnecessary sections, tariff records and placeholders in existing Sections 1.3.31A, 1.3.31B, 8.1 through 8.7, 9 and 10.<sup>41</sup> PJM also deleted a duplicate provision regarding eligibility of Full Program Option resources to set real-time LMPs in Section 2.2(b) because the same provision is already set forth in Sections 8.5 and 8.6.

In the Tables of Contents of the Tariff and Operating Agreement, PJM made formatting changes to delete obsolete or unnecessary sections and placeholders and corrected section titles. In Tariff, Attachment DD-1, Sections A, C, D, G, H, I, J and K,<sup>42</sup> and the parallel provisions of RAA, Schedule 6, and in RAA, Sections 1.20A.1 and 1.69,<sup>43</sup> PJM made conforming changes to change “Demand Resource Provider” and/or “Provider” to “Curtailment Service Provider” throughout for consistency and to avoid the potential for confusion by eliminating two terms that have the same meaning as Curtailment Service Provider.

---

<sup>41</sup> eTariff records OATT OATT ATT K APPX Sec 1.3, Sec 8.1 through Sec 8.7, Sec 9 and Sec 10 and OA Schedule 1 Sec 1.3, Sec 8.1 through Sec 8.7, Sec 9 and Sec 10.

<sup>42</sup> eTariff records ATTACHMENT DD-1.

<sup>43</sup> eTariff records RAA SCHEDULE 6 and RAA ARTICLE 1.

### **III. Implementation Timeline**

Except with respect to the 30-minute default notification time and the day of sub-Zonal dispatch proposals, PJM will implement the provisions described herein for the 2014/2015 Delivery Year. As described in more detail in Sections II.B and II.E, PJM proposes a one year transition the 30-minute default notification time and the day of sub-Zonal dispatch proposals, with implementation commencing with the 2015/2016 Delivery Year.

### **IV. Stakeholder Process**

The original proposed revisions to the Tariff, Operating Agreement and RAA detailed herein were endorsed by the PJM Markets and Reliability Committee at its November 21, 2013 meeting by a sector-weighted vote of 3.37/5.0 in favor. The PJM Members Committee, at its meeting held on December 9, 2013, endorsed a slightly modified version of the revisions to the Tariff and RAA, and approved a slightly modified version of the revisions to the Operating Agreement by a sector weighted vote of 3.52/5.0 in favor.

### **V. Effective Date**

PJM requests that the Commission issue an order accepting the enclosed revisions by no later than March 14, 2014, with an effective date of March 15, 2014.

### **VI. Description of Submittal**

PJM encloses with this transmittal letter the following:

Attachment A: Affidavit of Michael E. Bryson;

Attachment B: A coding chart describing the proposed Tariff, Operating Agreement and RAA revisions in detail;

Attachment C: Marked Tariff; and

Attachment D: Clean Tariff.

## **VII. Correspondence**

The following individuals are designated for inclusion on the official service list in this proceeding and for receipt of any communications regarding this filing:

Jacquelynn B. Hugee  
Assistant General Counsel  
PJM Interconnection, L.L.C.  
2750 Monroe Boulevard  
Audubon, PA 19403  
(610) 666-8208  
[jacquelynn.hugeej@pjm.com](mailto:jacquelynn.hugeej@pjm.com)

Craig Glazer  
Vice President, Federal Government Policy  
PJM Interconnection, L.L.C.  
1200 G Street, N.W, Suite 600  
Washington, D.C. 20005  
(202) 423-4743  
[craig.glazer@pjm.com](mailto:craig.glazer@pjm.com)

Jennifer Tribulski  
Senior Counsel  
PJM Interconnection, L.L.C.  
2750 Monroe Boulevard  
Audubon, PA 19403  
(610) 666-4363  
[jennifer.tribulski@pjm.com](mailto:jennifer.tribulski@pjm.com)

## **VIII. Service**

PJM has served a copy of this filing on all PJM Members and on all state utility regulatory commissions in the PJM Region by posting this filing electronically. Electronic service is permitted as of November 3, 2008, under the Commission's regulations<sup>44</sup> pursuant to Order No. 714<sup>45</sup> and the Commission's Notice of Effectiveness of Regulations issued on October 28, 2008, in Docket No. RM01-5-000. In compliance with these regulations, PJM will post a copy of this filing to the FERC filings section of

---

<sup>44</sup> See 18 CFR §§ 35.2, 154.2, 154.208 and 341.2.

<sup>45</sup> Federal Energy Regulatory Commission, Order No. 714, 124 FERC ¶ 61,270.

its internet site, located at the following link: <http://www.pjm.com/documents/ferc-manuals/ferc-filings.aspx> with a specific link to the newly-filed document, and will send an e-mail on the same date as this filing to all PJM Members and all state utility regulatory commissions in the PJM Region<sup>46</sup> alerting them that this filing has been made by PJM today and is available by following such link. PJM is also serving electronic copies of this filing on all persons listed on the Commission's official service list for these proceedings.

### **IX. Conclusion**

For the reasons discussed herein, PJM requests that the Commission accept the proposed revisions to the Tariff.

Respectfully submitted,



Craig Glazer  
Vice President, Federal Government Policy  
PJM Interconnection, L.L.C.  
1200 G Street, N.W, Suite 600  
Washington, D.C. 20005  
(202) 423-4743  
[craig.glazer@pjm.com](mailto:craig.glazer@pjm.com)

Jennifer Tribulski  
Senior Counsel  
PJM Interconnection, L.L.C.  
2750 Monroe Boulevard  
Audubon, PA 19403  
(610) 666-4363  
[jennifer.tribulski@pjm.com](mailto:jennifer.tribulski@pjm.com)

Jacquelynn B. Hugee  
Assistant General Counsel – Markets  
PJM Interconnection, L.L.C.  
2750 Monroe Boulevard  
Audubon, PA 19403  
(610) 666-8208  
[jacquelynn.hugee@pjm.com](mailto:jacquelynn.hugee@pjm.com)

---

<sup>46</sup> PJM already maintains, updates and regularly uses e-mail lists for all PJM members and affected commissions.

# Attachment A

Affidavit of Michael E. Bryson

**UNITED STATES OF AMERICA  
BEFORE THE  
FEDERAL ENERGY REGULATORY COMMISSION**

**PJM Interconnection, L.L.C.     )     Docket No. ER14-\_\_\_\_\_**

**AFFIDAVIT OF MICHAEL E. BRYSON  
ON BEHALF OF PJM INTERCONNECTION, L.L.C.**

I, Michael E. Bryson, being duly sworn, depose and state as follows:

1. I am submitting this Affidavit on behalf of PJM Interconnection, L.L.C. ("PJM") in support of its filing in this proceeding to increase the operational flexibility of Demand Resources in PJM's markets, enhance reliability and increase the efficiency of employing Demand Response in PJM.
2. The purpose of this Affidavit is to provide the Federal Energy Regulatory Commission with relevant information regarding events that occurred in the Summer of 2013 that could have benefitted from the revisions proposed by PJM in this proceeding.

Professional Background

3. I have been employed at PJM since April 1998. Presently, I am the Executive Director of System Operations, a position I have held since 2011. I have also served as General Manager, Dispatch Operations for PJM from 2006 until 2011, Manager, Transmission from 2003 until 2006, Manager, Operations Development from 2002 until 2003, and Manager, Information Systems from 1998 until 2003. My primary responsibility is the reliable and efficient real time operations for PJM. My business address is 2750 Monroe Boulevard, Audubon, PA 19403.
4. I hold a Bachelors of Science degree in General Engineering from the United States Military Academy, West Point, NY and a Masters of Business Administration from Saint Joseph's University, Philadelphia, PA. Prior to joining PJM, I worked for DIMAC Direct Marketing as Vice President of Information Technology Operations and in the United States Army in various positions.
5. In my position as the Executive Director of System Operations, I manage several departments, including the Dispatch Department, which is involved in daily dispatch operations including procuring and deploying Demand Resources. In this capacity, I have personal knowledge and understanding of PJM's dispatch of Demand Resources.

## Use of Demand Resources Prior to Shedding Load

6. When faced with an expected capacity shortage, PJM takes steps the day before the Operating Day and, as necessary, during the Operating Day to ensure the reliability of the transmission system is maintained. The steps fall in to three categories: Alerts (day before Operating Day), Warnings and Actions (during Operating Day), depending on how close the system is to experiencing an actual capacity emergency. These procedures are described in detail in Section 2 of PJM Manual 13, including the following:

- a. Alerts: Maximum Emergency Generation Alert, Primary Reserve Alert, and Voltage Reduction Alert
- b. Warnings: Primary Reserve Warning, Voltage Reduction Warning, Reduction on Non-Critical Plant Load, and Manual Dump Warning
- c. Actions: Emergency Mandatory Load Management Reductions, NERC Energy Emergency Alert Level 2 (EEA2), Energy Only Option Emergency Load Response, Curtailment of Non-Essential Building Load Voltage Reduction, and Manual Load Dump

7. By design, PJM dispatchers have flexibility in the order in which they issue specific Alerts, Warnings, and or Actions to ensure overall system reliability. Also by design, PJM dispatchers have the ability to terminate emergency procedures when the emergency condition ceases, or is no longer expected to occur, and may do so in a different order than they were implemented when conditions necessitate.

8. For purposes of this Affidavit, I will describe in more detail the Emergency Mandatory Load Management Reductions and NERC EEA2 as they pertain to the dispatch of Demand Resources prior to PJM requiring one or more Control Zones to engage in Manual Load Dump – also referred to as load shedding.

9. In real-time, PJM dispatchers will issue via the All-Call System, and post to the Emergency Procedures website, an Emergency Mandatory Load Management Reduction request for action by Curtailment Service Providers (“CSPs”) to provide additional load relief by using any Demand Resources that need one to two hours notification prior to making required reductions (called “Long Lead Time”); or that need up to one hour notification prior to making required reductions (called “Short Lead Time”). At the same time, PJM dispatchers issue a NERC EEA2 using the Reliability Coordinators Information System and the PJM Emergency Procedures webpage to ensure all Reliability Entities are aware of potential and actual PJM system emergencies.

10. Based on the proposals in this filing, PJM we be able to call on Demand Resources at a point earlier than it has authority to do today – as early as the issuance of a Warning.

11. Most of the Demand Resources in PJM are registered as needing one to two hours of notification time before achieving its full load reduction. Specifically, for the 2013/2014 Delivery Year, approximately 94% of MWs of Demand Resources were registered as Long Lead Time Demand Resources, with only approximately 6% MWs of Demand Resources being registered as Short Lead Time Demand Resources.

12. The purpose of Emergency Mandatory Load Management Reductions is to provide additional load relief by using PJM controllable Load Management programs. Load Management is expected to be required after initiating Maximum Emergency Generation.

13. However, given that most Demand Resources in PJM's markets have registered as requiring up to two hours of notification time, and also given that Demand Resources currently are required to remain "on line" for at least two hours, PJM's ability to call on or terminate the use of Demand Resources when system conditions change rapidly is very limited. As a result of these limitations, PJM must make a decision to call for Emergency Mandatory Load Management Reductions two hours in advance, which increases the margin of error in the forecast of system conditions, such as temperatures and precipitation, load, and available energy imports/exports from neighbors. PJM must always take the most conservative approach with regard to the system projections to ensure reliability and minimize the need to implement firm load shedding. As a result, PJM almost always calls on more Emergency Mandatory Load Management Reduction amounts than actually required, which is often reflected in reductions in, rather than increases in, LMPs, contrary to what one would expect when Emergency Mandatory Load Management Reductions are implemented.

14. This past Summer, PJM experienced two occasions where the two-hour lead time led to inefficient dispatch decisions.

- a. July 18, 2013: As detailed in the time line below, PJM dispatchers called on 1,735 MW Long Lead Time Emergency Mandatory Load Management, which take up to two hours to respond.
  - i. 12:00 – New York Independent System Operator ("NYISO") and ISO-New England ("ISO-NE") notified PJM they were expecting reserve issues. This led PJM to expect a reduction in energy imports over the peak period during that day, causing PJM

dispatchers to anticipate a potential capacity shortage and, as a result, triggering emergency procedures;

- ii. 12:40 – PJM dispatchers called for Long Lead Time Emergency Mandatory Load Management, and issued a NERC EEA2, in, among other Zones, the PECO and PPL Zones, seeking to obtain approximately 1,000 MWs of additional capacity needed in those Zones during the afternoon;
- iii. 14:00 – NYISO implemented demand side response, which resulted in a coincident sharp increase in interchange into PJM (different than prior indications from NYISO earlier in the Operating Day);
- iv. 14:40 – Demand Resources in PJM responded to the 12:40 call. A combination of the increased Interchange and the actual load reduction through these resources caused prices in PJM to plummet from \$465 to \$62. Demand Resources were no longer needed at that point. Yet, given the two hour minimum Load Management event duration required by the PJM market rules, such Demand Resources stayed “on line” until at least 16:40.
- v. 17:00 –PJM cancels the Long Lead Time Emergency Mandatory Load Management in the PECO and PPL Zones, shortly after the two hour minimum event duration concluded and canceled the NERC EEA2 in the PECO and PPL Zones.

The combination of operational factors two hours ahead of time on a peak day, requiring PJM to include weather, load changes, generator performance, generator outages, transmission outages, interchange, and Demand Resource performance make the forecast for demand response very inaccurate. A more efficient approach would be to wait to call the Demand Resources until a period of time that is closer to the time when the anticipated emergency is expected to occur. A further improvement would be allow PJM to cancel the Demand Resources sooner so that such resources are not required to provide load reduction for a full two hour period if the emergency conditions have been corrected in less than two hours. In other words, on July 18, 2013, if PJM had a 30 minute notification time Demand Resource product which only had to stay on line for one hour, PJM could have allowed system conditions to develop before calling, and potentially called less Demand Resources.

- b. September 11, 2103: As detailed in the time line below, PJM dispatchers called on 5,961 MW of Demand Resources across the PJM Region.

- i. On September 10, 2013, PJM under-forecasted the load by 4,000 MW and experienced operational issues due to poor generator response during a Synchronized Reserve Event as well as numerous transmission contingencies due to the combination of unseasonably hot weather and both generation and transmission facilities experiencing planned and unplanned maintenance outages.
- ii. Given these conditions and an even higher load forecast for Wednesday, September 11, PJM called Emergency Load Management, seeking load reductions earlier in the day.
- iii. 09:00 – PJM updates the peak RTO load forecast from approximately 147,500 – 151,000 MWs. As such, PJM's anticipated a capacity shortage, triggering its emergency procedures.
- iv. 11:30 – PJM issues Long Lead Time Emergency Mandatory Load Management for AEP Zone totaling 1,344 MW.
- v. 12:00 – PJM issues Long Lead Time Emergency Mandatory Load Management for ATSI Zone totaling 652 MW.
- vi. 12:30 – PJM issues Long Lead Time Emergency Mandatory Load Management Reductions for the Dominion Zone totaling 687 MW.
- vii. 12:55 – PJM issues Long Lead Time Emergency Mandatory Load Management Reductions for the Mid-Atlantic Region totaling 2,805 MW.
- viii. 12:58 – PJM issues Short Lead Time Emergency Mandatory Load Management Reductions for the Mid-Atlantic Region totaling 393 MW.
- ix. 12:59 – PJM issues Long Lead Time Emergency Mandatory Load Management Reductions for the Duquesne zone totaling 80 MW.

PJM issued Demand Resource reductions for just under 6,000 MW across the RTO based on the forecast system conditions. The combination of operational factors two hours ahead of time on a peak September day to include weather, load changes, generator performance, generator outages, transmission outages, interchange, and demand response performance made the call for demand response very inaccurate. While system conditions earlier in the Operating Day reflected a much higher peak load,

the load came in lower than forecast, and the amount of Demand Resources called were not needed, pushing the prices lower. As a result, the Demand Resources were phased out beginning at 17:00 through 20:00.

15. As shown in the events for July 18, 2013 and September 11, 2013, system conditions change rapidly and it is necessary to have operational flexibility in calling on Demand Resources to ensure the reliability of the system is maintained while also using Demand Resources as efficiently as possible. Operational flexibility in this sense means giving PJM's dispatchers more available options for when they can call on Demand Resources, how long such resources must remain "on line," and where such resources are located.

16. For instance, the operational flexibility changes proposed by PJM in this filing would have allowed PJM dispatchers to hold off on making the calls for Demand Resources on both July 18 and September 11 until they could have seen how system conditions developed. With a 30 minute Demand Resource product, system conditions would have been much more clear, and the amount of Demand Resources called likely would have been significantly less, allowing a more efficient mix of generation, interchange, and Demand Resources for power balance. In addition, the one hour minimum event duration PJM is proposing would have allowed some of the Demand Resources to be released once the impact of those resources was seen.

17. In addition, the proposed rules that relate to sub-Zonal calls for Demand Resources would have allowed PJM to identify Demand Resources on September 10, 2013 which would have reduced the amount of load shed in the AEP Summit (Fort Wayne, Indiana) because the most effective Demand Resources could have been identified shortly after the contingencies were identified.

18. This concludes my affidavit.

SS: ) Commonwealth of Pennsylvania  
) Township of Lower Providence

Michael E. Bryson, being first duly sworn, deposes and says that he has read the foregoing "Affidavit of Michael E. Bryson," that he is familiar with the contents thereof, and that the matters and things set forth therein are true and correct to the best of his knowledge, information and belief.

/s/ Michael E. Bryson  
Michael E. Bryson

Subscribed and sworn to before me this 23 day of December, 2013.

Notary Public

/s/ Arlene G. Noonan

My commission expires: \_\_\_\_\_

COMMONWEALTH OF PENNSYLVANIA  
Notarial Seal  
Arlene G. Noonan, Notary Public  
Skippack Twp., Montgomery County  
My Commission Expires Jan. 4, 2015  
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

## Attachment B

Coding chart describing the proposed  
Tariff, Operating Agreement and RAA revisions



**Chart for DR as Capacity Resource Filing**  
**eTariff ID 1204**  
**Filing Date 12/23/2013 - Proposed Effective Date 3/15/2014**

No.	Tariff Section Short Title	PJM OATT, OA & RAA Section	Record ID	Change Type	Version	Priority Code	Revisions to the Section
1.	OATT Table of Contents	OATT Table of Contents	1424	Change	8.0.0	500	
2.	OATT ATT K APPX Sec 1.3	OATT Attachment K Appendix Section 1.3 Definitions	563	Change	16.0.1	500	
3.	OATT ATT K APPX Sec 1.5A	OATT Attachment K Appendix Section 1.5A Economic Load Resp	566	Change	6.0.0	500	
4.	OATT ATT K APPX Sec 1.10	OATT Attachment K Appendix Section 1.10 – Scheduling	571	Change	16.0.1	500	
5.	OATT ATT K APPX Sec 2.2	OATT Attachment K Appendix Section 2.2 – General	576	Change	4.0.0	500	
6.	OATT ATT K APPX Sec 8	OATT Attachment K Appendix Section 8 [Reserved] <i>(The tariff records should have been deleted in the filing “Removal of Section 8 of PJM’s OATT Attachment K Appendix and OA Schedule 1 per Docket No. ER12-781 filed by NYISO M2M filing. Due to technical reasons, during the filing PJM could not cancel the tariff records in the filing made by PJM on May 1, 2013. FERC approved the May 1, 2013 filing by order dated July 24, 2013 to be effective January 15, 2013 in Docket No. ER12-1693-000)</i>	622	Cancel	2.0.0	500	Cancel tariff record – See Row 6, column 2 for explanation
7.	OATT ATT K APPX Sec 8.1	OATT Attachment K Appendix Section 8.1 [Reserved]	623	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
8.	OATT ATT K APPX Sec 8.2	OATT Attachment K Appendix Section 8.2 [Reserved]	624	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
9.	OATT ATT K APPX Sec 8.3	OATT Attachment K Appendix Section 8.3 [Reserved]	625	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
10.	OATT ATT K APPX Sec 8.4	OATT Attachment K Appendix Section 8.4 [Reserved]	626	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
11.	OATT ATT K APPX Sec 8.5	OATT Attachment K Appendix Section 8.5 [Reserved]	627	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
12.	OATT ATT K APPX Sec 8.6	OATT Attachment K Appendix Section 8.6 [Reserved]	628	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
13.	OATT ATT K APPX Sec 8.7	OATT Attachment K Appendix Section 8.7 [Reserved]	629	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
14.	OATT ATT K APPX Sec 9	OATT Attachment K Appendix Section 9 [Reserved]	630	Cancel	1.0.0	500	Cancel tariff record
15.	OATT ATT K APPX Sec 10	OATT Attachment K Appendix Section 10 [Reserved]	631	Cancel	2.0.0	500	Cancel tariff record



Chart for DR as Capacity Resource Filing  
eTariff ID 1204  
Filing Date 12/23/2013 - Proposed Effective Date 3/15/2014

No.	Tariff Section Short Title	PJM OATT, OA & RAA Section	Record ID	Change Type	Version	Priority Code	Revisions to the Section
16.	EMERGENCY AND PRE-EMERGEN	OATT Attachment K Appendix Section 8 - <del>PJM</del> EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM - TITLE	632	Change	12.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
17.	OATT ATT K APPX Sec 8.1	OATT Attachment K Appendix Section 8.1 - Emergency Load Response and Pre-Emergency Load Response Program Options	1605	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
18.	OATT ATT K APPX Sec 8.2	OATT Attachment K Appendix Section 8.2 – Participant Qualifications	1606	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
19.	OATT ATT K APPX Sec 8.3	OATT Attachment K Appendix Section 8.3 – Metering Requirements	1607	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
20.	OATT ATT K APPX Sec 8.4	OATT Attachment K Appendix Section 8.4 - Registration	1608	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
21.	OATT ATT K APPX Sec 8.5	OATT Attachment K Appendix Section 8.5 – Pre-Emergency Operations	1609	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
22.	OATT ATT K APPX Sec 8.6	OATT Attachment K Appendix Section 8.6 - Emergency Operations	1610	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA



Chart for DR as Capacity Resource Filing  
eTariff ID 1204  
Filing Date 12/23/2013 - Proposed Effective Date 3/15/2014

No.	Tariff Section Short Title	PJM OATT, OA & RAA Section	Record ID	Change Type	Version	Priority Code	Revisions to the Section
23.	OATT ATT K APPX Sec 8.7	OATT Attachment K Appendix Section 8.7 - Verification	1611	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
24.	OATT ATT K APPX Sec 8.8	OATT Attachment K Appendix Section 8.8 - Market Settlements	1612	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
25.	OATT ATT K APPX Sec 8.9	OATT Attachment K Appendix Section 8.9 - Reporting and Compliance	1613	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
26.	OATT ATT K APPX Sec 8.10	OATT Attachment K Appendix Section 8.10 - Non-Hourly Metered Customer Pilot	1614	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
27.	OATT ATT K APPX Sec 8.11	OATT Attachment K Appendix Section 8.11 – Emergency Load Response and Pre-Emergency Load Response Participant Aggregation	1615	New	0.0.0	500	Breakdown OATT ELRP into smaller sections and inserting section numbers to mirror the OA
28.	OATT ATT DD.2	OATT Attachment DD Section 2	1139	Change	16.0.0	500	
29.	ATTACHMENT DD.11	OATT Attachment DD Section 11	1166	Change	6.0.0	500	
30.	ATTACHMENT DD-1	OATT Attachment DD-1	1174	Change	6.0.0	500	
31.	OA Table of Contents	OA Table of Contents	1481	Change	4.0.0	500	
32.	OA Schedule 1 Sec 1.3	OA Schedule 1 Section 1.3 Definitions	762	Change	16.0.1	500	
33.	OA Schedule 1 Sec 1.5A	OA Schedule 1 Section 1.5A	765	Change	6.0.0	500	Pulled from MT; no pending



Chart for DR as Capacity Resource Filing  
eTariff ID 1204  
Filing Date 12/23/2013 - Proposed Effective Date 3/15/2014

No.	Tariff Section Short Title	PJM OATT, OA & RAA Section	Record ID	Change Type	Version	Priority Code	Revisions to the Section
34.	OA Schedule 1 Sec 1.10	OA Schedule 1 Section 1.10	770	Change	16.0.1	500	
35.	OA Schedule 1 Sec 2.2	OA Schedule 1 Section 2.2	775	Change	4.0.0	500	
36.	OA Schedule 1 Sec 8	OA Schedule 1 Section 8 [Reserved]	821	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
37.	OA Schedule 1 Sec 8.1	OA Schedule 1 Section 8.1 [Reserved]	822	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
38.	OA Schedule 1 Sec 8.2	OA Schedule 1 Section 8.2 [Reserved]	823	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
39.	OA Schedule 1 Sec 8.3	OA Schedule 1 Section 8.3 [Reserved]	824	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
40.	OA Schedule 1 Sec 8.4	OA Schedule 1 Section 8.4 [Reserved]	825	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
41.	OA Schedule 1 Sec 8.5	OA Schedule 1 Section 8.5 [Reserved]	826	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
42.	OA Schedule 1 Sec 8.6	OA Schedule 1 Section 8.6 [Reserved]	827	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
43.	OA Schedule 1 Sec 8.7	OA Schedule 1 Section 8.7 [Reserved]	828	Cancel	2.0.0	500	Cancel tariff record – See Row 6 for explanation
44.	OA Schedule 1 Sec 9	OA Schedule 1 Section 9 [Reserved]	829	Cancel	1.0.0	500	
45.	OA Schedule 1 Sec 10	OA Schedule 1 Section 10 [Reserved]	830	Cancel	2.0.0	500	
46.	OA SCHEDULE 1 SEC 8	OA Schedule 1 Section 8 – <del>PJM</del> EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM – TITLE	831	Change	1.0.0	500	Inserting section numbers
47.	OA Schedule 1 Sec 8.1	OA Schedule 1 Section 8.1 - Emergency Load Response and Pre-Emergency Load Response Program Options	832	Change	2.0.0	500	Inserting section numbers
48.	OA Schedule 1 Sec 8.2	OA Schedule 1 Section 8.2 – <del>ELRP</del> Participant Qualifications	833	Change	1.0.0	500	Inserting section numbers
49.	OA Schedule 1 Sec 8.3	OA Schedule 1 Section 8.3 – <del>ELRP</del> Metering Requirements	834	Change	1.0.0	500	Inserting section numbers
50.	OA Schedule 1 Sec 8.4	OA Schedule 1 Section 8.4 – <del>ELRP</del> Registration	835	Change	5.0.0	500	Inserting section numbers



Chart for DR as Capacity Resource Filing  
eTariff ID 1204  
Filing Date 12/23/2013 - Proposed Effective Date 3/15/2014

No.	Tariff Section Short Title	PJM OATT, OA & RAA Section	Record ID	Change Type	Version	Priority Code	Revisions to the Section
51.	OA Schedule 1 Sec 8.5	OA Schedule 1 Section 8.5 – Pre-Emergency	1616	NEW	0.0.0	500	New section
52.	OA Schedule 1 Sec 8.6	OA Schedule 1 Section 8.6 – <del>ELRP</del> Emergency Operations	837	Change	4.0.0	500	Inserting section numbers
53.	OA Schedule 1 Sec 8.7	OA Schedule 1 Section 8.7 - <del>ELRP</del> Verification	838	Change	3.0.0	500	Inserting section numbers
54.	OA Schedule 1 Sec 8.8	OA Schedule 1 Section 8.8 – <del>ELRP</del> Market Settlements	839	Change	6.0.0	500	Inserting section numbers
55.	OA Schedule 1 Sec 8.9	OA Schedule 1 Section 8.9 – <del>ELRP</del> Reporting and Compliance	840	Change	4.0.0	500	Inserting section numbers
56.	OA Schedule 1 Sec 8.10	OA Schedule 1 Section 8.10 - <del>ELRP</del> Non-Hourly Metered Customer Pilot	841	Change	2.0.0	500	Inserting section numbers
57.	OA Schedule 1 Sec 8.11	OA Schedule 1 Section 8.11 – Emergency Load Response and Pre-Emergency Load Response Participant Aggregation	842	Change	3.0.0	500	Inserting section numbers
58.	RAA ARTICLE 1	RAA Article 1 Definitions	206	Change	11.0.0	500	
59.	SCHEDULE 6	RAA Schedule 6 Procedures for Demand Resources and Energy Efficiency	277	Change	6.0.0	500	
60.	RAA SCHEDULE 6.1	RAA Schedule 6.1 Price Responsive Demand	1533	Change	1.0.0	500	

# Attachment C

Revisions to the  
PJM Open Access Transmission Tariff,  
PJM Operating Agreement and  
PJM Reliability Assurance Agreement

(Marked / Redline Format)

Section(s) of the  
PJM Open Access Transmission Tariff  
(Marked / Redline Format)

## TABLE OF CONTENTS

### **I. COMMON SERVICE PROVISIONS**

- 1**     **Definitions**
  - OATT Definitions – A – B**
  - OATT Definitions – C – D**
  - OATT Definitions – E – F**
  - OATT Definitions – G – H**
  - OATT Definitions – I – J – K**
  - OATT Definitions – L – M – N**
  - OATT Definitions – O – P – Q**
  - OATT Definitions – R – S**
  - OATT Definitions - T – U – V**
  - OATT Definitions – W – X – Y - Z**
- 2**     **Initial Allocation and Renewal Procedures**
- 3**     **Ancillary Services**
- 3B**    **PJM Administrative Service**
- 3C**    **Mid-Atlantic Area Council Charge**
- 3D**    **Transitional Market Expansion Charge**
- 3E**    **Transmission Enhancement Charges**
- 3F**    **Transmission Losses**
- 4**     **Open Access Same-Time Information System (OASIS)**
- 5**     **Local Furnishing Bonds**
- 6**     **Reciprocity**
- 6A**    **Counterparty**
- 7**     **Billing and Payment**
- 8**     **Accounting for a Transmission Owner’s Use of the Tariff**
- 9**     **Regulatory Filings**
- 10**    **Force Majeure and Indemnification**
- 11**    **Creditworthiness**
- 12**    **Dispute Resolution Procedures**

### **II. POINT-TO-POINT TRANSMISSION SERVICE**

- Preamble**
- 13**    **Nature of Firm Point-To-Point Transmission Service**
- 14**    **Nature of Non-Firm Point-To-Point Transmission Service**
- 15**    **Service Availability**
- 16**    **Transmission Customer Responsibilities**
- 17**    **Procedures for Arranging Firm Point-To-Point Transmission Service**
- 18**    **Procedures for Arranging Non-Firm Point-To-Point Transmission Service**
- 19**    **Initial Study Procedures For Long-Term Firm Point-To-Point Transmission Service Requests**
- 20**    **[Reserved]**
- 21**    **[Reserved]**

- 22 Changes in Service Specifications
- 23 Sale or Assignment of Transmission Service
- 24 Metering and Power Factor Correction at Receipt and Delivery Points(s)
- 25 Compensation for Transmission Service
- 26 Stranded Cost Recovery
- 27 Compensation for New Facilities and Redispatch Costs
- 27A Distribution of Revenues from Non-Firm Point-to-Point Transmission Service

### **III. NETWORK INTEGRATION TRANSMISSION SERVICE**

#### **Preamble**

- 28 Nature of Network Integration Transmission Service
- 29 Initiating Service
- 30 Network Resources
- 31 Designation of Network Load
- 32 Initial Study Procedures For Network Integration Transmission Service Requests
- 33 Load Shedding and Curtailments
- 34 Rates and Charges
- 35 Operating Arrangements

### **IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM**

#### **Preamble**

#### **Subpart A –INTERCONNECTION PROCEDURES**

- 36 Interconnection Requests
- 37 Additional Procedures
- 38 Service on Merchant Transmission Facilities
- 39 Local Furnishing Bonds

40-109 [Reserved]

Subpart B – [Reserved]

Subpart C – [Reserved]

Subpart D – [Reserved]

Subpart E – [Reserved]

Subpart F – [Reserved]

#### **Subpart G – SMALL GENERATION INTERCONNECTION PROCEDURE**

#### **Preamble**

- 110 Permanent Capacity Resource Additions Of 20 MW Or Less
- 111 Permanent Energy Resource Additions Of 20 MW Or Less
- 112 Temporary Energy Resource Additions Of 20 MW Or Less But Greater Than 2 MW
- 112A Screens Process for Permanent or Temporary Energy Resources of 2 MW or less
- 112B Certified Inverter-Based Small Generating Facilities No Larger than 10 kW

### **V. GENERATION DEACTIVATION**

**Preamble**

- 113 Notices**
- 114 Deactivation Avoidable Cost Credit**
- 115 Deactivation Avoidable Cost Rate**
- 116 Filing and Updating of Deactivation Avoidable Cost Rate**
- 117 Excess Project Investment Required**
- 118 Refund of Project Investment Reimbursement**
- 118A Recovery of Project Investment**
- 119 Cost of Service Recovery Rate**
- 120 Cost Allocation**
- 121 Performance Standards**
- 122 Black Start Units**
- 123-199 [Reserved]**

**VI. ADMINISTRATION AND STUDY OF NEW SERVICE REQUESTS; RIGHTS ASSOCIATED WITH CUSTOMER-FUNDED UPGRADES**

**Preamble**

- 200 Applicability**
- 201 Queue Position**
- Subpart A – SYSTEM IMPACT STUDIES AND FACILITIES STUDIES FOR NEW SERVICE REQUESTS**
- 202 Coordination with Affected Systems**
- 203 System Impact Study Agreement**
- 204 Tender of System Impact Study Agreement**
- 205 System Impact Study Procedures**
- 206 Facilities Study Agreement**
- 207 Facilities Study Procedures**
- 208 Expedited Procedures for Part II Requests**
- 209 Optional Interconnection Studies**
- 210 Responsibilities of the Transmission Provider and Transmission Owners**
- Subpart B– AGREEMENTS AND COST REONSIBILITY FOR CUSTOMER- FUNDED UPGRADES**
- 211 Interim Interconnection Service Agreement**
- 212 Interconnection Service Agreement**
- 213 Upgrade Construction Service Agreement**
- 214 Filing/Reporting of Agreement**
- 215 Transmission Service Agreements**
- 216 Interconnection Requests Designated as Market Solutions**
- 217 Cost Responsibility for Necessary Facilities and Upgrades**
- 218 New Service Requests Involving Affected Systems**
- 219 Inter-queue Allocation of Costs of Transmission Upgrades**
- 220 Advance Construction of Certain Network Upgrades**
- 221 Transmission Owner Construction Obligation for Necessary Facilities And Upgrades**
- 222 Confidentiality**

- 223 Confidential Information
- 224 – 229 [Reserved]
- Subpart C – RIGHTS RELATED TO CUSTOMER-FUNDED UPGRADES
- 230 Capacity Interconnection Rights
- 231 Incremental Auction Revenue Rights
- 232 Transmission Injection Rights and Transmission Withdrawal Rights
- 233 Incremental Available Transfer Capability Revenue Rights
- 234 Incremental Capacity Transfer Rights
- 235 Incremental Deliverability Rights
- 236 Interconnection Rights for Certain Transmission Interconnections
- 237 IDR Transfer Agreements

**SCHEDULE 1**

**Scheduling, System Control and Dispatch Service**

**SCHEDULE 1A**

**Transmission Owner Scheduling, System Control and Dispatch Service**

**SCHEDULE 2**

**Reactive Supply and Voltage Control from Generation Sources Service**

**SCHEDULE 3**

**Regulation and Frequency Response Service**

**SCHEDULE 4**

**Energy Imbalance Service**

**SCHEDULE 5**

**Operating Reserve – Synchronized Reserve Service**

**SCHEDULE 6**

**Operating Reserve - Supplemental Reserve Service**

**SCHEDULE 6A**

**Black Start Service**

**SCHEDULE 7**

**Long-Term Firm and Short-Term Firm Point-To-Point Transmission Service**

**SCHEDULE 8**

**Non-Firm Point-To-Point Transmission Service**

**SCHEDULE 9**

**PJM Interconnection L.L.C. Administrative Services**

**SCHEDULE 9-1**

**Control Area Administration Service**

**SCHEDULE 9-2**

**Financial Transmission Rights Administration Service**

**SCHEDULE 9-3**

**Market Support Service**

**SCHEDULE 9-4**

**Regulation and Frequency Response Administration Service**

**SCHEDULE 9-5**

**Capacity Resource and Obligation Management Service**

**SCHEDULE 9-6**

**Management Service Cost**  
**SCHEDULE 9-FERC**  
**FERC Annual Charge Recovery**  
**SCHEDULE 9-OPSI**  
**OPSI Funding**  
**SCHEDULE 9-FINCON**  
**Finance Committee Retained Outside Consultant**  
**SCHEDULE 9-MMU**  
**MMU Funding**  
**SCHEDULE 9 – PJM SETTLEMENT**  
**SCHEDULE 10 - [Reserved]**  
**SCHEDULE 10-NERC**  
**North American Electric Reliability Corporation Charge**  
**SCHEDULE 10-RFC**  
**Reliability First Corporation Charge**  
**SCHEDULE 11**  
**Transitional Market Expansion Charge**  
**SCHEDULE 12**  
**Transmission Enhancement Charges**  
**SCHEDULE 12 APPENDIX**  
**SCHEDULE 12-A**  
**SCHEDULE 13**  
**Expansion Cost Recovery Change (ECRC)**  
**SCHEDULE 14**  
**Transmission Service on the Neptune Line**  
**SCHEDULE 14 - Exhibit A**  
**SCHEDULE 15**  
**Non-Retail Behind The Meter Generation Maximum Generation Emergency**  
**Obligations**  
**SCHEDULE 16**  
**Transmission Service on the Linden VFT Facility**  
**SCHEDULE 16 Exhibit A**  
**SCHEDULE 16 – A**  
**Transmission Service for Imports on the Linden VFT Facility**  
**SCHEDULE 17**  
**Transmission Service on the Hudson Line**  
**SCHEDULE 17 - Exhibit A**  
**ATTACHMENT A**  
**Form of Service Agreement For Firm Point-To-Point Transmission Service**  
**ATTACHMENT A-1**  
**Form of Service Agreement For The Resale, Reassignment or Transfer of Point-to-Point Transmission Service**  
**ATTACHMENT B**  
**Form of Service Agreement For Non-Firm Point-To-Point Transmission Service**  
**ATTACHMENT C**  
**Methodology To Assess Available Transfer Capability**

**ATTACHMENT C-1**

**Conversion of Service in the Dominion and Duquesne Zones**

**ATTACHMENT C-2**

**Conversion of Service in the Duke Energy Ohio, Inc. and Duke Energy Kentucky, Inc, (“DEOK”) Zone**

**ATTACHMENT D**

**Methodology for Completing a System Impact Study**

**ATTACHMENT E**

**Index of Point-To-Point Transmission Service Customers**

**ATTACHMENT F**

**Service Agreement For Network Integration Transmission Service**

**ATTACHMENT F-1**

**Form of Umbrella Service Agreement for Network Integration Transmission Service Under State Required Retail Access Programs**

**ATTACHMENT G**

**Network Operating Agreement**

**ATTACHMENT H-1**

**Annual Transmission Rates -- Atlantic City Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-1A**

**Atlantic City Electric Company Formula Rate Appendix A**

**ATTACHMENT H-1B**

**Atlantic City Electric Company Formula Rate Implementation Protocols**

**ATTACHMENT H-2**

**Annual Transmission Rates -- Baltimore Gas and Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-2A**

**Baltimore Gas and Electric Company Formula Rate**

**ATTACHMENT H-2B**

**Baltimore Gas and Electric Company Formula Rate Implementation Protocols**

**ATTACHMENT H-3**

**Annual Transmission Rates -- Delmarva Power & Light Company for Network Integration Transmission Service**

**ATTACHMENT H-3A**

**Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points**

**ATTACHMENT H-3B**

**Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points**

**ATTACHMENT H-3C**

**Delmarva Power & Light Company Under-Frequency Load Shedding Charge**

**ATTACHMENT H-3D**

**Delmarva Power & Light Company Formula Rate – Appendix A**

**ATTACHMENT H-3E**

**Delmarva Power & Light Company Formula Rate Implementation Protocols**

**ATTACHMENT H-3F**

**Old Dominion Electric Cooperative Formula Rate – Appendix A**  
**ATTACHMENT H-3G**  
**Old Dominion Electric Cooperative Formula Rate Implementation Protocols**

**ATTACHMENT H-4**  
**Annual Transmission Rates -- Jersey Central Power & Light Company for Network Integration Transmission Service**

**ATTACHMENT H-5**  
**Annual Transmission Rates -- Metropolitan Edison Company for Network Integration Transmission Service**

**ATTACHMENT H-5A**  
**Other Supporting Facilities -- Metropolitan Edison Company**

**ATTACHMENT H-6**  
**Annual Transmission Rates -- Pennsylvania Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-6A**  
**Other Supporting Facilities Charges -- Pennsylvania Electric Company**

**ATTACHMENT H-7**  
**Annual Transmission Rates -- PECO Energy Company for Network Integration Transmission Service**

**ATTACHMENT H-8**  
**Annual Transmission Rates – PPL Group for Network Integration Transmission Service**

**ATTACHMENT H-8A**  
**Other Supporting Facilities Charges -- PPL Electric Utilities Corporation**

**ATTACHMENT 8C**  
**UGI Utilities, Inc. Formula Rate – Appendix A**

**ATTACHMENT 8D**  
**UGI Utilities, Inc. Formula Rate Implementation Protocols**

**ATTACHMENT 8E**  
**UGI Utilities, Inc. Formula Rate – Appendix A**

**ATTACHMENT H-8G**  
**Annual Transmission Rates – PPL Electric Utilities Corp.**

**ATTACHMENT H-8H**  
**Formula Rate Implementation Protocols – PPL Electric Utilities Corp.**

**ATTACHMENT H-9**  
**Annual Transmission Rates -- Potomac Electric Power Company for Network Integration Transmission Service**

**ATTACHMENT H-9A**  
**Potomac Electric Power Company Formula Rate – Appendix A**

**ATTACHMENT H-9B**  
**Potomac Electric Power Company Formula Rate Implementation Protocols**

**ATTACHMENT H-10**  
**Annual Transmission Rates -- Public Service Electric and Gas Company for Network Integration Transmission Service**

**ATTACHMENT H-10A**  
**Formula Rate -- Public Service Electric and Gas Company**

**ATTACHMENT H-10B**

**Formula Rate Implementation Protocols – Public Service Electric and Gas Company**

**ATTACHMENT H-11**

**Annual Transmission Rates -- Allegheny Power for Network Integration Transmission Service**

**ATTACHMENT 11A**

**Other Supporting Facilities Charges - Allegheny Power**

**ATTACHMENT H-12**

**Annual Transmission Rates -- Rockland Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-13**

**Annual Transmission Rates – Commonwealth Edison Company for Network Integration Transmission Service**

**ATTACHMENT H-13A**

**Commonwealth Edison Company Formula Rate – Appendix A**

**ATTACHMENT H-13B**

**Commonwealth Edison Company Formula Rate Implementation Protocols**

**ATTACHMENT H-14**

**Annual Transmission Rates – AEP East Operating Companies for Network Integration Transmission Service**

**ATTACHMENT H-14A**

**AEP East Operating Companies Formula Rate Implementation Protocols**

**ATTACHMENT H-14B Part 1**

**ATTACHMENT H-14B Part 2**

**ATTACHMENT H-15**

**Annual Transmission Rates -- The Dayton Power and Light Company for Network Integration Transmission Service**

**ATTACHMENT H-16**

**Annual Transmission Rates -- Virginia Electric and Power Company for Network Integration Transmission Service**

**ATTACHMENT H-16A**

**Formula Rate - Virginia Electric and Power Company**

**ATTACHMENT H-16B**

**Formula Rate Implementation Protocols - Virginia Electric and Power Company**

**ATTACHMENT H-16C**

**Virginia Retail Administrative Fee Credit for Virginia Retail Load Serving Entities in the Dominion Zone**

**ATTACHMENT H-16D – [Reserved]**

**ATTACHMENT H-16E – [Reserved]**

**ATTACHMENT H-16AA**

**Virginia Electric and Power Company**

**ATTACHMENT H-17**

**Annual Transmission Rates -- Duquesne Light Company for Network Integration Transmission Service**

**ATTACHMENT H-17A**

**Duquesne Light Company Formula Rate – Appendix A**  
**ATTACHMENT H-17B**  
**Duquesne Light Company Formula Rate Implementation Protocols**  
**ATTACHMENT H-18**  
**Annual Transmission Rates – Trans-Allegheny Interstate Line Company**  
**ATTACHMENT H-18A**  
**Trans-Allegheny Interstate Line Company Formula Rate – Appendix A**  
**ATTACHMENT H-18B**  
**Trans-Allegheny Interstate Line Company Formula Rate Implementation Protocols**  
**ATTACHMENT H-19**  
**Annual Transmission Rates – Potomac-Appalachian Transmission Highline, L.L.C.**  
**ATTACHMENT H-19A**  
**Potomac-Appalachian Transmission Highline, L.L.C. Summary**  
**ATTACHMENT H-19B**  
**Potomac-Appalachian Transmission Highline, L.L.C. Formula Rate Implementation Protocols**  
**ATTACHMENT H-20**  
**Annual Transmission Rates – AEP Transmission Companies (AEPTCo) in the AEP Zone**  
**ATTACHMENT H-20A**  
**AEP Transmission Companies (AEPTCo) in the AEP Zone - Formula Rate Implementation Protocols**  
**ATTACHMENT H-20B**  
**AEP Transmission Companies (AEPTCo) in the AEP Zone – Blank Formula Rate Template**  
**ATTACHMENT H-21**  
**Annual Transmission Rates – American Transmission Systems, Inc. for Network Integration Transmission Service**  
**ATTACHMENT H-21A - ATSI**  
**ATTACHMENT H-21A Appendix A - ATSI**  
**ATTACHMENT H-21A Appendix B - ATSI**  
**ATTACHMENT H-21A Appendix C - ATSI**  
**ATTACHMENT H-21A Appendix C - ATSI [Reserved]**  
**ATTACHMENT H-21A Appendix D – ATSI**  
**ATTACHMENT H-21A Appendix E - ATSI**  
**ATTACHMENT H-21A Appendix F – ATSI [Reserved]**  
**ATTACHMENT H-21A Appendix G - ATSI**  
**ATTACHMENT H-21A Appendix G – ATSI (Credit Adj)**  
**ATTACHMENT H-21B ATSI Protocol**  
**ATTACHMENT H-22**  
**Annual Transmission Rates – DEOK for Network Integration Transmission Service and Point-to-Point Transmission Service**  
**ATTACHMENT H-22A**  
**Duke Energy Ohio and Duke Energy Kentucky (DEOK) Formula Rate Template**  
**ATTACHMENT H-22B**  
**DEOK Formula Rate Implementation Protocols**

**ATTACHMENT H-A**

**Annual Transmission Rates -- Non-Zone Network Load for Network Integration  
Transmission Service**

**ATTACHMENT I**

**Index of Network Integration Transmission Service Customers**

**ATTACHMENT J**

**PJM Transmission Zones**

**ATTACHMENT K**

**Transmission Congestion Charges and Credits**

**Preface**

**ATTACHMENT K -- APPENDIX**

**Preface**

**1. MARKET OPERATIONS**

- 1.1 Introduction
- 1.2 Cost-Based Offers
- 1.2A Transmission Losses
- 1.3 Definitions
- 1.4 Market Buyers
- 1.5 Market Sellers
- 1.5A Economic Load Response Participant
- 1.6 Office of the Interconnection
- 1.6A PJM Settlement
- 1.7 General
- 1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
- 1.9 Prescheduling
- 1.10 Scheduling
- 1.11 Dispatch
- 1.12 Dynamic Scheduling

**2. CALCULATION OF LOCATIONAL MARGINAL PRICES**

- 2.1 Introduction
- 2.2 General
- 2.3 Determination of System Conditions Using the State Estimator
- 2.4 Determination of Energy Offers Used in Calculating
- 2.5 Calculation of Real-time Prices
- 2.6 Calculation of Day-ahead Prices
- 2.6A Interface Prices
- 2.7 Performance Evaluation

**3. ACCOUNTING AND BILLING**

- 3.1 Introduction
- 3.2 Market Buyers
- 3.3 Market Sellers
  - 3.3A Economic Load Response Participants
- 3.4 Transmission Customers
- 3.5 Other Control Areas
- 3.6 Metering Reconciliation
- 3.7 Inadvertent Interchange

**4. [Reserved For Future Use]**

**5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES**

- 5.1 Transmission Congestion Charge Calculation
- 5.2 Transmission Congestion Credit Calculation
- 5.3 Unscheduled Transmission Service (Loop Flow)
- 5.4 Transmission Loss Charge Calculation
- 5.5 Distribution of Total Transmission Loss Charges

**6. “MUST-RUN” FOR RELIABILITY GENERATION**

- 6.1 Introduction
- 6.2 Identification of Facility Outages
- 6.3 Dispatch for Local Reliability
- 6.4 Offer Price Caps
- 6.5 [Reserved]
- 6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules

**6A. [Reserved]**

- 6A.1 [Reserved]
- 6A.2 [Reserved]
- 6A.3 [Reserved]

**7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS**

- 7.1 Auctions of Financial Transmission Rights
- 7.1A Long-Term Financial Transmission Rights Auctions
- 7.2 Financial Transmission Rights Characteristics
- 7.3 Auction Procedures
- 7.4 Allocation of Auction Revenues
- 7.5 Simultaneous Feasibility
- 7.6 New Stage 1 Resources
- 7.7 Alternate Stage 1 Resources
- 7.8 Elective Upgrade Auction Revenue Rights
- 7.9 Residual Auction Revenue Rights
- 7.10 Financial Settlement
- 7.11 PJM Settlement as Counterparty

**~~8. INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM~~**

- ~~8.1 Introduction~~
- ~~8.2 Identification of Transmission Constraints~~
- ~~8.3 Redispatch Procedures~~
- ~~8.4 Locational Marginal Price~~
- ~~8.5 Generator Compensation~~
- ~~8.6 Settlements~~
- ~~8.7 Effective Date~~
- ~~9. [Reserved]~~
- ~~10. [Reserved]~~

**PJM EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**

- 8.1 Emergency Load Response and Pre-Emergency Load Response Program Options
- 8.2 Participant Qualifications

- [8.3 Metering Requirements](#)
- [8.4 Registration](#)
- [8.5 Pre-Emergency Operations](#)
- [8.6 Emergency Operations](#)
- [8.7 Verification](#)
- [8.8 Market Settlements](#)
- [8.9 Reporting and Compliance](#)
- [8.10 Non-Hourly Metered Customer Pilot](#)
- [8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation](#)

**ATTACHMENT L**

**List of Transmission Owners**

**ATTACHMENT M**

**PJM Market Monitoring Plan**

**ATTACHMENT M – APPENDIX**

**PJM Market Monitor Plan Attachment M Appendix**

- I Confidentiality of Data and Information
- II Development of Inputs for Prospective Mitigation
- III Black Start Service
- IV Deactivation Rates
- V Opportunity Cost Calculation
- VI FTR Forfeiture Rule
- VII Forced Outage Rule
- VIII Data Collection and Verification

**ATTACHMENT M-1 (FirstEnergy)**

**Energy Procedure Manual for Determining Supplier Total Hourly Energy Obligation**

**ATTACHMENT M-2 (First Energy)**

**Energy Procedure Manual for Determining Supplier Peak Load Share Procedures for Load Determination**

**ATTACHMENT M-2 (ComEd)**

**Determination of Capacity Peak Load Contributions and Network Service Peak Load Contributions**

**ATTACHMENT M-2 (PSE&G)**

**Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers**

**ATTACHMENT M-2 (Atlantic City Electric Company)**

**Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers**

**ATTACHMENT M-2 (Delmarva Power & Light Company)**

**Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers**

**ATTACHMENT M-2 (Delmarva Power & Light Company)**

**Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers**

**ATTACHMENT N**

**Form of Generation Interconnection Feasibility Study Agreement**  
**ATTACHMENT N-1**

**Form of System Impact Study Agreement**  
**ATTACHMENT N-2**

**Form of Facilities Study Agreement**  
**ATTACHMENT N-3**

**Form of Optional Interconnection Study Agreement**  
**ATTACHMENT O**

**Form of Interconnection Service Agreement**

- 1.0 Parties
- 2.0 Authority
- 3.0 Customer Facility Specifications
- 4.0 Effective Date
- 5.0 Security
- 6.0 Project Specific Milestones
- 7.0 Provision of Interconnection Service
- 8.0 Assumption of Tariff Obligations
- 9.0 Facilities Study
- 10.0 Construction of Transmission Owner Interconnection Facilities
- 11.0 Interconnection Specifications
- 12.0 Power Factor Requirement
- 12.0A RTU
- 13.0 Charges
- 14.0 Third Party Benefits
- 15.0 Waiver
- 16.0 Amendment
- 17.0 Construction With Other Parts Of The Tariff
- 18.0 Notices
- 19.0 Incorporation Of Other Documents
- 20.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
- 21.0 Addendum of Interconnection Customer's Agreement  
to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
- 22.0 Addendum of Interconnection Requirements for a Wind Generation Facility
- 23.0

**Specifications for Interconnection Service Agreement**

- 1.0
- 2.0 Rights
- 3.0 Construction Responsibility and Ownership of Interconnection Facilities
- 4.0
  - 4.1 Attachment Facilities Charge
  - 4.2 Network Upgrades Charge
  - 4.3 Local Upgrades Charge
  - 4.4 Other Charges
  - 4.5 Cost of Merchant Network Upgrades
  - 4.6 Cost breakdown
  - 4.7 Security Amount Breakdown

**ATTACHMENT O APPENDIX 1: Definitions**

**ATTACHMENT O APPENDIX 2: Standard Terms and Conditions for Interconnections**

**1 Commencement, Term of and Conditions Precedent to Interconnection Service**

- 1.1 Commencement Date
- 1.2 Conditions Precedent
- 1.3 Term
- 1.4 Initial Operation
- 1.4A Limited Operation
- 1.5 Survival

**2 Interconnection Service**

- 2.1 Scope of Service
- 2.2 Non-Standard Terms
- 2.3 No Transmission Services
- 2.4 Use of Distribution Facilities
- 2.5 Election by Behind The Meter Generation

**3 Modification Of Facilities**

- 3.1 General
- 3.2 Interconnection Request
- 3.3 Standards
- 3.4 Modification Costs

**4 Operations**

- 4.1 General
- 4.2 Operation of Merchant Network Upgrades
- 4.3 Interconnection Customer Obligations
- 4.4 [Reserved.]
- 4.5 Permits and Rights-of-Way
- 4.6 No Ancillary Services
- 4.7 Reactive Power
- 4.8 Under- and Over-Frequency Conditions
- 4.9 Protection and System Quality
- 4.10 Access Rights
- 4.11 Switching and Tagging Rules
- 4.12 Communications and Data Protocol
- 4.13 Nuclear Generating Facilities

**5 Maintenance**

- 5.1 General
- 5.2 Maintenance of Merchant Network Upgrades
- 5.3 Outage Authority and Coordination
- 5.4 Inspections and Testing
- 5.5 Right to Observe Testing
- 5.6 Secondary Systems
- 5.7 Access Rights
- 5.8 Observation of Deficiencies

**6 Emergency Operations**

- 6.1 Obligations

- 6.2 Notice
- 6.3 Immediate Action
- 6.4 Record-Keeping Obligations
- 7 Safety**
  - 7.1 General
  - 7.2 Environmental Releases
- 8 Metering**
  - 8.1 General
  - 8.2 Standards
  - 8.3 Testing of Metering Equipment
  - 8.4 Metering Data
  - 8.5 Communications
- 9 Force Majeure**
  - 9.1 Notice
  - 9.2 Duration of Force Majeure
  - 9.3 Obligation to Make Payments
- 10 Charges**
  - 10.1 Specified Charges
  - 10.2 FERC Filings
- 11 Security, Billing And Payments**
  - 11.1 Recurring Charges Pursuant to Section 10
  - 11.2 Costs for Transmission Owner Interconnection Facilities and/or Merchant Network Upgrades
  - 11.3 No Waiver
  - 11.4 Interest
- 12 Assignment**
  - 12.1 Assignment with Prior Consent
  - 12.2 Assignment Without Prior Consent
  - 12.3 Successors and Assigns
- 13 Insurance**
  - 13.1 Required Coverages for Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
  - 13.1A Required Coverages for Generation Resources Of 20 Megawatts Or Less
  - 13.2 Additional Insureds
  - 13.3 Other Required Terms
  - 13.3A No Limitation of Liability
  - 13.4 Self-Insurance
  - 13.5 Notices; Certificates of Insurance
  - 13.6 Subcontractor Insurance
  - 13.7 Reporting Incidents
- 14 Indemnity**
  - 14.1 Indemnity
  - 14.2 Indemnity Procedures
  - 14.3 Indemnified Person
  - 14.4 Amount Owing

- 14.5 Limitation on Damages
- 14.6 Limitation of Liability in Event of Breach
- 14.7 Limited Liability in Emergency Conditions
- 15 Breach, Cure And Default**
  - 15.1 Breach
  - 15.2 Continued Operation
  - 15.3 Notice of Breach
  - 15.4 Cure and Default
  - 15.5 Right to Compel Performance
  - 15.6 Remedies Cumulative
- 16 Termination**
  - 16.1 Termination
  - 16.2 Disposition of Facilities Upon Termination
  - 16.3 FERC Approval
  - 16.4 Survival of Rights
- 17 Confidentiality**
  - 17.1 Term
  - 17.2 Scope
  - 17.3 Release of Confidential Information
  - 17.4 Rights
  - 17.5 No Warranties
  - 17.6 Standard of Care
  - 17.7 Order of Disclosure
  - 17.8 Termination of Interconnection Service Agreement
  - 17.9 Remedies
  - 17.10 Disclosure to FERC or its Staff
  - 17.11
  - 17.12
  - 17.13 Return or Destruction of Confidential Information
- 18 Subcontractors**
  - 18.1 Use of Subcontractors
  - 18.2 Responsibility of Principal
  - 18.3 Indemnification by Subcontractors
  - 18.4 Subcontractors Not Beneficiaries
- 19 Information Access And Audit Rights**
  - 19.1 Information Access
  - 19.2 Reporting of Non-Force Majeure Events
  - 19.3 Audit Rights
- 20 Disputes**
  - 20.1 Submission
  - 20.2 Rights Under The Federal Power Act
  - 20.3 Equitable Remedies
- 21 Notices**
  - 21.1 General
  - 21.2 Emergency Notices
  - 21.3 Operational Contacts

- 22 Miscellaneous**
  - 22.1 Regulatory Filing
  - 22.2 Waiver
  - 22.3 Amendments and Rights Under the Federal Power Act
  - 22.4 Binding Effect
  - 22.5 Regulatory Requirements
- 23 Representations And Warranties**
  - 23.1 General
- 24 Tax Liability**
  - 24.1 Safe Harbor Provisions
  - 24.2 Tax Indemnity
  - 24.3 Taxes Other Than Income Taxes
  - 24.4 Income Tax Gross-Up
  - 24.5 Tax Status

**ATTACHMENT O - SCHEDULE A**

**Customer Facility Location/Site Plan**

**ATTACHMENT O - SCHEDULE B**

**Single-Line Diagram**

**ATTACHMENT O - SCHEDULE C**

**List of Metering Equipment**

**ATTACHMENT O - SCHEDULE D**

**Applicable Technical Requirements and Standards**

**ATTACHMENT O - SCHEDULE E**

**Schedule of Charges**

**ATTACHMENT O - SCHEDULE F**

**Schedule of Non-Standard Terms & Conditions**

**ATTACHMENT O - SCHEDULE G**

**Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status**

**ATTACHMENT O - SCHEDULE H**

**Interconnection Requirements for a Wind Generation Facility**

**ATTACHMENT O-1**

**Form of Interim Interconnection Service Agreement**

**ATTACHMENT P**

**Form of Interconnection Construction Service Agreement**

- 1.0 Parties
- 2.0 Authority
- 3.0 Customer Facility
- 4.0 Effective Date and Term
  - 4.1 Effective Date
  - 4.2 Term
  - 4.3 Survival
- 5.0 Construction Responsibility
- 6.0 [Reserved.]
- 7.0 Scope of Work
- 8.0 Schedule of Work

- 9.0 [Reserved.]
- 10.0 Notices
- 11.0 Waiver
- 12.0 Amendment
- 13.0 Incorporation Of Other Documents
- 14.0 Addendum of Interconnection Customer’s Agreement  
to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
- 15.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
- 16.0 Addendum of Interconnection Requirements for a Wind Generation Facility
- 17.0

**ATTACHMENT P - APPENDIX 1 – DEFINITIONS**

**ATTACHMENT P - APPENDIX 2 – STANDARD CONSTRUCTION TERMS AND  
CONDITIONS**

**Preamble**

**1 Facilitation by Transmission Provider**

**2 Construction Obligations**

- 2.1 Interconnection Customer Obligations
- 2.2 Transmission Owner Interconnection Facilities and Merchant  
Network Upgrades
- 2.2A Scope of Applicable Technical Requirements and Standards
- 2.3 Construction By Interconnection Customer
- 2.4 Tax Liability
- 2.5 Safety
- 2.6 Construction-Related Access Rights
- 2.7 Coordination Among Constructing Parties

**3 Schedule of Work**

- 3.1 Construction by Interconnection Customer
- 3.2 Construction by Interconnected Transmission Owner
- 3.2.1 Standard Option
- 3.2.2 Negotiated Contract Option
- 3.2.3 Option to Build
- 3.3 Revisions to Schedule of Work
- 3.4 Suspension
  - 3.4.1 Costs
  - 3.4.2 Duration of Suspension
- 3.5 Right to Complete Transmission Owner Interconnection  
Facilities
- 3.6 Suspension of Work Upon Default
- 3.7 Construction Reports
- 3.8 Inspection and Testing of Completed Facilities
- 3.9 Energization of Completed Facilities
- 3.10 Interconnected Transmission Owner’s Acceptance of  
Facilities Constructed by Interconnection Customer

**4 Transmission Outages**

- 4.1 Outages; Coordination

**5 Land Rights; Transfer of Title**

- 5.1 Grant of Easements and Other Land Rights
- 5.2 Construction of Facilities on Interconnection Customer Property
- 5.3 Third Parties
- 5.4 Documentation
- 5.5 Transfer of Title to Certain Facilities Constructed By Interconnection Customer
- 5.6 Liens
- 6 Warranties**
  - 6.1 Interconnection Customer Warranty
  - 6.2 Manufacturer Warranties
- 7 [Reserved.]**
- 8 [Reserved.]**
- 9 Security, Billing And Payments**
  - 9.1 Adjustments to Security
  - 9.2 Invoice
  - 9.3 Final Invoice
  - 9.4 Disputes
  - 9.5 Interest
  - 9.6 No Waiver
- 10 Assignment**
  - 10.1 Assignment with Prior Consent
  - 10.2 Assignment Without Prior Consent
  - 10.3 Successors and Assigns
- 11 Insurance**
  - 11.1 Required Coverages For Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
  - 11.1A Required Coverages For Generation Resources of 20 Megawatts Or Less
  - 11.2 Additional Insureds
  - 11.3 Other Required Terms
  - 11.3A No Limitation of Liability
  - 11.4 Self-Insurance
  - 11.5 Notices; Certificates of Insurance
  - 11.6 Subcontractor Insurance
  - 11.7 Reporting Incidents
- 12 Indemnity**
  - 12.1 Indemnity
  - 12.2 Indemnity Procedures
  - 12.3 Indemnified Person
  - 12.4 Amount Owing
  - 12.5 Limitation on Damages
  - 12.6 Limitation of Liability in Event of Breach
  - 12.7 Limited Liability in Emergency Conditions
- 13 Breach, Cure And Default**
  - 13.1 Breach
  - 13.2 Notice of Breach

- 13.3 Cure and Default
  - 13.3.1 Cure of Breach
- 13.4 Right to Compel Performance
- 13.5 Remedies Cumulative
- 14 Termination**
  - 14.1 Termination
  - 14.2 [Reserved.]
  - 14.3 Cancellation By Interconnection Customer
  - 14.4 Survival of Rights
- 15 Force Majeure**
  - 15.1 Notice
  - 15.2 Duration of Force Majeure
  - 15.3 Obligation to Make Payments
- 16 Subcontractors**
  - 16.1 Use of Subcontractors
  - 16.2 Responsibility of Principal
  - 16.3 Indemnification by Subcontractors
  - 16.4 Subcontractors Not Beneficiaries
- 17 Confidentiality**
  - 17.1 Term
  - 17.2 Scope
  - 17.3 Release of Confidential Information
  - 17.4 Rights
  - 17.5 No Warranties
  - 17.6 Standard of Care
  - 17.7 Order of Disclosure
  - 17.8 Termination of Construction Service Agreement
  - 17.9 Remedies
  - 17.10 Disclosure to FERC or its Staff
  - 17.11
  - 17.12
  - 17.13 Return or Destruction of Confidential Information
- 18 Information Access And Audit Rights**
  - 18.1 Information Access
  - 18.2 Reporting of Non-Force Majeure Events
  - 18.3 Audit Rights
- 19 Disputes**
  - 19.1 Submission
  - 19.2 Rights Under The Federal Power Act
  - 19.3 Equitable Remedies
- 20 Notices**
  - 20.1 General
  - 20.2 Operational Contacts
- 21 Miscellaneous**
  - 21.1 Regulatory Filing
  - 21.2 Waiver

21.3	Amendments and Rights under the Federal Power Act
21.4	Binding Effect
21.5	Regulatory Requirements
<b>22</b>	<b>Representations and Warranties</b>
22.1	General
<b>ATTACHMENT P - SCHEDULE A</b>	
	<b>Site Plan</b>
<b>ATTACHMENT P - SCHEDULE B</b>	
	<b>Single-Line Diagram of Interconnection Facilities</b>
<b>ATTACHMENT P - SCHEDULE C</b>	
	<b>Transmission Owner Interconnection Facilities to be Built by Interconnected Transmission Owner</b>
<b>ATTACHMENT P - SCHEDULE D</b>	
	<b>Transmission Owner Interconnection Facilities to be Built by Interconnection Customer Pursuant to Option to Build</b>
<b>ATTACHMENT P - SCHEDULE E</b>	
	<b>Merchant Network Upgrades to be Built by Interconnected Transmission Owner</b>
<b>ATTACHMENT P - SCHEDULE F</b>	
	<b>Merchant Network Upgrades to be Built by Interconnection Customer Pursuant to Option to Build</b>
<b>ATTACHMENT P - SCHEDULE G</b>	
	<b>Customer Interconnection Facilities</b>
<b>ATTACHMENT P - SCHEDULE H</b>	
	<b>Negotiated Contract Option Terms</b>
<b>ATTACHMENT P - SCHEDULE I</b>	
	<b>Scope of Work</b>
<b>ATTACHMENT P - SCHEDULE J</b>	
	<b>Schedule of Work</b>
<b>ATTACHMENT P - SCHEDULE K</b>	
	<b>Applicable Technical Requirements and Standards</b>
<b>ATTACHMENT P - SCHEDULE L</b>	
	<b>Interconnection Customer's Agreement to Confirm with IRS Safe Harbor Provisions For Non-Taxable Status</b>
<b>ATTACHMENT P - SCHEDULE M</b>	
	<b>Schedule of Non-Standard Terms and Conditions</b>
<b>ATTACHMENT P - SCHEDULE N</b>	
	<b>Interconnection Requirements for a Wind Generation Facility</b>
<b>ATTACHMENT Q</b>	
	<b>PJM Credit Policy</b>
<b>ATTACHMENT R</b>	
	<b>Lost Revenues Of PJM Transmission Owners And Distribution of Revenues Remitted By MISO, SECA Rates to Collect PJM Transmission Owner Lost Revenues Under Attachment X, And Revenues From PJM Existing Transactions</b>
<b>ATTACHMENT S</b>	
	<b>Form of Transmission Interconnection Feasibility Study Agreement</b>
<b>ATTACHMENT T</b>	

	<b>Identification of Merchant Transmission Facilities</b>
<b>ATTACHMENT U</b>	<b>Independent Transmission Companies</b>
<b>ATTACHMENT V</b>	<b>Form of ITC Agreement</b>
<b>ATTACHMENT W</b>	<b>COMMONWEALTH EDISON COMPANY</b>
<b>ATTACHMENT X</b>	<b>Seams Elimination Cost Assignment Charges</b>
	<b>NOTICE OF ADOPTION OF NERC TRANSMISSION LOADING RELIEF PROCEDURES</b>
	<b>NOTICE OF ADOPTION OF LOCAL TRANSMISSION LOADING RELIEF PROCEDURES</b>
	<b>SCHEDULE OF PARTIES ADOPTING LOCAL TRANSMISSION LOADING RELIEF PROCEDURES</b>
<b>ATTACHMENT Y</b>	<b>Forms of Screens Process Interconnection Request (For Generation Facilities of 2 MW or less)</b>
<b>ATTACHMENT Z</b>	<b>Certification Codes and Standards</b>
<b>ATTACHMENT AA</b>	<b>Certification of Small Generator Equipment Packages</b>
<b>ATTACHMENT BB</b>	<b>Form of Certified Inverter-Based Generating Facility No Larger Than 10 kW Interconnection Service Agreement</b>
<b>ATTACHMENT CC</b>	<b>Form of Certificate of Completion (Small Generating Inverter Facility No Larger Than 10 kW)</b>
<b>ATTACHMENT DD</b>	<b>Reliability Pricing Model</b>
<b>ATTACHMENT EE</b>	<b>Form of Upgrade Request</b>
<b>ATTACHMENT FF</b>	<b>Form of Initial Study Agreement</b>
<b>ATTACHMENT GG</b>	<b>Form of Upgrade Construction Service Agreement</b>
	Article 1 – Definitions And Other Documents
	1.0 Defined Terms
	1.1 Incorporation of Other Documents
	Article 2 – Responsibility for Direct Assignment Facilities or Customer-Funded Upgrades
	2.0 New Service Customer Financial Responsibilities
	2.1 Obligation to Provide Security
	2.2 Failure to Provide Security
	2.3 Costs
	2.4 Transmission Owner Responsibilities

- Article 3 – Rights To Transmission Service
  - 3.0 No Transmission Service
- Article 4 – Early Termination
  - 4.0 Termination by New Service Customer
- Article 5 – Rights
  - 5.0 Rights
    - 5.1 Amount of Rights Granted
    - 5.2 Availability of Rights Granted
    - 5.3 Credits
- Article 6 – Miscellaneous
  - 6.0 Notices
    - 6.1 Waiver
    - 6.2 Amendment
    - 6.3 No Partnership
    - 6.4 Counterparts

**ATTACHMENT GG - APPENDIX I –  
SCOPE AND SCHEDULE OF WORK FOR DIRECT ASSIGNMENT  
FACILITIES OR CUSTOMER-FUNDED UPGRADES TO BE BUILT BY  
TRANSMISSION OWNER**

**ATTACHMENT GG - APPENDIX II - DEFINITIONS**

- 1 Definitions
  - 1.1 Affiliate
  - 1.2 Applicable Laws and Regulations
  - 1.3 Applicable Regional Reliability Council
  - 1.4 Applicable Standards
  - 1.5 Breach
  - 1.6 Breaching Party
  - 1.7 Cancellation Costs
  - 1.8 Commission
  - 1.9 Confidential Information
  - 1.10 Constructing Entity
  - 1.11 Control Area
  - 1.12 Costs
  - 1.13 Default
  - 1.14 Delivering Party
  - 1.15 Emergency Condition
  - 1.16 Environmental Laws
  - 1.17 Facilities Study
  - 1.18 Federal Power Act
  - 1.19 FERC
  - 1.20 Firm Point-To-Point
  - 1.21 Force Majeure
  - 1.22 Good Utility Practice
  - 1.23 Governmental Authority
  - 1.24 Hazardous Substances
  - 1.25 Incidental Expenses

- 1.26 Local Upgrades
- 1.27 Long-Term Firm Point-To-Point Transmission Service
- 1.28 MAAC
- 1.29 MAAC Control Zone
- 1.30 NERC
- 1.31 Network Upgrades
- 1.32 Office of the Interconnection
- 1.33 Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement
- 1.34 Part I
- 1.35 Part II
- 1.36 Part III
- 1.37 Part IV
- 1.38 Part VI
- 1.39 PJM Interchange Energy Market
- 1.40 PJM Manuals
- 1.41 PJM Region
- 1.42 PJM West Region
- 1.43 Point(s) of Delivery
- 1.44 Point(s) of Receipt
- 1.45 Project Financing
- 1.46 Project Finance Entity
- 1.47 Reasonable Efforts
- 1.48 Receiving Party
- 1.49 Regional Transmission Expansion Plan
- 1.50 Schedule and Scope of Work
- 1.51 Security
- 1.52 Service Agreement
- 1.53 State
- 1.54 Transmission System
- 1.55 VACAR

**ATTACHMENT GG - APPENDIX III – GENERAL TERMS AND CONDITIONS**

- 1.0 Effective Date and Term
  - 1.1 Effective Date
  - 1.2 Term
  - 1.3 Survival
- 2.0 Facilitation by Transmission Provider
- 3.0 Construction Obligations
  - 3.1 Direct Assignment Facilities or Customer-Funded Upgrades
  - 3.2 Scope of Applicable Technical Requirements and Standards
- 4.0 Tax Liability
  - 4.1 New Service Customer Payments Taxable
  - 4.2 Income Tax Gross-Up
  - 4.3 Private Letter Ruling
  - 4.4 Refund
  - 4.5 Contests

- 4.6 Taxes Other Than Income Taxes
- 4.7 Tax Status
- 5.0 Safety
  - 5.1 General
  - 5.2 Environmental Releases
- 6.0 Schedule Of Work
  - 6.1 Standard Option
  - 6.2 Option to Build
  - 6.3 Revisions to Schedule and Scope of Work
  - 6.4 Suspension
- 7.0 Suspension of Work Upon Default
  - 7.1 Notification and Correction of Defects
- 8.0 Transmission Outages
  - 8.1 Outages; Coordination
- 9.0 Security, Billing and Payments
  - 9.1 Adjustments to Security
  - 9.2 Invoice
  - 9.3 Final Invoice
  - 9.4 Disputes
  - 9.5 Interest
  - 9.6 No Waiver
- 10.0 Assignment
  - 10.1 Assignment with Prior Consent
  - 10.2 Assignment Without Prior Consent
  - 10.3 Successors and Assigns
- 11.0 Insurance
  - 11.1 Required Coverages
  - 11.2 Additional Insureds
  - 11.3 Other Required Terms
  - 11.4 No Limitation of Liability
  - 11.5 Self-Insurance
  - 11.6 Notices: Certificates of Insurance
  - 11.7 Subcontractor Insurance
  - 11.8 Reporting Incidents
- 12.0 Indemnity
  - 12.1 Indemnity
  - 12.2 Indemnity Procedures
  - 12.3 Indemnified Person
  - 12.4 Amount Owing
  - 12.5 Limitation on Damages
  - 12.6 Limitation of Liability in Event of Breach
  - 12.7 Limited Liability in Emergency Conditions
- 13.0 Breach, Cure And Default
  - 13.1 Breach
  - 13.2 Notice of Breach
  - 13.3 Cure and Default

- 13.4 Right to Compel Performance
- 13.5 Remedies Cumulative
- 14.0 Termination
  - 14.1 Termination
  - 14.2 Cancellation By New Service Customer
  - 14.3 Survival of Rights
  - 14.4 Filing at FERC
- 15.0 Force Majeure
  - 15.1 Notice
  - 15.2 Duration of Force Majeure
  - 15.3 Obligation to Make Payments
- 16.0 Confidentiality
  - 16.1 Term
  - 16.2 Scope
  - 16.3 Release of Confidential Information
  - 16.4 Rights
  - 16.5 No Warranties
  - 16.6 Standard of Care
  - 16.7 Order of Disclosure
  - 16.8 Termination of Upgrade Construction Service Agreement
  - 16.9 Remedies
  - 16.10 Disclosure to FERC or its Staff
  - 16.11
  - 16.12
  - 16.13 Return or Destruction of Confidential Information
- 17.0 Information Access And Audit Rights
  - 17.1 Information Access
  - 17.2 Reporting of Non-Force Majeure Events
  - 17.3 Audit Rights
  - 17.4 Waiver
  - 17.5 Amendments and Rights under the Federal Power Act
  - 17.6 Regulatory Requirements
- 18.0 Representation and Warranties
  - 18.1 General
- 19.0 Inspection and Testing of Completed Facilities
  - 19.1 Coordination
  - 19.2 Inspection and Testing
  - 19.3 Review of Inspection and Testing by Transmission Owner
  - 19.4 Notification and Correction of Defects
  - 19.5 Notification of Results
- 20.0 Energization of Completed Facilities
- 21.0 Transmission Owner's Acceptance of Facilities Constructed by New Service Customer
- 22.0 Transfer of Title to Certain Facilities Constructed By New Service Customer
- 23.0 Liens

**ATTACHMENT HH – RATES, TERMS, AND CONDITIONS OF SERVICE FOR PJMSETTLEMENT, INC.**

**ATTACHMENT II – MTEP PROJECT COST RECOVERY FOR ATSI ZONE**

**ATTACHMENT JJ – MTEP PROJECT COST RECOVERY FOR DEOK ZONE**

### **1.3 Definitions.**

#### **1.3.1 Acceleration Request.**

“Acceleration Request” shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

#### **1.3.1A Auction Revenue Rights.**

“Auction Revenue Rights” or “ARRs” shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

#### **1.3.1B Auction Revenue Rights Credits.**

“Auction Revenue Rights Credits” shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

##### **1.3.1B.01 Batch Load Demand Resource.**

“Batch Load Demand Resource” shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

##### **1.3.1B.02 Congestion Price.**

“Congestion Price” shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

##### **1.3.1B.03 Curtailment Service Provider.**

“Curtailment Service Provider” or “CSP” shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

##### **1.3.1B.04 Day-ahead Congestion Price.**

“Day-ahead Congestion Price” shall mean the Congestion Price resulting from the Day-ahead Energy Market.

#### **1.3.1C Day-ahead Energy Market.**

“Day-ahead Energy Market” shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1C.01 Day-ahead Loss Price.**

“Day-ahead Loss Price” shall mean the Loss Price resulting from the Day-ahead Energy Market.

**1.3.1D Day-ahead Prices.**

“Day-ahead Prices” shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

**1.3.1D.01 Day-ahead Scheduling Reserves.**

“Day-ahead Scheduling Reserves” shall mean thirty-minute reserves as defined by the Reliability *First* Corporation and SERC.

**1.3.1D.02 Day-ahead Scheduling Reserves Requirement.**

“Day-ahead Scheduling Reserves Requirement” shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

**1.3.1D.03 Day-ahead Scheduling Reserves Resources.**

“Day-ahead Scheduling Reserves Resources” shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

**1.3.1D.04 Day-ahead Scheduling Reserves Market.**

“Day-ahead Scheduling Reserves Market” shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1D.05 Day-ahead System Energy Price.**

“Day-ahead System Energy Price” shall mean the System Energy Price resulting from the Day-ahead Energy Market.

**1.3.1E Decrement Bid.**

“Decrement Bid” shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

**1.3.1E.01 Demand Resource.**

“Demand Resource” shall mean a resource with the capability to provide a reduction in demand.

**1.3.1F Dispatch Rate.**

“Dispatch Rate” shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

**1.3.1G Energy Storage Resource.**

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

**1.3.2 Equivalent Load.**

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

**1.3.2A Economic Load Response Participant.**

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

**1.3.2A.01 Economic Minimum.**

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

**1.3.2A.02 Economic Maximum.**

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

**1.3.2B Energy Market Opportunity Cost.**

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.3 External Market Buyer.**

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

### **1.3.4 External Resource.**

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

### **1.3.5 Financial Transmission Right.**

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

#### **1.3.5A Financial Transmission Right Obligation.**

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

#### **1.3.5B Financial Transmission Right Option.**

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

### **1.3.6 Generating Market Buyer.**

“Generating Market Buyer” shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer’s load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

### **1.3.7 Generator Forced Outage.**

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

### **1.3.8 Generator Maintenance Outage.**

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

### **1.3.9 Generator Planned Outage.**

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

#### **1.3.9A Increment Offer.**

“Increment Offer” shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Offer results in scheduled generation at the specified location in the Day-ahead Energy Market.

#### **1.3.9B Interface Pricing Point.**

“Interface Pricing Point” shall have the meaning specified in section 2.6A.

### **1.3.10 Internal Market Buyer.**

“Internal Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

### **1.3.11 Inadvertent Interchange.**

“Inadvertent Interchange” shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

#### **1.3.11.01 Load Management.**

“Load Management” shall mean a Demand Resource (“DR”) as defined in the Reliability Assurance Agreement.

### **1.3.11A Load Reduction Event.**

“Load Reduction Event” shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.11A.01 Location.**

“Location” as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

### **1.3.11B Loss Price.**

“Loss Price” shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.12 Market Operations Center.**

“Market Operations Center” shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.12A Maximum Emergency.**

“Maximum Emergency” shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

### **1.3.13 Maximum Generation Emergency.**

“Maximum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

### **1.3.14 Minimum Generation Emergency.**

“Minimum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

#### **1.3.14A NERC Interchange Distribution Calculator.**

“NERC Interchange Distribution Calculator” shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

#### **1.3.14B Net Benefits Test.**

“Net Benefits Test” shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

#### **1.3.15 Network Resource.**

“Network Resource” shall have the meaning specified in the PJM Tariff.

#### **1.3.16 Network Service User.**

“Network Service User” shall mean an entity using Network Transmission Service.

#### **1.3.17 Network Transmission Service.**

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

#### **1.3.17A Non-Regulatory Opportunity Cost.**

“Non-Regulatory Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.17B Non-Synchronized Reserve.**

“Non-Synchronized Reserve” shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

### **1.3.17C Non-Synchronized Reserve Event.**

“Non-Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

### **1.3.17D Non-Variable Loads.**

“Non-Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

### **1.3.18 Normal Maximum Generation.**

“Normal Maximum Generation” shall mean the highest output level of a generating resource under normal operating conditions.

### **1.3.19 Normal Minimum Generation.**

“Normal Minimum Generation” shall mean the lowest output level of a generating resource under normal operating conditions.

### **1.3.20 Offer Data.**

“Offer Data” shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

### **1.3.21 Office of the Interconnection Control Center.**

“Office of the Interconnection Control Center” shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.21A On-Site Generators.**

“On-Site Generators” shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.22 Operating Day.**

“Operating Day” shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

#### **1.3.23 Operating Margin.**

“Operating Margin” shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

#### **1.3.24 Operating Margin Customer.**

“Operating Margin Customer” shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

#### **1.3.25 PJM Interchange.**

“PJM Interchange” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

#### **1.3.26 PJM Interchange Export.**

“PJM Interchange Export” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

#### **1.3.27 PJM Interchange Import.**

“PJM Interchange Import” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

### **1.3.28 PJM Open Access Same-time Information System.**

“PJM Open Access Same-time Information System” shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

#### **1.3.28A Planning Period Quarter.**

“Planning Period Quarter” shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

#### **1.3.28B Planning Period Balance.**

“Planning Period Balance” shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

### **1.3.29 Point-to-Point Transmission Service.**

“Point-to-Point Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

#### **1.3.29A PRD Curve.**

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29B PRD Provider.**

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29C PRD Reservation Price.**

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29D PRD Substation.**

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29E Price Responsive Demand.**

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29F Primary Reserve.**

“Primary Reserve” shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

**1.3.30 Ramping Capability.**

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

**1.3.30.01 Real-time Congestion Price.**

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30.02 Real-time Loss Price.**

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30A Real-time Prices.**

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30B Real-time Energy Market.**

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

**1.3.30B.01 Real-time System Energy Price.**

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

### **1.3.31 Regulation.**

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

#### **1.3.31.001 Reserve Penalty Factor.**

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

#### **1.3.31.01 Residual Auction Revenue Rights.**

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2 (h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

#### **1.3.31.01A Residual Metered Load.**

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

#### **1.3.31.02 Special Member.**

“Special Member” shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response [and Pre-Emergency Load Response](#) Programs.

~~1.3.31A—[Reserved]~~

~~1.3.31B—[Reserved]~~

### **1.3.32 Spot Market Backup.**

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

### **1.3.33 Spot Market Energy.**

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

#### **1.3.33A State Estimator.**

“State Estimator” shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

#### **1.3.33B Station Power.**

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

##### **1.3.33B.001 Sub-meter.**

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

##### **1.3.33B.01 Synchronized Reserve.**

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

##### **1.3.33B.02 Synchronized Reserve Event.**

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

### **1.3.33B.03 System Energy Price.**

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.33C Target Allocation.**

“Target Allocation” shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

### **1.3.34 Transmission Congestion Charge.**

“Transmission Congestion Charge” shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

### **1.3.35 Transmission Congestion Credit.**

“Transmission Congestion Credit” shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

### **1.3.36 Transmission Customer.**

“Transmission Customer” shall mean an entity using Point-to-Point Transmission Service.

### **1.3.37 Transmission Forced Outage.**

“Transmission Forced Outage” shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

### **1.3.37A Transmission Loading Relief.**

“Transmission Loading Relief” shall mean NERC’s procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

### **1.3.37B Transmission Loading Relief Customer.**

“Transmission Loading Relief Customer” shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

### **1.3.37C Transmission Loss Charge.**

“Transmission Loss Charge” shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

### **1.3.38 Transmission Planned Outage.**

“Transmission Planned Outage” shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

#### **1.3.38.01 Up-to Congestion Transaction.**

“Up-to Congestion Transaction” shall have the meaning specified in Section 1.10.1A of this Schedule.

#### **1.3.38A Variable Loads.**

“Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

#### **1.3.38B Virtual Transaction.**

“Virtual Transaction” shall mean a Decrement Bid, Increment Offer and/or Up-to Congestion Transaction.

### **1.3.39 Zonal Base Load.**

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

## **1.5A Economic Load Response Participant.**

As used in this section 1.5A, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number.

### **1.5A.1 Qualification.**

A Member or Special Member that is an end-use customer, Load Serving Entity or Curtailment Service Provider that has the ability to cause a reduction in demand as metered on an electric distribution company account basis or has an On-Site Generator that enables demand reduction may become an Economic Load Response Participant by complying with the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with this section 1.5A including, but not limited to, section 1.5A.3. A Member or Special Member may aggregate multiple individual end-use customer sites to qualify as an Economic Load Response Participant, subject to the requirements of Section 1.5A.10.

### **1.5A.2 Special Member.**

Entities that are not Members and desire to participate solely in the Real-time Energy Market by reducing demand may become a Special Member by paying an annual membership fee of \$500 plus 10% of each payment owed by PJMSettlement for a Load Reduction Event not to exceed \$5,000 in a calendar year. For entities that become Special Members pursuant to this section, the following obligations are waived: (1) the \$1,500 membership application fee set forth in section 1.4.3 of this Agreement; (ii) liability under section 15.2 of this Agreement for Member defaults; (iii) thirty days notice for waiting period; and (iv) the requirement for 24/7 control center coverage. In addition, such Members shall not have voting privileges in committees or sector designations, and shall not be permitted to form user groups. On January 1 of a calendar year, a Special Member under this section, at its sole election, may become a Member rather than a Special Member subject to all rules governing being a Member, including regular application and membership fee requirements.

### **1.5A.3 Registration.**

1. Prior to participating in the PJM Interchange Energy Market or Ancillary Services Market, Economic Load Response Participants must complete either the Economic Load Response or Economic Load Response Regulation Only Registration Form posted on the Office of the Interconnection’s website and submit such form to the Office of the Interconnection for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Notwithstanding the below sub-provisions, Economic Load Response Regulation Only registrations will not require the identification of the relevant Load Serving Entity, nor will such relevant Load Serving Entity be notified of such registration or requested to verify such registration. All other below sub-provisions apply equally to Economic Load Response Regulation Only registrations as well as Economic Load Response registrations.

- a. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:
  - i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is subject to another contractual obligation or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. A relevant electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in PJM's Economic Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.
  - ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets the requirements of this section 1.5A.
- b. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:
  - i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only

registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is permitted to participate in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. If the relevant electric distribution company or Load Serving Entity verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then the electric distribution company or the Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

- ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with section 1.5A hereof, including section 1.5A.3, the Economic Load Response Participant may submit a new registration for consideration if a prior registration has been rejected pursuant to this subsection.

2. In the event that the end-use customer is subject to another contractual obligation, special settlement terms may be employed to accommodate such contractual obligation. The Office of the Interconnection shall notify the end-use customer or appropriate Curtailment Service Provider, or relevant electric distribution company and/or Load Serving Entity that the Economic Load Response Participant has or has not met the requirements of this section 1.5A. An end-use customer that desires not to be simultaneously registered to reduce demand under the Emergency Load Response and Pre-Emergency Load Response Programs and under this section, upon one-day advance notice to the Office of the Interconnection, may switch its registration for reducing demand, if it has been registered to reduce load for 15 consecutive days under its current registration.

### **1.5A.3.01 Economic Load Response Registrations in Effect as of August 28, 2009**

1. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. Effective as of the later of either August 28, 2009 (the effective date of Wholesale Competition in Regions with Organized Electric Markets, Order 719-A, 128 FERC ¶ 61,059 (2009) (“Order 719-A”)) or the effective date of a Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer’s participation in PJM’s Economic Load Response Program, the existing Economic Load Response Participant’s registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated upon an electric distribution company or Load Serving Entity submitting to the Office of the Interconnection either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer’s participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority’s legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer’s participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer’s participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

2. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. Effective as of August 28, 2009 (the effective date of Order 719-A), an existing Economic Load Response Participant's registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated unless an electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program and provides evidence to the Office of the Interconnection documenting that the permission or conditional permission is pursuant to the laws or regulations of the Relevant Electric Retail Regulatory Authority. If the electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then, within ten business days of verifying such permission or conditional permission, the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer’s participation, (b) an opinion of the

Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. All registrations submitted to the Office of the Interconnection on or after August 28, 2009, including requests to extend existing registrations, will be processed by the Office of the Interconnection in accordance with the provisions of section 1.5A, including section 1.5A.3.

#### **1.5A.3. 02 Economic Load Response Regulation Only Registrations.**

An Economic Load Response Regulation Only registration allows end-use customer participation in the Regulation market only, and may be submitted by a Curtailment Service Provider that is different than the Curtailment Service Provider that submits an Emergency Load Response Program registration, [Pre-Emergency Load Response Program registration](#) or Economic Load Response registration for the same end-use customer. An end-use customer that is registered as Economic Load Response Regulation Only shall not be permitted to register and/or participate in any other Ancillary Service markets at the same time, but may have a second, simultaneously existing Economic Load Response registration to participate in the PJM Interchange Energy Market as set forth in the PJM Manuals.

#### **1.5A.4 Metering and Electronic Dispatch Signal.**

a) The Curtailment Service Provider is responsible to ensure that end-use customers have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy, or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. End-use customer reductions in demand must be metered by recording integrated hourly values for On-Site Generators running to serve local load (net of output used by the On-Site Generator), or by metering load on an electric distribution company account basis and comparing actual metered load to its Customer Baseline Load, calculated pursuant to section 3.3A of this Schedule, or on an alternative metering basis approved by the Office of the Interconnection and agreed upon by all relevant parties, including any Curtailment Service Provider, Load Serving Entity, electric distribution company and end-use customer. To qualify for compensation for such load reductions that are not metered directly by the Office of the Interconnection, hourly data reflecting meter readings for each day during which the load reduction occurred and all associated days to determine the reduction must be submitted to the

Office of the Interconnection in accordance with the PJM Manuals within 60 days of the load reduction.

Curtailement Service Providers that have end-use customers that will participate in the Regulation market may be permitted to use Sub-metered load data instead of load data at the electric distribution company account number level for Regulation measurement and verification as set forth in the PJM Manuals and subject to the following:

- a. Curtailement Service Providers, must clearly identify for the Office of the Interconnection all electrical devices that will provide Regulation and identify all other devices used for similar processes within the same Location that will not provide Regulation. The Location must contribute to management of frequency control on the PJM electric grid or PJM shall deny use of Sub-metered load data for the Location.
  - b. If the registration to participate in the Regulation market contains an aggregation of Locations, the relevant Curtailement Service Provider will provide the Office of the Interconnection with load data for each Location's Sub-meter through an after-the-fact load data submission process.
  - c. The Office of the Interconnection may conduct random, unannounced audits of all Locations that are registered to participate in the Regulation market to ensure that devices that are registered by the Curtailement Service Providers as providing Regulation service are not otherwise being offset by a change in usage of other devices within the same Location.
  - d. The Office of the Interconnection may suspend the Regulation market activity of Economic Load Response Participants, including Curtailement Service Providers, that do not comply with the Economic Load Response and Regulation market requirements as set forth in Schedule 1 and the PJM Manuals, and may refer the matter to the Independent Market Monitor and/or the Federal Energy Regulatory Commission Office of Enforcement.
- b) Curtailement Service Providers shall be responsible for maintaining, or ensuring that Economic Load Response Participants maintain, the capability to receive and act upon an electronic dispatch signal from the Office of the Interconnection in accordance with any standards and specifications contained in the PJM Manuals.

#### **1.5A.5 On-Site Generators.**

An Economic Load Response Participant that intends to use an On-Site Generator for the purpose of reducing demand to participate in the PJM Interchange Energy Market shall represent to the Office of the Interconnection in writing that it holds all necessary environmental permits applicable to the operation of the On-Site Generator. Unless notified otherwise, the Office of the Interconnection shall deem such representation applies to each time the On-Site Generator is used to reduce demand to enable participation in the PJM Interchange Energy Market and that

the On-Site Generator is being operated in compliance with all applicable permits, including any emissions, run-time limits or other operational constraints that may be imposed by such permits.

#### **1.5A.6 Variable-Load Customers.**

The loads of an Economic Load Response Participant shall be categorized as Variable or Non-variable at the time the load is registered, based on hourly load data for the most recent 60 days provided by the participant in the registration process; provided, however, that any alternative means of making such determination when 60 days of data is not available shall be subject to review and approval by the Office of the Interconnection and provided further that 60 days of hourly load data shall not be required on an individual customer basis for residential or small commercial customers that provide Economic Load Response through a direct load control program under which an electric distribution company, Load Serving Entity, or CSP has direct control over such customer's load, without reliance upon any action by such customer to reduce load. Non-Variable Loads shall be those for which the Customer Baseline Load calculation and adjustment methods prescribed by sections 3.3A.2 and 3.3A.3 result in a relative root mean square hourly error of twenty percent or less compared to the actual hourly loads based on the hourly load data provided in the registration process and using statistical methods prescribed in the PJM Manuals. All other loads shall be Variable Loads.

#### **1.5A.7 Non-Hourly Metered Customer Pilot.**

Non-hourly metered customers may participate in the PJM Interchange Energy Market as Economic Load Response Participants on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period. Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in ~~both~~ the Emergency Load Response Program, Pre-Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering as set forth in Section 1.5A.4 of this Schedule, non-hourly metered customers that qualify as Economic Load Response Participants pursuant to this section 1.5A.7 shall be subject to the rules and procedures for participation by Economic Load Response Participants in the PJM Interchange Energy Market, including, without limitation, the Net Benefits Test and the requirement for dispatch by the Office of the Interconnection. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the PJM Interchange Energy Market.

#### **1.5A.8 Batch Load Demand Resource Provision of Synchronized Reserve or Day-ahead Scheduling Reserves.**

(a) A Batch Load Demand Resource may provide Synchronized Reserve or Day-ahead Scheduling Reserves in the PJM Interchange Energy Market provided it has pre-qualified by providing the Office of the Interconnection with documentation acceptable to the Office of the Interconnection that shows six months of one minute incremental load history of the Batch Load Demand Resource, or in the event such history is unavailable, other such information or data acceptable to the Office of the Interconnection to demonstrate that the resource meets the definition of “Batch Load Demand Resource” pursuant to section 1.3.1A.001 of this Schedule. This requirement is a one-time pre-qualification requirement for a Batch Load Demand Resource.

(b) Batch Load Demand Resources may provide up to 20 percent of the total system-wide PJM Synchronized Reserve requirement in any hour, or up to 20 percent of the total system-wide Day-ahead Scheduling Reserves requirement in any hour; provided, however, that in the event the Office of the Interconnection determines in its sole discretion that satisfying 20 percent of either such requirement from Batch Load Demand Resources is causing or may cause a reliability degradation, the Office of the Interconnection may reduce the percentage of either such requirement that may be satisfied by Batch Load Demand Resources in any hour to as low as 10 percent. This reduction will be effective seven days after the posting of the reduction on the PJM website. Notwithstanding anything to the contrary in this Agreement, as soon as practicable, the Office of the Interconnection unilaterally shall make a filing under section 205 of the Federal Power Act to revise the rules for Batch Load Demand Resources so as to continue such reduction. The reduction shall remain in effect until the Commission acts upon the Office of the Interconnection’s filing and thereafter if approved or accepted by the Commission.

(c) A Batch Load Demand Resource that is consuming energy at the start of a Synchronized Reserve Event, or, if committed to provide Day-ahead Scheduling Reserves, at the time of a dispatch instruction from the Office of the Interconnection to reduce load, shall respond to the Office of the Interconnection’s calling of a Synchronized Reserve Event, or to such instruction to reduce load, by reducing load as quickly as it is capable and by keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following the reduction, or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required. A Batch Load Demand Resource that has reduced its consumption of energy for its production processes to minimal or zero megawatts before the start of a Synchronized Reserve Event (or, in the case of Day-ahead Scheduling Reserves, before a dispatch instruction to reduce load) shall respond to the Office of the Interconnection’s calling of a Synchronized Reserve Event (or such instruction to reduce load) by reducing any load that is present at the time the Synchronized Reserve Event is called (or at the time of such instruction to reduce load) as quickly as it is capable, delaying the restart of its production processes, and keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following any such reduction (or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required). Failure to respond as described in this section shall be considered non-compliance with the Office of the Interconnection’s dispatch instruction associated with a Synchronized Reserve Event, or as applicable, associated with an instruction to a resource committed to provide Day-ahead Scheduling Reserves to reduce load.

### **1.5A.9 Day-ahead and Real-time Energy Market Participation.**

Economic Load Response Participants shall be compensated under section 3.3A.5 and 3.3A.6 only if they participate in the Day-ahead or Real-time Energy Markets as a dispatchable resource.

### **1.5A.10 Aggregation for Economic Load Response Registrations.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Energy Market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis or can provide less than 0.1 megawatt of demand response in the Day-Ahead Scheduling Reserve, Synchronized Reserve or Regulation markets when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation. If the aggregation will provide Synchronized Reserves, all customers in the aggregation must also be part of the same Synchronized Reserve sub-zone;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. A single CBL for the aggregation shall be used to determine settlements pursuant to Sections 3.3A.5 and 3.3A.6;
- v. If the aggregation will only provide energy to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve. If the aggregation will provide an Ancillary Service to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve;
- vi. Each End-Use Customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for energy or the 0.1 megawatt minimum load reduction requirement for Ancillary Services; and
- vii. An End-Use Customer's participation in the Energy and Ancillary Services markets shall be administered under one economic registration.

#### **1.5A.10.01 Aggregation for Economic Load Response Regulation Only Registrations**

The purpose for aggregation is to allow the participation of end-use customers in the Regulation market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All end-use customers in an aggregation shall be specifically identified;
- ii. All end-use customers in the aggregation must be served by the same electric distribution company and must also be part of the same Transmission Zone; and
- iii. Each end-use customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for Regulation service.

#### **1.5A.11 Reporting**

(a) PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

(b) As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.5A.3, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Economic Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

## **1.10 Scheduling.**

### **1.10.1 General.**

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-to Congestion Transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such Up-to Congestion Transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified in Section 1.10.1A below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

### **1.10.1A Day-ahead Energy Market Scheduling.**

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any energy exports, energy imports, and wheel through transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection if the transaction is to be scheduled in the Day-ahead Energy Market. Any Market Participant that elects to schedule an export, import or wheel through transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which the export, import or wheel through transaction will be wholly or partially curtailed. The foregoing price specification shall apply to the applicable interface pricing point. Any Market Participant that elects not to schedule its export, import or wheel through transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur

Transmission Congestion and Loss Charges in the Real-time Energy Market in order to complete any such scheduled transaction. Scheduling of such transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

- i) Market Participants shall submit schedules for all energy purchases for delivery within the PJM Region, whether from resources inside or outside the PJM Region;
- ii) Market Participants shall submit schedules for exports for delivery outside the PJM Region from resources within the PJM Region that are not dynamically scheduled to such entities pursuant to Section 1.12; and
- iii) In addition to the foregoing schedules for exports, imports and wheel through transactions, Market Participants shall submit confirmations of each scheduled transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(c-1) A Market Participant may elect to submit in the Day-ahead Energy Market a form of Virtual Transaction that combines an offer to sell energy at a source, with a bid to buy the same megawatt quantity of energy at a sink where such transaction specifies the maximum difference between the Locational Marginal Prices at the source and sink. The Office of Interconnection will schedule these transactions only to the extent this difference in Locational Marginal Prices is within the maximum amount specified by the Market Participant. A Virtual Transaction of this type is referred to as an “Up-to Congestion Transaction.” Such Up-to Congestion Transactions may be wholly or partially scheduled depending on the price difference between the source and sink locations in the Day-ahead Energy Market. *The maximum difference between the source and sink prices that a participant may specify shall be limited to +/- \$50/MWh.* The foregoing price specification shall apply to the price difference between the specified source and sink in the day-ahead scheduling process only. An accepted Up-to Congestion Transaction results in scheduled injection at a specified source and scheduled withdrawal of the same megawatt quantity at a specified sink in the Day-ahead Energy Market. The source-sink paths on which an Up-to Congestion Transaction may be submitted are limited to those *paths posted on the PJM internet site and determined by the Office of the Interconnection using the following criteria:*

*Step 1: Start with the historic set of eligible nodes that were available as sources and sinks for interchange transactions on the PJM OASIS.*

*Step 2: Remove from the list of nodes described in Step 1 all load buses below 69 kV.*

*Step 3: Remove from the resulting set of nodes from Step 2 all generator buses at which no generators of 100 megawatts or more are connected.*

*Step 4: Remove from the results of Step 3 all electrically equivalent nodes.*

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region.

The foregoing offers:

- i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;
- ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;
- iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;
- iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;
- v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;
- vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;
- vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; ~~and~~
- viii) Shall not exceed an energy offer price of \$1,000/megawatt-hour for all Generation Capacity Resources; ~~and~~
- ix) Shall not exceed an energy offer price of \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00, for all Economic Load Response Resources;
- x) Shall not exceed an offer price as follows for Emergency Load Response and Pre-Emergency Load Response participants with:

a) a 30 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00;

b) an approved 60 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus [the applicable Primary Reserve Penalty Factor divided by 2]; and

c) an approved 120 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provisions of Schedule 6 of the RAA, \$1,100/megawatt-hour.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed \$100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in \$/MW) of the fuel cost increase due to the steady-state heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation shall apply to the capability offer;

ii. The cost increase (in \$/ΔMW) in costs associated with movement of the regulation resource incurred from the provision of Regulation shall apply to the performance offer; and

iii. An adder of up to \$12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for

energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Virtual Transactions that apply to the Day-ahead Energy Market only. Such Virtual Transactions must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of a defined number of bid/offer segments in the Day-ahead Energy Market, as specified in the PJM Manuals, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Offer or Decrement Bid. For purposes of applying this provision to an Up-to Congestion Transaction, a bid/offer segment shall refer to the pairing of a source and sink designation, as well as price and megawatt quantity, that comprise each Up-to Congestion Transaction.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts; (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load, subject to section 1.10.1A(d)(ix); and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand

in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or that offered and cleared in a Base Residual Auction or Incremental Auction, may submit demand reduction bids for the available load reduction capability of the Demand Resource. The submission of demand reduction bids for Demand Resource increments that were not committed in an FRR Capacity Plan, or that have not cleared in a Base Residual Auction or Incremental Auction, shall be optional, but any such bids must contain the information required to be included in such bids, as specified in the PJM Economic Load Response Program. A Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or offered and cleared in a Base Residual Auction or Incremental Auction, may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program; provided, however, that in the event of an Emergency PJM shall require Demand Resources to reduce load, notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

### **1.10.2 Pool-scheduled Resources.**

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, whether the resource is expected to be needed to maintain system reliability during the Operating Day, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by

Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

### **1.10.3 Self-scheduled Resources.**

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

#### **1.10.4 Capacity Resources.**

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

#### **1.10.5 External Resources.**

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled

resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

#### **1.10.6 External Market Buyers.**

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

#### **1.10.6A Transmission Loading Relief Customers.**

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

### **1.10.7 Bilateral Transactions.**

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

### **1.10.8 Office of the Interconnection Responsibilities.**

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as

the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively. The foregoing notwithstanding, the deadlines set forth in this subsection shall not apply if the Office of the Interconnection is unable to obtain Market Participant bid/offer data due to extraordinary circumstances. For purposes of this subsection, extraordinary circumstances shall mean a technical malfunction that limits, prohibits or otherwise interferes with the ability of the Office of the Interconnection to obtain Market Participant bid/offer data prior to 11:59 p.m. on the day before the affected Operating Day. Extraordinary circumstances do not include a Market Participant's inability to submit bid/offer data to the Office of the Interconnection. If the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day as a result of such extraordinary circumstances, the Office of the Interconnection shall notify Members as soon as practicable.

(c) Following posting of the information specified in Section 1.10.8(b), and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule. Notwithstanding the foregoing, if the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day due to extraordinary circumstances as described in subsection (b) above, no settlements shall be made for the Day-ahead Energy Market, no scheduled megawatt quantities shall be established, and no Day-ahead Prices shall be established for that Operating Day. Rather, for purposes of settlements for such Operating Day, the Office of the Interconnection shall utilize a scheduled megawatt quantity and price of zero and all settlements,

including Financial Transmission Right Target Allocations, will be based on the real-time quantities and prices as determined pursuant to Sections 2.4 and 2.5 hereof.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market.

After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

### **1.10.9 Hourly Scheduling.**

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, a generation rebidding period shall exist. Typically the rebidding period shall be from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. However, should the clearing of the Day-ahead Energy Market be significantly delayed, the Office of the Interconnection may establish a revised rebidding period. During the

rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

## 2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants, Pre-Emergency Load Response participants and Emergency Load Response pParticipants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response and Pre-Emergency Load Response pParticipants in the Real-time Energy Market. ~~Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region.~~

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve

the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage (“false positives”) by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

## **8. PJM EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**

### **Emergency Load Response Program**

The Emergency Load Response Program is designed to provide a method by which end-use customers may be compensated by PJM for reducing load during an emergency event. As used in the Emergency Load Response Program, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program:

#### **◆ Full Program Option**

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during an emergency event, and (ii) a capacity payment for load reductions during an emergency event measured as set forth in the Reporting and Compliance provisions below.

#### **◆ Energy Only Option**

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

### **Participant Qualifications**

Two primary types of distributed resources are candidates to participate in either of the two options provided by the Emergency Load Response Program:

#### **On-Site Generators**

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

#### **Load Reductions**

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis:

PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program. Members or Special Members may participate in the Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for

~~program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member may act as a third party for non-members, in which case the third party will be referred to as the Curtailment Service Provider (CSP). All payments are made to the PJM Member. Participants must become signatories to the PJM Operating Agreement, as described in the *PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.* However, for special members the \$5,000 annual membership fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications:~~

~~Special Members are limited to be PJM market sellers;  
Voting privileges and sector designation are waived;  
Thirty day notice for waiting period is waived;  
Requirement for 24/7 control center coverage is waived;  
No PJM supported user group capability is permitted.~~

~~To participate in either of the two options provided by the Emergency Load Response Program, the distributed resource must:~~

~~Be capable of reducing at least 100 kW of load  
Be capable of receiving PJM notification to participate during emergency conditions.~~

### **Metering Requirements**

~~The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Participant must meter reductions in demand by using either of the following two methods:~~

~~—— a) —— Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or~~

~~—— b) —— Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.~~

~~Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.~~

~~The installed metering equipment must be one of the following:~~

- ~~a) Metering equipment used for retail electric service;~~
- ~~b) Customer owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM, in accordance with the requirements herein and in the PJM Manuals; or~~
- ~~c) Customer owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.~~

~~Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.~~

## **Registration**

~~1. Participants must complete the PJM Emergency Load Response Program Registration Form (“Emergency Registration Form”) that is posted on the PJM website (www.pjm.com) for each end use customer, or aggregation of end use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company ten business day review period, as described herein, Participants should submit completed PJM Emergency Load Response Program Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31<sup>st</sup> preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed PJM Emergency Load Response Program Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or the Office of the Interconnection because of incorrect data on the PJM Emergency Load Response Program Registration Form, such registration may be resubmitted by the participant before May 31<sup>st</sup> preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company has verified the registration on or before May 31<sup>st</sup> preceding the relevant Delivery Year. Incomplete PJM Emergency Load Response Program Registration Forms will be rejected by the Office of the Interconnection; participants may not resubmit registrations that were rejected for being incomplete unless participants are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:~~

~~2. For end use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:~~

~~a. The participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response Participant's registration and request verification as to whether the load that may be reduced is subject to laws or regulations~~

~~of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response Program pursuant to the process described below. The electric distribution company has ten business days to respond. An electric distribution company which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response Program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.~~

- ~~i. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end use customer's participation and is received by the Office of the Interconnection on or after May 31<sup>st</sup> preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end use customer's participation and is received by the Office of the Interconnection before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.~~

~~(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers~~

~~registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

~~b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end use customer's participation in PJM's Emergency Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response Program requirements.~~

~~c. For those registrations terminated pursuant to this section, all Emergency Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.~~

~~3. For end use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:~~

~~a. The Participant completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response Participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response Participant's registration and request verification as to whether the load that may be reduced is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company *has* ten business days to respond. If the electric distribution company verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company asserts has been satisfied) to participate in the Emergency Load Response Program, then the electric distribution company must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end use customer's participation.~~

~~i. If the electric distribution company denies the end use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company asserts has been satisfied) for the end use customer's participation and an executed contract with the end use~~

~~customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.~~

~~(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

~~b. In the absence of a response from the electric distribution company within the referenced ten-business-day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response Program requirements, including the registration section, the Emergency Load Response Participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response Program provisions.~~

~~c. For those registrations terminated pursuant to this section, all Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.~~

~~4. PJM informs the requesting participant of acceptance into the program and notifies the appropriate electric distribution company of the requesting participant's acceptance into the program, or notifies the requesting participant and appropriate electric distribution company of PJM's rejection of the requesting participant's registration.~~

~~5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.~~

### **Emergency Operations**

~~PJM will initiate the request for a Load Management event coincident with the declaration of Maximum Emergency Generation and prior to the implementation of Load Management Steps 1 and 2. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) It is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic~~

~~message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.~~

~~Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least cost resources since such dispatch shall be based not only on price, but also on availability, location and/or quantity of megawatts of load or load reduction needed.~~

~~The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real-time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.~~

~~Participants in the Emergency Load Response Program must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the *PJM Manual for Emergency Operations*.~~

### **Verification**

~~PJM requires that the load reduction meter data be submitted to PJM within 60 days of the event. If the data are not received within 60 days, no payment for participation is provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the EDC upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.~~

### **Market Settlements**

~~Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is two hours. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants,~~

~~may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.~~

~~PJM Settlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured energy load reduction adjusted for losses times the applicable LMP. The measured energy load reduction for locations with approved Economic Load Response registrations prior to emergency energy settlement submission will use the associated economic CBL to determine the energy load reduction unless the locations on the Emergency Load Response registration are not the same locations as those included on the Economic Load Response registration. If, at the time that an emergency event is initiated by PJM, an end-use customer is already responding economically (i.e., pursuant to the Economic Load Response rules) and economic CBL is based on Symmetric Additive Adjustment, then the CBL calculated based on the Symmetric Additive Adjustment period prior to the economic event will be used. Locations that do not have an approved Economic Load Response registration prior to submission of emergency energy settlement by the CSP will use the measured load the hour before the load reduction as the CBL to determine the energy load reduction.~~

~~If, however, the sum of the hourly energy payments to a participant dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price and shut down costs) then the participant will be made whole up to the offer value for its actual, achieved reductions.~~

~~Locations on Economic Load Response registrations dispatched in the Real-time Energy Market or cleared in the Day-ahead Energy Market that are also included on an Emergency Load Response registration as Full Program Option, and that have also been dispatched as part of an emergency event for the same hour (i.e., have an "overlapping dispatch hour") will be compensated for energy based on emergency energy settlement and cost allocation rules as set forth in this section and in the PJM Manuals. Overlapping dispatch hours will use shutdown costs based on what was considered for the economic event, and no balancing Operating Reserve charges will be assessed for deviations from Real-time dispatch amounts or from cleared Day-ahead commitments. To avoid duplicative energy payments, overlapping dispatch hours for an aggregate registration (i.e., multiple locations on the same registration) or dispatch groups where locations on the Emergency Load Response registration are not the same locations as those on the Economic Load Response registration will have hourly economic energy load reduction and/or hourly emergency energy load reduction prorated based on load reduction capability provided by the CSP for the locations.~~

~~Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.~~

~~During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time~~

~~dispatch reduction megawatts from the PJM energy market during the hour in the real time market compared to the day-ahead market. Consistent with this pricing methodology, all charges under this program are allocated to purchasers of energy, in proportion to their increase in net purchases minus real time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real time.~~

~~Program charges and credits will appear on the PJM Members monthly bill, as described in the *PJM Manual for Operating Agreement Accounting and the PJM Manual for Billing*.~~

## ~~Reporting and Compliance~~

~~Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.~~

~~Actual Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during an emergency event.~~

~~Actual load reductions of Load Management resources registered as Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:~~

- ~~i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load ("Load") and then multiplied by the loss factor ("LF") or (b) the current Delivery Year peak load contribution ("PLC") minus the metered load multiplied by the loss factor ("LF"). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:~~

~~Minimum of  $\{(comparison\ load - Load) * LF, PLC - (Load * LF)\}$~~

~~Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:~~

- ~~▪ Comparable Day~~
- ~~▪ Same Day~~
- ~~▪ Customer Baseline~~

- ~~Regression Analysis~~
- ~~Generation~~

~~Each of these methodologies is described in greater detail in Manual M-19, *PJM Manual for Load Forecasting and Analysis*, at Attachment A: Load Drop Estimate Guidelines.~~

- ii) ~~For Firm Service Level end-use customers the current Delivery Year peak load contribution (“PLC”) minus the metered load (“Load”) multiplied by the loss factor (“LF”). The calculation is represented by:~~

$$\text{PLC} - (\text{Load} * \text{LF})$$

~~The capacity compliance of Load Management resources that are registered as Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.~~

~~PJM will submit any required reports to FERC on behalf of the Load Response Program participants. PJM will also post this document, as well as any other program related documentation on the PJM website.~~

~~PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.~~

~~As PJM receives evidence from the electric distribution companies pursuant to section 1.3 of PJM Emergency Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies assert prohibit or condition retail participation in PJM’s Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies.~~

### **~~Non-hourly metered Customer Pilot~~**

~~Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection (“Pilot Period”).~~

~~Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM~~

~~Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.~~

~~**Emergency Load Response Participant Aggregation.**~~

~~The purpose for aggregation is to allow the participation of End Use Customers in the Emergency Load Response Program that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response Participant aggregations shall be subject to the following requirements:~~

- ~~i. All End Use Customers in an aggregation shall be specifically identified;~~
- ~~ii. All End Use Customers in an aggregation shall be served by the same electric distribution company ;~~
- ~~iii. All End Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;~~
- ~~iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and~~
- ~~v. Each End Use Customer site must meet the requirements for market participation by a Demand Resource.~~
- ~~vi. Certain aggregations of End Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.~~

## **8.1 Emergency Load Response and Pre-Emergency Load Response Program Options**

The Emergency Load Response Program ~~and Pre-Emergency Load Response Program are~~ designed to provide a method by which end-use customers may be compensated by PJM for reducing load immediately prior to an anticipated emergency event (“pre-emergency event”) or during an emergency event. As used in the Emergency Load Response Program ~~and Pre-Emergency Load Response Program~~, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program ~~and Pre-Emergency Load Response Program~~:

### ◆ Full Program Option

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during ~~a~~ pre-emergency or emergency event, and (ii) a capacity payment for load reductions during ~~a~~ pre-emergency event or emergency event measured as set forth in the Reporting and Compliance provisions below.

### ◆ Energy Only Option

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

## 8.2 Participant Qualifications

Two primary types of distributed resources are candidates to participate in ~~either of the two options provided by~~ the PJM Emergency Load Response Program and Pre-Emergency Load Response Program:

### On-Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

### Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

~~PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program. Only~~ Members or Special Members may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response and Pre-Emergency Load Response Program provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member or Special Member may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program on behalf of ~~act as a third party for~~ non-members, ~~in which case the third party will be referred to~~ as the Curtailment Service Provider ~~(CSP)~~. All payments are made to the PJM Member or Special Member in such case. ~~Participants~~ Curtailment Service Providers must become signatories to the PJM Operating Agreement, as described in the *PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.* However, for Special Mmembers the \$5,000 annual membership fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications:

- Special Members are limited to be PJM market sellers;
- Voting privileges and sector designation are waived;
- Thirty day notice for waiting period is waived;
- Requirement for 24/7 control center coverage is waived;
- No PJM-supported user group capability is permitted.

To participate in ~~either of the two options provided by~~ the Emergency Load Response Program and Pre-Emergency Load Response Program, the ~~distributed Demand R~~resource must:

Be capable of reducing at least 100 kW of load

Be capable of receiving ~~PJM~~ notification of a Load Management event ~~to participate during~~  
~~emergency conditions.~~

### **8.3 Metering Requirements**

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program and Pre-Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Program and Pre-Emergency Load Response Program Participants must meter reductions in demand by using either of the following two methods:

- a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or
- b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

- a) Metering equipment used for retail electric service;
- b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM, in accordance with the requirements herein and in the PJM Manuals; or
- c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

## 8.4 Registration

1. ~~Participants~~Curtailment Service Providers must complete the applicable PJM ~~Emergency~~ Load Response Program Registration Form (“~~Emergency~~ Registration Form”) that is posted on the PJM website (www.pjm.com) for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company ten business day review period, as described herein, ~~Participants~~Curtailment Service Providers should submit completed ~~PJM Emergency Load Response Program~~ Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31<sup>st</sup> preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed ~~PJM Emergency Load Response Program~~ Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or the Office of the Interconnection because of incorrect data on the ~~PJM Emergency Load Response Program~~ Registration Form, such registration may be resubmitted by the ~~participant~~Curtailment Service Provider before May 31<sup>st</sup> preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company has verified the registration on or before May 31<sup>st</sup> preceding the relevant Delivery Year. Incomplete ~~PJM Emergency Load Response Program~~ Registration Forms will be rejected by the Office of the Interconnection; ~~participants~~Curtailment Service Providers may not resubmit registrations that were rejected for being incomplete unless ~~participants~~they are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The ~~participant~~Curtailment Service Provider completes the ~~Emergency~~ Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response or Pre-Emergency Load Response Program ~~p~~Participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response Program ~~p~~Participant's registration and request verification as to whether the load that may be reduced is subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs pursuant to the process described below. The electric distribution company *has* ten business days to respond. An electric distribution company which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response ~~p~~Program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the

existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31<sup>st</sup> preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

~~(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response and Pre-Emergency Load Response Program requirements.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The ~~Participant~~Curtailment Service Provider completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response and Pre-Emergency Load Response ~~p~~Participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response ~~p~~Participant's registration and request verification as to whether the load that may be reduced is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company *has* ten business days to respond. If the electric distribution company verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company asserts has been satisfied) to participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, then the electric distribution company must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

~~(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response and

Pre-Emergency Load Response Program requirements, including the registration section, the Emergency Load Response and Pre-Emergency Load Response pParticipant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response and Pre-Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM will informs the requesting participant Curtailment Service Provider of acceptance into the Emergency Load Response Pprogram and Pre-Emergency Load Response Program and notifies the appropriate electric distribution company of the requesting participant's Curtailment Service Provider's acceptance into the program, or notifies the requesting Curtailment Service Provider participant and appropriate electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

## 8.5 Pre-Emergency Operations

All participants in the Emergency Load Response Program shall be subject to the pre-emergency procedures herein, unless the participant can demonstrate it: (1) relies on Behind the Meter generation to fulfill its load reduction obligations; and (2) it has environmental restrictions on when it can operate such that it is only permitted to operate if PJM is in emergency conditions, in which case the participant shall be subject to the emergency operation procedures contained in Section 8.6.- In such case, the Curtailment Service Provider shall submit a request for the relevant Demand Resource(s) to be an emergency (versus pre-emergency)– Demand Resource to the Office of the Interconnection, at the time the Registration Form is submitted in accordance with this Agreement. A Curtailment Service Provider shall not submit a request for an exception unless it has done its due diligence to confirm that the Demand Resource meets the requirements referenced herein and has obtained from the end-use customer documentation supporting the exception request. The Curtailment Service Provider shall provide the Office of the Interconnection with a copy of such supporting documentation within three (3) business days of a request therefor. Failure to provide such supporting documentation by the deadline shall result in the Demand Resource being subject to the pre-emergency procedures herein.

PJM will initiate a pre-emergency event prior to the declaration of a Maximum Generation Emergency or an emergency event when practicable. A pre-emergency event is implemented when economic resources are not adequate to serve load and maintain reserves or maintain system reliability, and prior to proceeding into emergency procedures. Understanding the primary responsibility of the Office of the Interconnection to maintain system security, the Office of the Interconnection will strive to exhaust, but it is not obligated to exhaust, all economic resources prior to initiating a pre-emergency event. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the pre-emergency event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the pre-emergency event information on the PJM website and issue a separate All-Call message.

Following PJM’s request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the d Pre-Emergency Load Response Program are eligible to set the real time Locational Marginal Prices (“LMP”) when the Office of the Interconnection has implemented pre-emergency procedures and such resources are required to reduce demand in the PJM Region and as

described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailed Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, and comply with operational procedures, as described in detail in the PJM Manuals.

## **8.6 Emergency Operations**

PJM will initiate the ~~notification of request for~~ a Load Management event coincident with the declaration of Maximum ~~Emergency~~ Generation ~~emergency and prior to the implementation of~~ ~~Load Management Steps 1 and 2~~. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) ~~A Load Management event#~~ is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time ~~Locational Marginal Prices~~ ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailment Service Providers with resources registered to participate~~Participants~~ in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the *PJM Manual for Emergency Operations*.

## **8.7 Verification**

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the Load Management event. If the data are not received within 60 days, no payment for participation ~~is~~shall be provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction.

These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the ~~EDC~~electric distribution company upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

## **8.8 Market Settlements**

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is ~~one~~**two** hours. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJM Settlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured energy load reduction adjusted for losses times the applicable LMP. The measured energy load reduction for locations with approved Economic Load Response registrations prior to emergency energy settlement submission will use the associated economic CBL to determine the energy load reduction unless the locations on the Emergency Load Response registration are not the same locations as those included on the Economic Load Response registration. If, at the time that an emergency event is initiated by PJM, an end-use customer is already responding economically (i.e., pursuant to the Economic Load Response rules) and economic CBL is based on Symmetric Additive Adjustment, then the CBL calculated based on the Symmetric Additive Adjustment period prior to the economic event will be used. Locations that do not have an approved Economic Load Response registration prior to submission of emergency energy settlement by the **Curtailment Service Provider**~~CSP~~ will use the measured load the hour before the load reduction as the CBL to determine the energy load reduction.

If, however, the sum of the hourly energy payments to a **Curtailment Service Provider with a Demand Resource**~~participant~~ dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price and shut down costs) then the **Curtailment Service Provider**~~participant~~ will be made whole up to the offer value for its actual, achieved reductions for the Demand Resource.

Locations on Economic Load Response registrations dispatched in the Real-time Energy Market or cleared in the Day-ahead Energy Market that are also included on an Emergency Load Response **and Pre-Emergency Load Response** registration as Full Program Option, and that have also been dispatched as part of an emergency event for the same hour (i.e., have an “overlapping dispatch hour”) will be compensated for energy based on emergency energy settlement and cost allocation rules as set forth in this section and in the PJM Manuals. Overlapping dispatch hours will use shutdown costs based on what was considered for the economic event, and no balancing Operating Reserve charges will be assessed for deviations from ~~r~~**Real-time** dispatch amounts or from cleared ~~d~~**Day-ahead** commitments. To avoid duplicative energy payments, overlapping dispatch hours for an aggregate registration (i.e., multiple locations on the same registration) or dispatch groups where locations on the Emergency Load Response **and Pre-Emergency Load Response** registration are not the same locations as those on the Economic Load Response

registration will have hourly economic energy load reduction and/or hourly emergency energy load reduction prorated based on load reduction capability provided by the Curtailment Service Provider CSP for the locations.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the Real-time Energy Market compared to the Day-ahead Energy Market. Consistent with this pricing methodology, all charges under the Emergency Load Response and Pre-Emergency Load Response programs are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real-time.

Emergency Load Response and Pre-Emergency Load Response Program charges and credits will appear on the PJM Members monthly bill, as described in the *PJM Manual for Operating Agreement Accounting and the PJM Manual for Billing*.

## **8.9 Reporting and Compliance**

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response, Pre-Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during a pre-emergency or emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

- i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if PJMthe Office of the Interconnection did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load (“Load”) and then multiplied by the loss factor (“LF”) or (b) the current Delivery Year peak load contribution (“PLC”) minus the metered load multiplied by the loss factor (“LF”). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

Minimum of {(comparison load – Load) \* LF, PLC – (Load \* LF)}

Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

- ◆ Comparable Day
- ◆ Same Day
- ◆ Customer Baseline
- ◆ Regression Analysis
- ◆ Generation

Each of these methodologies is described in greater detail in Manual M-19, *PJM Manual for Load Forecasting and Analysis*, at Attachment A: Load Drop Estimate Guidelines.

- ii) For Firm Service Level end-use customers the current Delivery Year ~~peak-load contribution~~ (“PLC”) minus the ~~metered load~~ (“Load”) multiplied by the ~~loss factor~~ (“LF”). The calculation is represented by:

$$\text{PLC} - (\text{Load} * \text{LF})$$

The capacity compliance of Load Management resources that are registered as Emergency Load Response and Pre-Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Emergency Load Response and Pre-Emergency Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies pursuant to section 1.5A.3 of PJM’s EconomicEmergency Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies assert prohibit or condition retail participation in PJM’s Emergency Load Response and Pre-Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies.

### **8.10 Non-~~h~~Hourly ~~M~~metered Customer Pilot**

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection (“Pilot Period”). .

Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

### **8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response and Pre-Emergency Load Response Programs that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response and Pre-Emergency Load Response Participant aggregations shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company ;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and
- v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.
- vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

## **2. DEFINITIONS**

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

### **2.1A Annual Demand Resource**

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.1B Annual Resource**

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

### **2.1C Annual Resource Price Adder**

“Annual Resource Price Adder” shall mean, *for Delivery Years starting June 1, 2014 and ending May 31, 2017*, an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

### **2.1D Annual Revenue Rate**

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a ~~Demand Resource~~Curtailment Service Provider under section 11.

## **2.2 Avoidable Cost Rate**

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

## **2.3 Base Load Generation Resource**

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

## **2.4 Base Offer Segment**

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer Segments of such Market Sellers

shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

## **2.5 Base Residual Auction**

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

## **2.6 Buy Bid**

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

## **2.7 Capacity Credit**

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

## **2.8 Capacity Emergency Transfer Limit**

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

## **2.9 Capacity Emergency Transfer Objective**

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

## **2.9A Capacity Export Transmission Customer**

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

## **2.9B Capacity Import Limit**

*“Capacity Import Limit” shall have the meaning provided in the Reliability Assurance Agreement.*

## **2.10 Capacity Market Buyer**

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

## **2.11 Capacity Market Seller**

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

## **2.12 Capacity Resource**

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.13 Capacity Resource Clearing Price**

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

## **2.14 Capacity Transfer Right**

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

## **2.14A Conditional Incremental Auction**

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

## **2.15 CONE Area**

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

## **2.16 Cost of New Entry**

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

## **2.16A Credit-Limited Offer**

“Credit-Limited Offer” shall have the meaning provided in Attachment Q to this Tariff.

## **2.17 Daily Deficiency Rate**

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

## **2.18 Daily Unforced Capacity Obligation**

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

## **2.19 Delivery Year**

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

## **2.20 Demand Resource**

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.21 Demand Resource Factor**

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.22 ~~Demand Resource Provider~~ Reserved for Future Use**

~~“Demand Resource Provider” shall mean a PJM Member that has the capability to reduce load, or that aggregates customers capable of reducing load. The Demand Resource Provider shall notify the Office of the Interconnection whether such load reduction is provided by a Limited Demand Resource, Extended Summer Demand Resource or an Annual Demand Resource. A Curtailment Service Provider, as defined in the Operating Agreement, may be a Demand Resource Provider, provided it qualifies its load reduction capability as a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource.~~

## **2.23 EFORD**

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

## **2.24 Energy Efficiency Resource**

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

## **2.24A Extended Summer Demand Resource**

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.24B Extended Summer Resource Price Adder**

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

#### **2.24C Sub-Annual Resource Reliability Target**

“*Sub-Annual Reliability Target*” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement *for Delivery Years through May 31, 2017 and the Sub-Annual Resource Constraint for Delivery Years beginning June 1, 2017*. As more fully set forth in the PJM Manuals, PJM calculates the *Sub-Annual Resource Reliability Target*, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The *Sub-Annual Resource Reliability Target* shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

#### **2.25 Sub-Annual Resource Constraint**

*“Sub-Annual Resource Constraint” shall mean, for the PJM Region or for each LDA for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources and Extended Summer Demand Resources for such Delivery Year in the PJM Region or in such LDA, calculated as the Sub-Annual Resource Reliability Target for the PJM Region or for such LDA, respectively, minus the Short-Term Resource Procurement Target for the PJM Region or for such LDA, respectively.*

## **2.26 Final RTO Unforced Capacity Obligation**

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

### **2.26A [Reserved]**

## **2.27 First Incremental Auction**

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

## **2.28 Forecast Pool Requirement**

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.29 [Reserved]**

### **2.30 [Reserved]**

## **2.31 Generation Capacity Resource**

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.32 [Reserved]**

### **2.33 [Reserved]**

## **2.34 Incremental Auction**

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

### **2.35 Incremental Capacity Transfer Right**

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

### **2.36 [Reserved]**

#### **2.36A Limited Demand Resource**

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.36B Limited Demand Resource Reliability Target**

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement *for Delivery Years through May 31, 2017 and the Limited Resource Constraint for Delivery Years beginning June 1, 2017* for the PJM Region or such LDA. As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region

and for the relevant LDAs) more than ten times over those peak days; ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result; and (iii) (for the 2016-2017 and subsequent Delivery Years) testing the effects of the six-hour duration requirement by comparing possible hourly loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using a Monte Carlo model of hourly capacity levels that is consistent with the capacity model employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) for more than six hours over any one or more of the tested peak days. Second, PJM adopts the lowest result from these three tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

### **2.36C Limited Resource Constraint**

*“Limited Resource Constraint” shall mean, for the PJM Region or each LDA for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources for such Delivery Year in the PJM Region or in such LDA, calculated as the Limited Demand Resource Reliability Target for the PJM Region or such LDA, respectively, minus the Short Term Resource Procurement Target for the PJM Region or such LDA, respectively.*

### **2.36D Limited Resource Price Decrement**

*“Limited Resource Price Decrement” shall mean, for the Delivery Year commencing June 1, 2017 and subsequent Delivery Years, a difference between the clearing price for Limited Demand Resources and the clearing price for Extended Summer Demand Resources and Annual Resources, representing the cost to procure additional Extended Summer Demand Resources or Annual Resources out of merit order when the Limited Resource Constraint is binding.*

### **2.37 Load Serving Entity (LSE)**

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.38 Locational Deliverability Area (LDA)**

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

### **2.39 Locational Deliverability Area Reliability Requirement**

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction for the Zones comprising such Locational Deliverability Area for such Delivery Year.

### **2.40 Locational Price Adder**

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

### **2.41 Locational Reliability Charge**

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.41A Locational UCAP**

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

#### **2.41B Locational UCAP Seller**

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

#### **2.41C Market Seller Offer Cap**

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section II.E of Attachment M - Appendix.

#### **2.41D Minimum Annual Resource Requirement**

“Minimum Annual Resource Requirement” shall mean, *for Delivery Years through May 31, 2017*, the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Annual Resource Requirement shall be equal to the RTO Reliability Requirement minus [the *Sub-Annual* Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the *Sub-Annual* Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

#### **2.41E Minimum Extended Summer Resource Requirement**

“Minimum Extended Summer Resource Requirement” shall mean, *for Delivery Years through May 31, 2017*, the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

#### **2.42 Net Cost of New Entry**

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

#### **2.43 Nominated Demand Resource Value**

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

#### **2.43A Nominated Energy Efficiency Value**

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

#### **2.44 [Reserved]**

#### **2.45 Opportunity Cost**

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

#### **2.46 Peak-Hour Dispatch**

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is committed in the Day-Ahead Energy Market in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average day-ahead LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be committed independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be committed for such block; and to the extent not committed in any such block in the Day-Ahead Energy Market under the above conditions based on Day-Ahead LMPs, is dispatched in the Real-Time Energy Market for such block if the Real-Time LMP is greater than or equal to the cost to generate under the same conditions as described above for the Day-Ahead Energy Market.

#### **2.47 Peak Season**

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

#### **2.48 Percentage Internal Resources Required**

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.49 Planned Demand Resource**

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.50 Planned External Generation Capacity Resource**

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.50A Planned Generation Capacity Resource**

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.51 Planning Period**

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.52 PJM Region**

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.53 PJM Region Installed Reserve Margin**

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.54 PJM Region Peak Load Forecast**

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

#### **2.55 PJM Region Reliability Requirement**

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction (as applicable) for such Delivery Year.

#### **2.56 Projected PJM Market Revenues**

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

#### **2.57 Qualifying Transmission Upgrade**

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

## **2.58 Reference Resource**

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology in CONE Areas 1, 2, 3, and 4, dual fuel capability, and a heat rate of 10.096 Mmbtu/ MWh.

## **2.59 Reliability Assurance Agreement**

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

## **2.60 Reliability Pricing Model Auction**

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

### ***2.60A Repowered / Repowering***

*“Repowering” or “Repowered” shall refer to a partial or total replacement of existing steam production equipment with new technology or a partial or total replacement of steam production process and power generation equipment, or an addition of steam production and/or power generation equipment, or a change in the primary fuel being used at the plant. A resource can be considered Repowered whether or not such aforementioned replacement, addition, or fuel change provides an increase in installed capacity, and whether or not the pre-existing plant capability is formally deactivated or retired.*

## **2.61 Resource Substitution Charge**

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

### **2.61A Scheduled Incremental Auctions**

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

## **2.62 Second Incremental Auction**

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

## **2.63 Sell Offer**

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

## **2.64 [Reserved for Future Use]**

## **2.65 Self-Supply**

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity's Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

## **2.65A Short-Term Resource Procurement Target**

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

## **2.65B Short-Term Resource Procurement Target Applicable Share**

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

### **2.65C Sub-Annual Resource Price Decrement**

*“Sub-Annual Resource Price Decrement” shall mean, for the Delivery Year commencing June 1, 2017 and subsequent Delivery Years, a difference between the clearing price for Extended Summer Demand Resources and the clearing price for Annual Resources, representing the cost to procure additional Annual Resources out of merit order when the Sub-Annual Resource Constraint is binding.*

### **2.66 Third Incremental Auction**

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

### **2.67 [Reserved for Future Use]**

### **2.68 Unconstrained LDA Group**

“Unconstrained LDA Group” shall mean a combined group of LDAs that form an electrically contiguous area and for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD. Any LDA for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD shall be combined with all other such LDAs that form an electrically contiguous area.

### **2.69 Unforced Capacity**

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.69A Updated VRR Curve**

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

### **2.69B Updated VRR Curve Increment**

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

### **2.69C Updated VRR Curve Decrement**

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net

Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

### **2.70 Variable Resource Requirement Curve**

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

### **2.71 Zonal Capacity Price**

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

## 11. DEMAND RESOURCE COMPLIANCE PENALTY CHARGE

(a) The Office of the Interconnection shall separately evaluate compliance of each Demand Resource committed for a Delivery Year, in accordance with procedures set forth in the PJM Manuals. The compliance is evaluated separately by event in each Zone for Demand Resources dispatched by the Office of Interconnection. The Demand Resource Compliance Penalty Charges will not be assessed to resources that are dispatched on a subzonal basis for the 2012/2013 and 2013/2014 Delivery Years. For the 2014/2015 all subsequent Delivery Years, the Demand Resource Compliance Penalty Charge will not be assessed to resources that are dispatched on a subzonal basis unless such subzone is defined and publically posted the day before the Load Management event as set forth in the PJM Manuals. For the 2015/2016 Delivery Year and all subsequent Delivery Years, the Demand Resource Compliance Penalty Charges will not be assessed to resources that are dispatched on a subzonal basis unless such subzone is defined and publicly posted the day of the Load Management event as set forth in the PJM Manuals. To the extent a Demand Resource cannot respond, another Demand Resource in the same geographic location defined by the PJM dispatch instruction with the same designated lead time and comparable capacity commitment may be substituted. Any Demand Resource used as a substitute during an event will have the same obligation to respond to future event(s) as if it did not respond to such event. Capacity Market Sellers that committed Demand Resources and Locational UCAP Sellers that sold Demand Resources that cannot demonstrate the hourly performance of such resource in real-time based on the capacity commitment shall be assessed a Demand Resource Compliance Penalty Charge; provided, however, that such under compliance shall be determined on an aggregate basis for all dispatched Demand Resources committed by the same Capacity Market Seller or same Locational UCAP Seller.

(b) The Demand Resource Compliance Penalty Charge for a Capacity Market Seller in a Zone for the on-peak period, which includes all hours specified in the Reliability Assurance Agreement definition of the Limited Demand Resource, shall equal the lesser of (1/the number of Load Management events during the year for which such Demand Resources were dispatched, or 0.50) times the weighted daily revenue rate for such seller resources dispatched, multiplied by the net under-compliance in such on-peak period, if any, for such seller resulting from all dispatched resources it has committed for such Delivery Year for such Zone for each Load Management event called by the Office of the Interconnection. Net zonal under compliance for the event will be prorated to individual under compliant registrations based on performance of each registration in order to determine net under compliance(s). The Demand Resource Compliance Penalty Charge for a Capacity Market Seller in a Zone for the off-peak period, which includes all hours specified in the Reliability Assurance Agreement definitions of Extended Summer Demand Resource or Annual Demand Resource, but does not included in the on-peak period, shall equal 1/52 times the weighted daily revenue rate for resources dispatched for such seller, multiplied by the net undercompliance in such off-peak period, if any, for such seller resulting from all dispatched resources it has committed for such Delivery Year for such Zone for each Load Management event called by the Office of the Interconnection. If a Load Management event is comprised of both an on-peak period and

an off-peak period then such Demand Resource Compliance Penalty Charge will be the higher of the charges calculated under the prior two sentences. The total Compliance Penalty Charge for the Delivery Year is not to exceed the annual revenue received for such resources. The net zonal undercompliance for each such Load Management event shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable DR Factor and Forecast Pool Requirement: (i) the megawatts of load reduction capability committed by such seller on the day of the Load Management event for all dispatched resources minus (ii) the megawatts of load reduction actually provided by all such dispatched Demand Resources during such event. A seller's net undercompliance in a Zone shall be reduced by the seller's total amount of Capacity Resource deficiency shortfalls on the day of the Load Management event, determined pursuant to section 8 of Attachment DD of this Tariff, in a Zone for the seller's committed Demand Resources that are the same product(s) dispatched. The daily revenue rate for a Demand Resource shall be the Resource Clearing Price that the resource received in the auction in which it cleared, including any adjustment pursuant to Attachment DD-1, section C of this Tariff. The weighted daily revenue rate for a Capacity Market Seller shall be the average rate for all cleared Demand Resources, weighted by the megawatts cleared at each price. The total charge per megawatt that may be assessed on a Capacity Market Seller in a Delivery Year shall be capped at the weighted daily revenue rate the Capacity Market Seller would receive in the Delivery Year.

The Demand Resource Compliance Penalty Charges for a Load Management event for Limited Demand Resources are assessed daily and initially billed by the later of the month of October during such Delivery Year or the third billing month following the Load Management event that gave rise to such charge. The initial billing for a Load Management event for Limited Demand Resources will reflect the amounts due from the start of the Delivery Year to the last day that is reflected in the initial billing. The remaining charges for such Load Management event will be assessed daily and billed monthly through the remainder of the Delivery Year. The Demand Resource Compliance Penalty Charges for a Load Management event for Annual or Extended Summer Demand Resources are assessed daily and billed by the later of the month of June following such Delivery Year or the third billing month following the Load Management event that gave rise to such charge. The billing for the Load Management event for Annual or Extended Summer Demand Resources will be in a lump sum and reflect the accrued charges for the entire Delivery Year.

c) Daily revenues from assessment of a Demand Resource Compliance Penalty Charge shall be distributed on a pro-rata basis to Demand Resource Providers and Locational UCAP Sellers that provided load reductions in excess of the amount such resources were committed to provide. Such revenue distribution, however, shall not exceed for any Capacity Market Seller the quantity of excess megawatts provided by such Capacity Market Seller during a single event times 0.20 times the weighted daily revenue rate for such Capacity Market Seller for resources dispatched. To the extent any such revenues remain after such distribution, the remaining revenues shall be distributed to LSEs based on each LSE's Daily Unforced Capacity Obligation.

## ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

### PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Direct Load Control, as further specified in section G and the PJM Manuals. Qualified Demand Resources may be provided by a ~~Demand Resource~~Curtailment Service Provider, notwithstanding that such ~~Demand Resource~~Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service~~Demand Resource~~ Providers must satisfy the requirements ~~in section H~~hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F ~~of this schedule~~hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, or an Annual Demand Resource.

2. ~~A period of no more than 2 hours prior notification must apply to interruptible customers.~~A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from

reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers which collectively cannot be notified of a Load Management event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three

(3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load ~~interruption~~reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered ~~an~~ pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A ~~Demand Resource~~Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such ~~Demand Resource~~Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the ~~Demand Resource~~Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A ~~Demand Resource~~Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response ~~and Pre-Emergency Load Response P~~program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

- (i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:
- method(s) of achieving load reduction at customer site(s);
  - equipment to be controlled or installed at customer site(s), if any;
  - plan and ability to acquire customers;
  - types of customer targeted;
  - support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
  - assumptions regarding regulatory approval of program(s), if applicable; and
  - if applicable, Direct Load Control (DLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and

- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the ~~Demand Resource~~Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or ~~Demand Resource~~Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM ~~measures, recognizes three types of~~ Demand Resources in the following three ways:

Direct Load Control (DLC) – Load management that is initiated directly by the Curtailment Service Provider’s market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for DLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its DLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

~~For each type of Demand Resource above there can be two notification periods:~~

~~Step 1 (Short Lead Time) – Demand Resource which must be fully implemented in one hour or less from the time the PJM dispatcher notifies the market operations center of a curtailment event.~~

~~Step 2 (Long Lead Time) – Demand Resource which requires more than one hour but no more than two hours, from the time the PJM dispatcher notifies the market operations center of a curtailment event, to be fully implemented.~~

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or ~~EDC~~electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.

- Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer’s contract with the [Curtailment Service](#) Provider. The maximum credit nominated shall not exceed the customer’s Peak Load Contribution.

The Nominated Value for a Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the [Curtailment Service](#) Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, LSE contact information, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. [Curtailment Service](#) Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the [Curtailment Service](#) Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

For Direct Load Control programs, the [Curtailment Service](#) Provider must provide information detailing the number of active participants in each program. Other information on approved DLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailed Service Provider's Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailed Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period. Compliance for Direct Load Control programs will consider only the transmission of the control signal. Curtailed Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for FSL, by comparing actual load during the event to the firm service level. Curtailed Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for GLD, and will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (iii) Curtailed Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management event for non-interval metered DLC programs. Compliance is averaged over the full hours of a Load Management event, for each FSL and GLD customer or DLC program dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., "partial dispatch compliance hour"). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailed

Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and DLC programs to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

#### L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2012. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value, which shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday. The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth

in Attachment Q to the PJM Tariff. The Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

Section(s) of the  
PJM Operating Agreement  
(Marked / Redline Format)

---

**OPERATING AGREEMENT  
TABLE OF CONTENTS**

1. **DEFINITIONS**
  - OA Definitions - A - B
  - OA Definitions - C - D
  - OA Definitions - E - F
  - OA Definitions - G - H
  - OA Definitions - I - L
  - OA Definitions - M - N
  - OA Definitions - O - P
  - OA Definitions - Q - R
  - OA Definitions - S - T
  - OA Definitions - U - Z
2. **FORMATION, NAME; PLACE OF BUSINESS**
  - 2.1 Formation of LLC; Certificate of Formation
  - 2.2 Name of LLC
  - 2.3 Place of Business
  - 2.4 Registered Office and Registered Agent
3. **PURPOSES AND POWERS OF LLC**
  - 3.1 Purposes
  - 3.2 Powers
4. **EFFECTIVE DATE AND TERMINATION**
  - 4.1 Effective Date and Termination
  - 4.2 Governing Law
5. **WORKING CAPITAL AND CAPITAL CONTRIBUTIONS**
  - 5.1 Funding of Working Capital and Capital Contributions
  - 5.2 Contributions to Association
6. **TAX STATUS AND DISTRIBUTIONS**
  - 6.1 Tax Status
  - 6.2 Return of Capital Contributions
  - 6.3 Liquidating Distribution
7. **PJM BOARD**
  - 7.1 Composition
  - 7.2 Qualifications
  - 7.3 Term of Office
  - 7.4 Quorum
  - 7.5 Operating and Capital Budgets
  - 7.6 By-laws
  - 7.7 Duties and Responsibilities of the PJM Board
8. **MEMBERS COMMITTEE**
  - 8.1 Sectors
  - 8.2 Representatives
  - 8.3 Meetings

- 8.4 Manner of Acting
- 8.5 Chair and Vice Chair of the Members Committee
- 8.6 Senior, Standing, and Other Committees
- 8.7 User Groups
- 8.8 Powers of the Members Committee
- 9. OFFICERS
  - 9.1 Election and Term
  - 9.2 President
  - 9.3 Secretary
  - 9.4 Treasurer
  - 9.5 Renewal of Officers; Vacancies
  - 9.6 Compensation
- 10. OFFICE OF THE INTERCONNECTION
  - 10.1 Establishment
  - 10.2 Processes and Organization
  - 10.3 Confidential Information
  - 10.4 Duties and Responsibilities
- 11. MEMBERS
  - 11.1 Management Rights
  - 11.2 Other Activities
  - 11.3 Member Responsibilities
  - 11.4 Regional Transmission Expansion Planning Protocol
  - 11.5 Member Right to Petition
  - 11.6 Membership Requirements
  - 11.7 Associate Membership Requirements
- 12. TRANSFERS OF MEMBERSHIP INTEREST
- 13. INTERCHANGE
  - 13.1 Interchange Arrangements with Non-Members
  - 13.2 Energy Market
- 14. METERING
  - 14.1 Installation, Maintenance and Reading of Meters
  - 14.2 Metering Procedures
  - 14.3 Integrated Megawatt-Hours
  - 14.4 Meter Locations
  - 14.5 Metering of Behind The Meter Generation
- 14A. TRANSMISSION LOSSES
  - 14A.1 Description of Transmission Losses
  - 14A.2 Inclusion of State Estimator Transmission Losses
  - 14A.3 Other Losses
- 15. ENFORCEMENT OF OBLIGATIONS
  - 15.1 Failure to Meet Obligations
  - 15.2 Enforcement of Obligations
  - 15.3 Obligations to a Member in Default
  - 15.4 Obligations of a Member in Default
  - 15.5 No Implied Waiver
  - 15.6 Limitation on Claims

- 16. LIABILITY AND INDEMNITY
  - 16.1 Members
  - 16.2 LLC Indemnified Parties
  - 16.3 Workers Compensation Claims
  - 16.4 Limitation of Liability
  - 16.5 Resolution of Disputes
  - 16.6 Gross Negligence or Willful Misconduct
  - 16.7 Insurance
- 17. MEMBER REPRESENTATIONS, WARRANTIES AND COVENANTS
  - 17.1 Representations and Warranties
  - 17.2 Municipal Electric Systems
  - 17.3 Survival
- 18. MISCELLANEOUS PROVISIONS
  - 18.1 [Reserved.]
  - 18.2 Fiscal and Taxable Year
  - 18.3 Reports
  - 18.4 Bank Accounts; Checks, Notes and Drafts
  - 18.5 Books and Records
  - 18.6 Amendment
  - 18.7 Interpretation
  - 18.8 Severability
  - 18.9 *Force Majeure*
  - 18.10 Further Assurances
  - 18.11 Seal
  - 18.12 Counterparts
  - 18.13 Costs of Meetings
  - 18.14 Notice
  - 18.15 Headings
  - 18.16 No Third-Party Beneficiaries
  - 18.17 Confidentiality
  - 18.18 Termination and Withdrawal
    - 18.18.1 Termination
    - 18.18.2 Withdrawal
    - 18.18.3 Winding Up

RESOLUTION REGARDING ELECTION OF DIRECTORS

SCHEDULE 1 – PJM INTERCHANGE ENERGY MARKET

- 1. MARKET OPERATIONS
  - 1.1 Introduction
  - 1.2 Cost-Based Offers
  - 1.2A Transmission Losses
  - 1.3 Definitions
  - 1.4 Market Buyers
  - 1.5 Market Sellers
  - 1.5A Economic Load Response Participant
  - 1.6 Office of the Interconnection
  - 1.6A PJMSettlement

- 1.7 General
- 1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
- 1.9 Prescheduling
- 1.10 Scheduling
- 1.11 Dispatch
- 1.12 Dynamic Scheduling
- 2. CALCULATION OF LOCATIONAL MARGINAL PRICES
  - 2.1 Introduction
  - 2.2 General
  - 2.3 Determination of System Conditions Using the State Estimator
  - 2.4 Determination of Energy Offers Used in Calculating Real-time Prices
  - 2.5 Calculation of Real-time Prices
  - 2.6 Calculation of Day-ahead Prices
  - 2.6A Interface Prices
  - 2.7 Performance Evaluation
- 3. ACCOUNTING AND BILLING
  - 3.1 Introduction
  - 3.2 Market Buyers
  - 3.3 Market Sellers
  - 3.3A Economic Load Response Participants
  - 3.4 Transmission Customers
  - 3.5 Other Control Areas
  - 3.6 Metering Reconciliation
  - 3.7 Inadvertent Interchange
- 4. [Reserved For Future Use]
- 5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES
  - 5.1 Transmission Congestion Charge Calculation
  - 5.2 Transmission Congestion Credit Calculation
  - 5.3 Unscheduled Transmission Service (Loop Flow)
  - 5.4 Transmission Loss Charge Calculation
  - 5.5 Distribution of Total Transmission Loss Charges
- 6. "MUST-RUN" FOR RELIABILITY GENERATION
  - 6.1 Introduction
  - 6.2 Identification of Facility Outages
  - 6.3 Dispatch for Local Reliability
  - 6.4 Offer Price Caps
  - 6.5 [Reserved]
  - 6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules
- 6A [Reserved]
  - 6A.1 [Reserved]
  - 6A.2 [Reserved]
  - 6A.3 [Reserved]
- 7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS
  - 7.1 Auctions of Financial Transmission Rights
  - 7.1A Long-Term Financial Transmission Rights Auctions

7.2	Financial Transmission Rights Characteristics
7.3	Auction Procedures
7.4	Allocation of Auction Revenues
7.5	Simultaneous Feasibility
7.6	New Stage 1 Resources
7.7	Alternate Stage 1 Resources
7.8	Elective Upgrade Auction Revenue Rights
7.9	Residual Auction Revenue Rights
7.10	Financial Settlement
7.11	PJM Settlement as Counterparty
8.	<del>INTERREGIONAL TRANSMISSION CONGESTION MANAGEMENT PILOT PROGRAM</del>
8.1	<del>Introduction</del>
8.2	<del>Identification of Transmission Constraints</del>
8.3	<del>Redispatch Procedures</del>
8.4	<del>Locational Marginal Price</del>
8.5	<del>Generator Compensation</del>
8.6	<del>Settlements</del>
8.7	<del>Effective Date</del>
9.	<del>[Reserved]</del>
10.	<del>[Reserved]</del>
	<del>PJM EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM</del>
8.1	<del>Emergency Load Response and Pre-Emergency Load Response Program Options</del>
8.2	<del>Participant Qualifications</del>
8.3	<del>Metering Requirements</del>
8.4	<del>Registration</del>
8.5	<del>Pre-Emergency Operations</del>
8.6	<del>Emergency Operations</del>
8.7	<del>Verification</del>
8.8	<del>Market Settlements</del>
8.9	<del>Reporting and Compliance</del>
8.10	<del>Non-Hourly Metered Customer Pilot</del>
8.11	<del>Emergency Load Response and Pre-Emergency Load Response Participant Aggregation</del>
	SCHEDULE 2 – COMPONENTS OF COST
	SCHEDULE 2 – EXHIBIT A, EXPLANATION OF THE TREATMENT OF THE COSTS OF EMISSION ALLOWANCES
	SCHEDULE 3 – ALLOCATION OF THE COST AND EXPENSES OF THE OFFICE OF THE INTERCONNECTION
	SCHEDULE 4 – STANDARD FORM OF AGREEMENT TO BECOME A MEMBER OF THE LLC
	SCHEDULE 5 – PJM DISPUTE RESOLUTION PROCEDURES
1.	DEFINITIONS
1.1	Alternate Dispute Resolution Committee
1.2	MAAC Dispute Resolution Committee
1.3	Related PJM Agreements

2. PURPOSES AND OBJECTIVES
  - 2.1 Common and Uniform Procedures
  - 2.2 Interpretation
3. NEGOTIATION AND MEDIATION
  - 3.1 When Required
  - 3.2 Procedures
  - 3.3 Costs
4. ARBITRATION
  - 4.1 When Required
  - 4.2 Binding Decision
  - 4.3 Initiation
  - 4.4 Selection of Arbitrator(s)
  - 4.5 Procedures
  - 4.6 Summary Disposition and Interim Measures
  - 4.7 Discovery of Facts
  - 4.8 Evidentiary Hearing
  - 4.9 Confidentiality
  - 4.10 Timetable
  - 4.11 Advisory Interpretations
  - 4.12 Decisions
  - 4.13 Costs
  - 4.14 Enforcement
5. ALTERNATE DISPUTE RESOLUTION COMMITTEE
  - 5.1 Membership
  - 5.2 Voting Requirements
  - 5.3 Officers
  - 5.4 Meetings
  - 5.5 Responsibilities

**SCHEDULE 6 – REGIONAL TRANSMISSION EXPANSION  
PLANNING PROTOCOL**

1. REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
  - 1.1 Purpose and Objectives
  - 1.2 Conformity with NERC and Other Applicable Criteria
  - 1.3 Establishment of Committees
  - 1.4 Contents of the Regional Transmission Expansion Plan
  - 1.5 Procedure for Development of the Regional Transmission Expansion Plan
  - 1.6 Approval of the Final Regional Transmission Expansion Plan
  - 1.7 Obligation to Build
  - 1.8 Interregional Expansions
  - 1.9 Relationship to the PJM Open Access Transmission Tariff

**SCHEDULE 7 – UNDERFREQUENCY RELAY OBLIGATIONS AND CHARGES**

1. UNDERFREQUENCY RELAY OBLIGATION
  - 1.1 Application
  - 1.2 Obligations
2. UNDERFREQUENCY RELAY CHARGES
3. DISTRIBUTION OF UNDERFREQUENCY RELAY CHARGES

- 3.1 Share of Charges
- 3.2 Allocation by the Office of the Interconnection

SCHEDULE 8 – DELEGATION OF PJM CONTROL AREA RELIABILITY  
RESPONSIBILITIES

- 1. DELEGATION
- 2. NEW PARTIES
- 3. IMPLEMENTATION OF RELIABILITY ASSURANCE AGREEMENT

SCHEDULE 9B – PJM SOUTH REGION EMERGENCY PROCEDURE CHARGES

- 1. EMERGENCY PROCEDURE CHARGE
- 2. DISTRIBUTION OF EMERGENCY PROCEDURE CHARGES
  - 2.1 Complying Parties
  - 2.2 All Parties

SCHEDULE 10 – FORM OF NON-DISCLOSURE AGREEMENT

- 1. DEFINITIONS
  - 1.1 Affected Member
  - 1.2 Authorized Commission
  - 1.3 Authorized Person
  - 1.4 Confidential Information
  - 1.5 FERC
  - 1.6 Information Request.
  - 1.7 Operating Agreement
  - 1.8 PJM Market Monitor
  - 1.9 PJM Tariff
  - 1.10 Third Party Request.
- 2. Protection of Confidentiality
  - 2.1 Duty to Not Disclose
  - 2.2 Discussion of Confidential Information with Other Authorized Persons
  - 2.3 Defense Against Third Party Requests
  - 2.4 Care and Use of Confidential Information
  - 2.5 Ownership and Privilege
- 3. Remedies
  - 3.1 Material Breach
  - 3.2 Judicial Recourse
  - 3.3 Waiver of Monetary Damages
- 4. Jurisdiction
- 5. Notices
- 6. Severability and Survival
- 7. Representations
- 8. Third Party Beneficiaries
- 9. Counterparts
- 10. Amendment

SCHEDULE 10A – FORM OF CERTIFICATION

- 1. Definitions
- 2. Requisite Authority
- 3. Protection of Confidential Information
- 4. Defense Against Requests for Disclosure

5. Use and Destruction of Confidential Information
  6. Notice of Disclosure of Confidential Information
  7. Release of Claims
  8. Ownership and Privilege
- Exhibit A - Certification List of Authorized Persons

**SCHEDULE 11 – ALLOCATION OF COSTS ASSOCIATED WITH NERC  
PENALTY ASSESSMENTS**

- 1.1 Purpose and Objectives
- 1.2 Definitions
- 1.3 Allocation of Costs When PJM is the Registered Entity
- 1.4 Allocation of Costs When a PJM Member is the Registered Entity
- 1.5

**SCHEDULE 12 – PJM MEMBER LIST**

**RESOLUTION TO AMEND THE PROCEDURES REQUIRING THE RETENTION OF AN  
INDEPENDENT CONSULTANT TO PROPOSE A LIST OF CANDIDATES FOR THE  
BOARD OF MANAGERS ELECTION FOR 2001**

### **1.3 Definitions.**

#### **1.3.1 Acceleration Request.**

“Acceleration Request” shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

#### **1.3.1A Auction Revenue Rights.**

“Auction Revenue Rights” or “ARRs” shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

#### **1.3.1B Auction Revenue Rights Credits.**

“Auction Revenue Rights Credits” shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

##### **1.3.1B.01 Batch Load Demand Resource.**

“Batch Load Demand Resource” shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

##### **1.3.1B.02 Congestion Price.**

“Congestion Price” shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

##### **1.3.1B.03 Curtailment Service Provider.**

“Curtailment Service Provider” or “CSP” shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

##### **1.3.1B.04 Day-ahead Congestion Price.**

“Day-ahead Congestion Price” shall mean the Congestion Price resulting from the Day-ahead Energy Market.

#### **1.3.1C Day-ahead Energy Market.**

“Day-ahead Energy Market” shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1C.01 Day-ahead Loss Price.**

“Day-ahead Loss Price” shall mean the Loss Price resulting from the Day-ahead Energy Market.

**1.3.1D Day-ahead Prices.**

“Day-ahead Prices” shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

**1.3.1D.01 Day-ahead Scheduling Reserves.**

“Day-ahead Scheduling Reserves” shall mean thirty-minute reserves as defined by the Reliability *First* Corporation and SERC.

**1.3.1D.02 Day-ahead Scheduling Reserves Requirement.**

“Day-ahead Scheduling Reserves Requirement” shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

**1.3.1D.03 Day-ahead Scheduling Reserves Resources.**

“Day-ahead Scheduling Reserves Resources” shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

**1.3.1D.04 Day-ahead Scheduling Reserves Market.**

“Day-ahead Scheduling Reserves Market” shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1D.05 Day-ahead System Energy Price.**

“Day-ahead System Energy Price” shall mean the System Energy Price resulting from the Day-ahead Energy Market.

**1.3.1E Decrement Bid.**

“Decrement Bid” shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

#### **1.3.1E.01 Demand Resource.**

“Demand Resource” shall mean a resource with the capability to provide a reduction in demand.

#### **1.3.1F Dispatch Rate.**

“Dispatch Rate” shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

#### **1.3.1G Energy Storage Resource.**

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

#### **1.3.2 Equivalent Load.**

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

#### **1.3.2A Economic Load Response Participant.**

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

##### **1.3.2A.01 Economic Minimum.**

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

##### **1.3.2A.02 Economic Maximum.**

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

#### **1.3.2B Energy Market Opportunity Cost.**

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.3 External Market Buyer.**

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

### **1.3.4 External Resource.**

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

### **1.3.5 Financial Transmission Right.**

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

#### **1.3.5A Financial Transmission Right Obligation.**

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

#### **1.3.5B Financial Transmission Right Option.**

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

### **1.3.6 Generating Market Buyer.**

“Generating Market Buyer” shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer’s load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

### **1.3.7 Generator Forced Outage.**

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

### **1.3.8 Generator Maintenance Outage.**

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

### **1.3.9 Generator Planned Outage.**

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

#### **1.3.9A Increment Offer.**

“Increment Offer” shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Offer results in scheduled generation at the specified location in the Day-ahead Energy Market.

#### **1.3.9B Interface Pricing Point.**

“Interface Pricing Point” shall have the meaning specified in section 2.6A.

### **1.3.10 Internal Market Buyer.**

“Internal Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

### **1.3.11 Inadvertent Interchange.**

“Inadvertent Interchange” shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

#### **1.3.11.01 Load Management.**

“Load Management” shall mean a Demand Resource (“DR”) as defined in the Reliability Assurance Agreement.

### **1.3.11A Load Reduction Event.**

“Load Reduction Event” shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.11A.01 Location.**

“Location” as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

### **1.3.11B Loss Price.**

“Loss Price” shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.12 Market Operations Center.**

“Market Operations Center” shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.12A Maximum Emergency.**

“Maximum Emergency” shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

### **1.3.13 Maximum Generation Emergency.**

“Maximum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

### **1.3.14 Minimum Generation Emergency.**

“Minimum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

#### **1.3.14A NERC Interchange Distribution Calculator.**

“NERC Interchange Distribution Calculator” shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

#### **1.3.14B Net Benefits Test.**

“Net Benefits Test” shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

#### **1.3.15 Network Resource.**

“Network Resource” shall have the meaning specified in the PJM Tariff.

#### **1.3.16 Network Service User.**

“Network Service User” shall mean an entity using Network Transmission Service.

#### **1.3.17 Network Transmission Service.**

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

#### **1.3.17A Non-Regulatory Opportunity Cost.**

“Non-Regulatory Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.17B Non-Synchronized Reserve.**

“Non-Synchronized Reserve” shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

### **1.3.17C Non-Synchronized Reserve Event.**

“Non-Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

### **1.3.17D Non-Variable Loads.**

“Non-Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

### **1.3.18 Normal Maximum Generation.**

“Normal Maximum Generation” shall mean the highest output level of a generating resource under normal operating conditions.

### **1.3.19 Normal Minimum Generation.**

“Normal Minimum Generation” shall mean the lowest output level of a generating resource under normal operating conditions.

### **1.3.20 Offer Data.**

“Offer Data” shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

### **1.3.21 Office of the Interconnection Control Center.**

“Office of the Interconnection Control Center” shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.21A On-Site Generators.**

“On-Site Generators” shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.22 Operating Day.**

“Operating Day” shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

#### **1.3.23 Operating Margin.**

“Operating Margin” shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

#### **1.3.24 Operating Margin Customer.**

“Operating Margin Customer” shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

#### **1.3.25 PJM Interchange.**

“PJM Interchange” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

#### **1.3.26 PJM Interchange Export.**

“PJM Interchange Export” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

#### **1.3.27 PJM Interchange Import.**

“PJM Interchange Import” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

### **1.3.28 PJM Open Access Same-time Information System.**

“PJM Open Access Same-time Information System” shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

#### **1.3.28A Planning Period Quarter.**

“Planning Period Quarter” shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

#### **1.3.28B Planning Period Balance.**

“Planning Period Balance” shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

### **1.3.29 Point-to-Point Transmission Service.**

“Point-to-Point Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

#### **1.3.29A PRD Curve.**

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29B PRD Provider.**

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29C PRD Reservation Price.**

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29D PRD Substation.**

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29E Price Responsive Demand.**

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29F Primary Reserve.**

“Primary Reserve” shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

**1.3.30 Ramping Capability.**

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

**1.3.30.01 Real-time Congestion Price.**

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30.02 Real-time Loss Price.**

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30A Real-time Prices.**

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30B Real-time Energy Market.**

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

**1.3.30B.01 Real-time System Energy Price.**

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

### **1.3.31 Regulation.**

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

#### **1.3.31.001 Reserve Penalty Factor.**

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

#### **1.3.31.01 Residual Auction Revenue Rights.**

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2(h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

#### **1.3.31.01A Residual Metered Load.**

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

#### **1.3.31.02 Special Member.**

“Special Member” shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response [and Pre-Emergency Load Response](#) Programs.

~~1.3.31A [Reserved]~~

~~1.3.31B [Reserved]~~

### **1.3.32 Spot Market Backup.**

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

### **1.3.33 Spot Market Energy.**

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

#### **1.3.33A State Estimator.**

“State Estimator” shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

#### **1.3.33B Station Power.**

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

##### **1.3.33B.001 Sub-meter.**

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

##### **1.3.33B.01 Synchronized Reserve.**

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

##### **1.3.33B.02 Synchronized Reserve Event.**

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

### **1.3.33B.03 System Energy Price.**

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.33C Target Allocation.**

“Target Allocation” shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

### **1.3.34 Transmission Congestion Charge.**

“Transmission Congestion Charge” shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

### **1.3.35 Transmission Congestion Credit.**

“Transmission Congestion Credit” shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

### **1.3.36 Transmission Customer.**

“Transmission Customer” shall mean an entity using Point-to-Point Transmission Service.

### **1.3.37 Transmission Forced Outage.**

“Transmission Forced Outage” shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

### **1.3.37A Transmission Loading Relief.**

“Transmission Loading Relief” shall mean NERC’s procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

### **1.3.37B Transmission Loading Relief Customer.**

“Transmission Loading Relief Customer” shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

### **1.3.37C Transmission Loss Charge.**

“Transmission Loss Charge” shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

### **1.3.38 Transmission Planned Outage.**

“Transmission Planned Outage” shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

#### **1.3.38.01 Up-to Congestion Transaction.**

“Up-to Congestion Transaction” shall have the meaning specified in Section 1.10.1A of this Schedule.

#### **1.3.38A Variable Loads.**

“Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

#### **1.3.38B Virtual Transaction.**

“Virtual Transaction” shall mean a Decrement Bid, Increment Offer and/or Up-to Congestion Transaction.

### **1.3.39 Zonal Base Load.**

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

## **1.5A Economic Load Response Participant.**

As used in this section 1.5A, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number.

### **1.5A.1 Qualification.**

A Member or Special Member that is an end-use customer, Load Serving Entity or Curtailment Service Provider that has the ability to cause a reduction in demand as metered on an electric distribution company account basis or has an On-Site Generator that enables demand reduction may become an Economic Load Response Participant by complying with the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with this section 1.5A including, but not limited to, section 1.5A.3. A Member or Special Member may aggregate multiple individual end-use customer sites to qualify as an Economic Load Response Participant, subject to the requirements of Section 1.5A.10.

### **1.5A.2 Special Member.**

Entities that are not Members and desire to participate solely in the Real-time Energy Market by reducing demand may become a Special Member by paying an annual membership fee of \$500 plus 10% of each payment owed by PJMSettlement for a Load Reduction Event not to exceed \$5,000 in a calendar year. For entities that become Special Members pursuant to this section, the following obligations are waived: (1) the \$1,500 membership application fee set forth in section 1.4.3 of this Agreement; (ii) liability under section 15.2 of this Agreement for Member defaults; (iii) thirty days notice for waiting period; and (iv) the requirement for 24/7 control center coverage. In addition, such Members shall not have voting privileges in committees or sector designations, and shall not be permitted to form user groups. On January 1 of a calendar year, a Special Member under this section, at its sole election, may become a Member rather than a Special Member subject to all rules governing being a Member, including regular application and membership fee requirements.

### **1.5A.3 Registration.**

1. Prior to participating in the PJM Interchange Energy Market or Ancillary Services Market, Economic Load Response Participants must complete either the Economic Load Response or Economic Load Response Regulation Only Registration Form posted on the Office of the Interconnection’s website and submit such form to the Office of the Interconnection for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Notwithstanding the below sub-provisions, Economic Load Response Regulation Only registrations will not require the identification of the relevant Load Serving Entity, nor will such relevant Load Serving Entity be notified of such registration or requested to verify such registration. All other below sub-provisions apply equally to Economic Load Response Regulation Only registrations as well as Economic Load Response registrations.

a. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is subject to another contractual obligation or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. A relevant electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in PJM's Economic Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets the requirements of this section 1.5A.

b. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is permitted to participate in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. If the relevant electric distribution company or Load Serving Entity

verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then the electric distribution company or the Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with section 1.5A hereof, including section 1.5A.3, the Economic Load Response Participant may submit a new registration for consideration if a prior registration has been rejected pursuant to this subsection.

2. In the event that the end-use customer is subject to another contractual obligation, special settlement terms may be employed to accommodate such contractual obligation. The Office of the Interconnection shall notify the end-use customer or appropriate Curtailment Service Provider, or relevant electric distribution company and/or Load Serving Entity that the Economic Load Response Participant has or has not met the requirements of this section 1.5A. An end-use customer that desires not to be simultaneously registered to reduce demand under the Emergency Load Response and Pre-Emergency Load Response Programs and under this section, upon one-day advance notice to the Office of the Interconnection, may switch its registration for reducing demand, if it has been registered to reduce load for 15 consecutive days under its current registration.

#### **1.5A.3.01 Economic Load Response Registrations in Effect as of August 28, 2009**

1. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. Effective as of the later of either August 28, 2009 (the effective date of Wholesale Competition in Regions with Organized Electric Markets, Order 719-A, 128 FERC ¶ 61,059 (2009) ("Order 719-A")) or the effective date of a Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in

PJM's Economic Load Response Program, the existing Economic Load Response Participant's registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated upon an electric distribution company or Load Serving Entity submitting to the Office of the Interconnection either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

2. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. Effective as of August 28, 2009 (the effective date of Order 719-A), an existing Economic Load Response Participant's registrations submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated unless an electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program and provides evidence to the Office of the Interconnection documenting that the permission or conditional permission is pursuant to the laws or regulations of the Relevant Electric Retail Regulatory Authority. If the electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then, within ten business days of verifying such permission or conditional permission, the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

- i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. All registrations submitted to the Office of the Interconnection on or after August 28, 2009, including requests to extend existing registrations, will be processed by the Office of the Interconnection in accordance with the provisions of section 1.5A, including section 1.5A.3.

#### **1.5A.3. 02 Economic Load Response Regulation Only Registrations.**

An Economic Load Response Regulation Only registration allows end-use customer participation in the Regulation market only, and may be submitted by a Curtailment Service Provider that is different than the Curtailment Service Provider that submits an Emergency Load Response Program registration, [Pre-Emergency Load Response Program registration](#) or Economic Load Response registration for the same end-use customer. An end-use customer that is registered as Economic Load Response Regulation Only shall not be permitted to register and/or participate in any other Ancillary Service markets at the same time, but may have a second, simultaneously existing Economic Load Response registration to participate in the PJM Interchange Energy Market as set forth in the PJM Manuals.

#### **1.5A.4 Metering and Electronic Dispatch Signal.**

a) The Curtailment Service Provider is responsible to ensure that end-use customers have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy, or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. End-use customer reductions in demand must be metered by recording integrated hourly values for On-Site Generators running to serve local load (net of output used by the On-Site Generator), or by metering load on an electric distribution company account basis and comparing actual metered load to its Customer Baseline Load, calculated pursuant to section 3.3A of this Schedule, or on an alternative metering basis approved by the Office of the Interconnection and agreed upon by all relevant parties, including any Curtailment Service Provider, Load Serving Entity, electric distribution company and end-use customer. To qualify for compensation for such load reductions that are not metered directly by the Office of the Interconnection, hourly data reflecting meter readings for each day during which the load reduction occurred and all associated days to determine the reduction must be submitted to the Office of the Interconnection in accordance with the PJM Manuals within 60 days of the load reduction.

Curtailment Service Providers that have end-use customers that will participate in the Regulation market may be permitted to use Sub-metered load data instead of load data at the electric distribution company account number level for Regulation measurement and verification as set forth in the PJM Manuals and subject to the following:

- a. Curtailment Service Providers, must clearly identify for the Office of the Interconnection all electrical devices that will provide Regulation and identify all other devices used for similar processes within the same Location that will not provide Regulation. The Location must contribute to management of frequency control on the PJM electric grid or PJM shall deny use of Sub-metered load data for the Location.
- b. If the registration to participate in the Regulation market contains an aggregation of Locations, the relevant Curtailment Service Provider will provide the Office of the Interconnection with load data for each Location's Sub-meter through an after-the-fact load data submission process.
- c. The Office of the Interconnection may conduct random, unannounced audits of all Locations that are registered to participate in the Regulation market to ensure that devices that are registered by the Curtailment Service Providers as providing Regulation service are not otherwise being offset by a change in usage of other devices within the same Location.
- d. The Office of the Interconnection may suspend the Regulation market activity of Economic Load Response Participants, including Curtailment Service Providers, that do not comply with the Economic Load Response and Regulation market requirements as set forth in Schedule 1 and the PJM Manuals, and may refer the matter to the Independent Market Monitor and/or the Federal Energy Regulatory Commission Office of Enforcement.

b) Curtailment Service Providers shall be responsible for maintaining, or ensuring that Economic Load Response Participants maintain, the capability to receive and act upon an electronic dispatch signal from the Office of the Interconnection in accordance with any standards and specifications contained in the PJM Manuals.

#### **1.5A.5 On-Site Generators.**

An Economic Load Response Participant that intends to use an On-Site Generator for the purpose of reducing demand to participate in the PJM Interchange Energy Market shall represent to the Office of the Interconnection in writing that it holds all necessary environmental permits applicable to the operation of the On-Site Generator. Unless notified otherwise, the Office of the Interconnection shall deem such representation applies to each time the On-Site Generator is used to reduce demand to enable participation in the PJM Interchange Energy Market and that the On-Site Generator is being operated in compliance with all applicable permits, including any emissions, run-time limits or other operational constraints that may be imposed by such permits.

#### **1.5A.6 Variable-Load Customers.**

The loads of an Economic Load Response Participant shall be categorized as Variable or Non-variable at the time the load is registered, based on hourly load data for the most recent 60 days

provided by the participant in the registration process; provided, however, that any alternative means of making such determination when 60 days of data is not available shall be subject to review and approval by the Office of the Interconnection and provided further that 60 days of hourly load data shall not be required on an individual customer basis for residential or small commercial customers that provide Economic Load Response through a direct load control program under which an electric distribution company, Load Serving Entity, or CSP has direct control over such customer's load, without reliance upon any action by such customer to reduce load. Non-Variable Loads shall be those for which the Customer Baseline Load calculation and adjustment methods prescribed by sections 3.3A.2 and 3.3A.3 result in a relative root mean square hourly error of twenty percent or less compared to the actual hourly loads based on the hourly load data provided in the registration process and using statistical methods prescribed in the PJM Manuals. All other loads shall be Variable Loads.

#### **1.5A.7 Non-Hourly Metered Customer Pilot.**

Non-hourly metered customers may participate in the PJM Interchange Energy Market as Economic Load Response Participants on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period. Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in ~~both~~ the Emergency Load Response Program, Pre-Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering as set forth in Section 1.5A.4 of this Schedule, non-hourly metered customers that qualify as Economic Load Response Participants pursuant to this section 1.5A.7 shall be subject to the rules and procedures for participation by Economic Load Response Participants in the PJM Interchange Energy Market, including, without limitation, the Net Benefits Test and the requirement for dispatch by the Office of the Interconnection. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the PJM Interchange Energy Market.

#### **1.5A.8 Batch Load Demand Resource Provision of Synchronized Reserve or Day-ahead Scheduling Reserves.**

(a) A Batch Load Demand Resource may provide Synchronized Reserve or Day-ahead Scheduling Reserves in the PJM Interchange Energy Market provided it has pre-qualified by providing the Office of the Interconnection with documentation acceptable to the Office of the Interconnection that shows six months of one minute incremental load history of the Batch Load Demand Resource, or in the event such history is unavailable, other such information or data acceptable to the Office of the Interconnection to demonstrate that the resource meets the definition of "Batch Load Demand Resource" pursuant to section 1.3.1A.001 of this Schedule.

This requirement is a one-time pre-qualification requirement for a Batch Load Demand Resource.

(b) Batch Load Demand Resources may provide up to 20 percent of the total system-wide PJM Synchronized Reserve requirement in any hour, or up to 20 percent of the total system-wide Day-ahead Scheduling Reserves requirement in any hour; provided, however, that in the event the Office of the Interconnection determines in its sole discretion that satisfying 20 percent of either such requirement from Batch Load Demand Resources is causing or may cause a reliability degradation, the Office of the Interconnection may reduce the percentage of either such requirement that may be satisfied by Batch Load Demand Resources in any hour to as low as 10 percent. This reduction will be effective seven days after the posting of the reduction on the PJM website. Notwithstanding anything to the contrary in this Agreement, as soon as practicable, the Office of the Interconnection unilaterally shall make a filing under section 205 of the Federal Power Act to revise the rules for Batch Load Demand Resources so as to continue such reduction. The reduction shall remain in effect until the Commission acts upon the Office of the Interconnection's filing and thereafter if approved or accepted by the Commission.

(c) A Batch Load Demand Resource that is consuming energy at the start of a Synchronized Reserve Event, or, if committed to provide Day-ahead Scheduling Reserves, at the time of a dispatch instruction from the Office of the Interconnection to reduce load, shall respond to the Office of the Interconnection's calling of a Synchronized Reserve Event, or to such instruction to reduce load, by reducing load as quickly as it is capable and by keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following the reduction, or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required. A Batch Load Demand Resource that has reduced its consumption of energy for its production processes to minimal or zero megawatts before the start of a Synchronized Reserve Event (or, in the case of Day-ahead Scheduling Reserves, before a dispatch instruction to reduce load) shall respond to the Office of the Interconnection's calling of a Synchronized Reserve Event (or such instruction to reduce load) by reducing any load that is present at the time the Synchronized Reserve Event is called (or at the time of such instruction to reduce load) as quickly as it is capable, delaying the restart of its production processes, and keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following any such reduction (or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required). Failure to respond as described in this section shall be considered non-compliance with the Office of the Interconnection's dispatch instruction associated with a Synchronized Reserve Event, or as applicable, associated with an instruction to a resource committed to provide Day-ahead Scheduling Reserves to reduce load.

#### **1.5A.9 Day-ahead and Real-time Energy Market Participation.**

Economic Load Response Participants shall be compensated under section 3.3A.5 and 3.3A.6 only if they participate in the Day-ahead or Real-time Energy Markets as a dispatchable resource.

#### **1.5A.10 Aggregation for Economic Load Response Registrations.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Energy Market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis or can provide less than 0.1 megawatt of demand response in the Day-Ahead Scheduling Reserve, Synchronized Reserve or Regulation markets when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation. If the aggregation will provide Synchronized Reserves, all customers in the aggregation must also be part of the same Synchronized Reserve sub-zone;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. A single CBL for the aggregation shall be used to determine settlements pursuant to Sections 3.3A.5 and 3.3A.6;
- v. If the aggregation will only provide energy to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve. If the aggregation will provide an Ancillary Service to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve;
- vi. Each End-Use Customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for energy or the 0.1 megawatt minimum load reduction requirement for Ancillary Services; and
- vii. An End-Use Customer's participation in the Energy and Ancillary Services markets shall be administered under one economic registration.

**1.5A.10.01 Aggregation for Economic Load Response Regulation Only Registrations**

The purpose for aggregation is to allow the participation of end-use customers in the Regulation market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All end-use customers in an aggregation shall be specifically identified;
- ii. All end-use customers in the aggregation must be served by the same electric distribution company and must also be part of the same Transmission Zone; and
- iii. Each end-use customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for Regulation service.

#### **1.5A.11 Reporting**

- (a) PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.
- (b) As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.5A.3, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Economic Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

## **1.10 Scheduling.**

### **1.10.1 General.**

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-to Congestion Transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such Up-to Congestion Transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified in Section 1.10.1A below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

### **1.10.1A Day-ahead Energy Market Scheduling.**

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection:  
(i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any energy exports, energy imports, and wheel through transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection if the transaction is to be scheduled in the Day-ahead Energy Market. Any Market Participant that elects to schedule an export, import or wheel through transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which the export, import or wheel through transaction will be wholly or partially curtailed. The foregoing price specification shall apply to the applicable interface pricing point. Any Market Participant that elects not to schedule its export, import or wheel through transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur Transmission Congestion and Loss Charges in the Real-time Energy Market in order to complete any such scheduled

transaction. Scheduling of such transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

- i) Market Participants shall submit schedules for all energy purchases for delivery within the PJM Region, whether from resources inside or outside the PJM Region;
- ii) Market Participants shall submit schedules for exports for delivery outside the PJM Region from resources within the PJM Region that are not dynamically scheduled to such entities pursuant to Section 1.12; and
- iii) In addition to the foregoing schedules for exports, imports and wheel through transactions, Market Participants shall submit confirmations of each scheduled transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(c-1) A Market Participant may elect to submit in the Day-ahead Energy Market a form of Virtual Transaction that combines an offer to sell energy at a source, with a bid to buy the same megawatt quantity of energy at a sink where such transaction specifies the maximum difference between the Locational Marginal Prices at the source and sink. The Office of Interconnection will schedule these transactions only to the extent this difference in Locational Marginal Prices is within the maximum amount specified by the Market Participant. A Virtual Transaction of this type is referred to as an “Up-to Congestion Transaction.” Such Up-to Congestion Transactions may be wholly or partially scheduled depending on the price difference between the source and sink locations in the Day-ahead Energy Market. *The maximum difference between the source and sink prices that a participant may specify shall be limited to +/- \$50/MWh.* The foregoing price specification shall apply to the price difference between the specified source and sink in the day-ahead scheduling process only. An accepted Up-to Congestion Transaction results in scheduled injection at a specified source and scheduled withdrawal of the same megawatt quantity at a specified sink in the Day-ahead Energy Market. The source-sink paths on which an Up-to Congestion Transaction may be submitted are limited to those *paths posted on the PJM internet site and determined by the Office of the Interconnection using the following criteria:*

*Step 1: Start with the historic set of eligible nodes that were available as sources and sinks for interchange transactions on the PJM OASIS.*

*Step 2: Remove from the list of nodes described in Step 1 all load buses below 69 kV.*

*Step 3: Remove from the resulting set of nodes from Step 2 all generator buses at which no generators of 100 megawatts or more are connected.*

*Step 4: Remove from the results of Step 3 all electrically equivalent nodes.*

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation,

Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

- i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.
- ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.
- iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.
- iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region. The foregoing offers:

- i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;
- ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;
- iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;
- iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;
- v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;
- vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;
- vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day; ~~and~~
- viii) Shall not exceed an energy offer price of \$1,000/megawatt-hour for all Generation Capacity Resources-; and
- ix) Shall not exceed an energy offer price of \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00, for all Economic Load Response Resources;
- x) Shall not exceed an offer price as follows for Emergency Load Response and Pre-Emergency Load Response participants with:

- a) a 30 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00;
- b) an approved 60 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus [the applicable Primary Reserve Penalty Factor divided by 2]; and
- c) an approved 120 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provisions of Schedule 6 of the RAA, \$1,100/megawatt-hour.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed \$100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

- i. The costs (in \$/MW) of the fuel cost increase due to the steady-state heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation shall apply to the capability offer;
- ii. The cost increase (in \$/ΔMW) in costs associated with movement of the regulation resource incurred from the provision of Regulation shall apply to the performance offer; and
- iii. An adder of up to \$12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding

forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Virtual Transactions that apply to the Day-ahead Energy Market only. Such Virtual Transactions must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of a defined number of bid/offer segments in the Day-ahead Energy Market, as specified in the PJM Manuals, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Offer or Decrement Bid. For purposes of applying this provision to an Up-to Congestion Transaction, a bid/offer segment shall refer to the pairing of a source and sink designation, as well as price and megawatt quantity, that comprise each Up-to Congestion Transaction.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts; (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load, subject to section 1.10.1A(d)(ix); and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be

committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or that offered and cleared in a Base Residual Auction or Incremental Auction, may submit demand reduction bids for the available load reduction capability of the Demand Resource. The submission of demand reduction bids for Demand Resource increments that were not committed in an FRR Capacity Plan, or that have not cleared in a Base Residual Auction or Incremental Auction, shall be optional, but any such bids must contain the information required to be included in such bids, as specified in the PJM Economic Load Response Program. A Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or offered and cleared in a Base Residual Auction or Incremental Auction, may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program; provided, however, that in the event of an Emergency PJM shall require Demand Resources to reduce load, notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

### **1.10.2 Pool-scheduled Resources.**

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, whether the resource is expected to be needed to maintain system reliability during the Operating Day, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by

Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

### **1.10.3 Self-scheduled Resources.**

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

#### **1.10.4 Capacity Resources.**

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

#### **1.10.5 External Resources.**

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled

resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

#### **1.10.6 External Market Buyers.**

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

#### **1.10.6A Transmission Loading Relief Customers.**

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

- (i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

- (ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

### **1.10.7 Bilateral Transactions.**

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

### **1.10.8 Office of the Interconnection Responsibilities.**

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission

constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively. The foregoing notwithstanding, the deadlines set forth in this subsection shall not apply if the Office of the Interconnection is unable to obtain Market Participant bid/offer data due to extraordinary circumstances. For purposes of this subsection, extraordinary circumstances shall mean a technical malfunction that limits, prohibits or otherwise interferes with the ability of the Office of the Interconnection to obtain Market Participant bid/offer data prior to 11:59 p.m. on the day before the affected Operating Day. Extraordinary circumstances do not include a Market Participant's inability to submit bid/offer data to the Office of the Interconnection. If the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day as a result of such extraordinary circumstances, the Office of the Interconnection shall notify Members as soon as practicable.

(c) Following posting of the information specified in Section 1.10.8(b), and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule. Notwithstanding the foregoing, if the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day due to extraordinary circumstances as described in subsection (b) above, no settlements shall be made for the Day-ahead Energy Market, no scheduled megawatt quantities shall be established, and no Day-ahead Prices shall be established for that Operating Day. Rather, for purposes of settlements for such Operating Day, the Office of the Interconnection shall utilize a scheduled megawatt quantity and price of zero and all settlements,

including Financial Transmission Right Target Allocations, will be based on the real-time quantities and prices as determined pursuant to Sections 2.4 and 2.5 hereof.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market. After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

### **1.10.9 Hourly Scheduling.**

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, a generation rebidding period shall exist. Typically the rebidding period shall be from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. However, should the clearing of the Day-ahead Energy Market be significantly delayed, the Office of the Interconnection may establish a revised rebidding period. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy

Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

- i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;
- ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or
- iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or
- iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

## 2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants, Pre-Emergency Load Response participants and Emergency Load Response pParticipants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response and Pre-Emergency Load Response pParticipants in the Real-time Energy Market. ~~Offers of Full Program Option resources in the Emergency Load Response Program are eligible to set real time Locational Marginal Prices when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region.~~

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the

next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage (“false positives”) by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

**8. PJM EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**

## **8.1 Emergency Load Response and Pre-Emergency Load Response Program Options**

The Emergency Load Response Program and Pre-Emergency Load Response Program are designed to provide a method by which end-use customers may be compensated by PJM for reducing load immediately prior to an anticipated emergency event (“pre-emergency event”) or during an emergency event. As used in the Emergency Load Response Program and Pre-Emergency Load Response Program, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program and Pre-Emergency Load Response Program:

- ◆ Full Program Option

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during a pre-emergency or emergency event, and (ii) a capacity payment for load reductions during a pre-emergency event or emergency event measured as set forth in the Reporting and Compliance provisions below.

- ◆ Energy Only Option

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

## 8.2 Participant Qualifications

Two primary types of distributed resources are candidates to participate in ~~either of the two options provided by~~ the PJM Emergency Load Response Program and Pre-Emergency Load Response Program:

### On Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

### Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

~~PJM membership is required to participate in either of the two options provided by the Emergency Load Response Program. Only~~ Members or Special Members may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response and Pre-Emergency Load Response Program provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member or Special Member may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program on behalf of as a third party for non-members, ~~in which case the third party will be referred to~~ as the Curtailment Service Provider ~~(CSP)~~. All payments are made to the PJM Member or Special Member in such case. Participants Curtailment Service Providers must become signatories to the PJM Operating Agreement, as described in the *PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.* However, for ~~the s~~Special ~~m~~Members the \$5,000 annual member fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications.

Special Members are limited to be PJM market sellers;  
Voting privileges and sector designation are waived;  
Thirty day notice for waiting period is waived;  
Requirement for 24/7 control center coverage is waived;  
No PJM-supported user group capability is permitted.

To participate in ~~either of the two options provided by~~ the Emergency Load Response Program and Pre-Emergency Load Response Program, the ~~distributed~~ Demand ~~r~~Resource must:

Be capable of reducing at least 100 kW of load;

Be capable of receiving ~~PJM~~-notification of a Load Management event~~to participate~~  
~~during emergency conditions.~~

### **8.3 Metering Requirements**

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program and Pre-Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Program and Pre-Emergency Load Response Program Participants must meter reductions in demand by using either of the following two methods:

(a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or

(b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Providers and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

(a) Metering equipment used for retail electric service;

(b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM in accordance with the requirements herein and in the PJM Manuals; or

(c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

## 8.4 Registration

1. ~~Participants~~Curtailment Service Providers must complete the applicable PJM ~~Emergency~~ Load Response Program Registration Form (“~~Emergency~~ Registration Form”) that is posted on the PJM website (www.pjm.com) for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company ten business day review period, as described herein, ~~participants~~Curtailment Service Providers should submit completed ~~PJM Emergency Load Response Program~~ Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31<sup>st</sup> preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed ~~PJM Emergency Load Response Program~~ Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or the Office of the Interconnection because of incorrect data on the ~~PJM Emergency Load Response Program~~ Registration Form, such registration may be resubmitted by the ~~participant~~Curtailment Service Provider before May 31<sup>st</sup> preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company has verified the registration on or before May 31<sup>st</sup> preceding the relevant Delivery Year. Incomplete ~~PJM Emergency Load Response Program~~ Registration Forms will be rejected by the Office of the Interconnection; ~~participants~~Curtailment Service Providers may not resubmit registrations that were rejected for being incomplete unless ~~participants~~they are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The ~~participant~~Curtailment Service Provider completes the ~~Emergency~~ Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response or Pre-Emergency Load Response Program ~~p~~Participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response Program ~~p~~Participant's registration and request verification as to whether the load that may be reduced is subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs pursuant to the process described below. The electric distribution company *has* ten business days to respond. An electric distribution company which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an

opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting ~~and/or~~ conditioning the end-use customer's participation.

- i. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31<sup>st</sup> preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

~~(1) — Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

- b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response and Pre-Emergency Load Response Program requirements.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response pParticipant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The ParticipantCurtailment Service Provider completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response and Pre-Emergency Load Response pParticipant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response pParticipant's registration and request verification as to whether the load that may be reduced is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company *has* ten business days to respond. If the electric distribution company verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company asserts has been satisfied) to participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, then the electric distribution company must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be

subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

~~(1) Except that, pursuant to all other PJM Tariff and PJM Manual provisions, PJM will allow participation of all end-use customers registered by Curtailment Service Providers to fulfill Curtailment Service Providers' Demand Resource obligations that were cleared in the Reliability Pricing Model Auctions prior to August 28, 2009.~~

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response and Pre-Emergency Load Response Program requirements, including the registration section, the Emergency Load Response and Pre-Emergency Load Response participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response and Pre-Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM will inform ~~s~~ the requesting ~~participant~~ Curtailment Service Provider of acceptance into the Emergency Load Response Program and Pre-Emergency Load Response Program and ~~notifies~~ the appropriate electric distribution company of the requesting ~~participant's~~ Curtailment Service Provider's acceptance into the program or notifies the requesting Curtailment Service Provider ~~participant~~ and appropriate electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

## 8.5 Pre-Emergency Operations

All participants in the Emergency Load Response Program shall be subject to the pre-emergency procedures herein, unless the participant can demonstrate it: (1) relies on Behind the Meter generation to fulfill its load reduction obligations; and (2) it has environmental restrictions on when it can operate such that it is only permitted to operate if PJM is in emergency conditions, in which case the participant shall be subject to the emergency operation procedures contained in Section 8.6. In such case, the Curtailment Service Provider shall submit a request for the relevant Demand Resource(s) to be an emergency (versus pre-emergency) Demand Resource to the Office of the Interconnection, at the time the Registration Form is submitted in accordance with this Agreement. A Curtailment Service Provider shall not submit a request for an exception unless it has done its due diligence to confirm that the Demand Resource meets the requirements referenced herein and has obtained from the end-use customer documentation supporting the exception request. The Curtailment Service Provider shall provide the Office of the Interconnection with a copy of such supporting documentation within three (3) business days of a request therefor. Failure to provide such supporting documentation by the deadline shall result in the Demand Resource being subject to the pre-emergency procedures herein.

PJM will initiate a pre-emergency event prior to the declaration of a Maximum Generation Emergency or an emergency event when practicable. A pre-emergency event is implemented when economic resources are not adequate to serve load and maintain reserves or maintain system reliability, and prior to proceeding into emergency procedures. Understanding the primary responsibility of the Office of the Interconnection to maintain system security, the Office of the Interconnection will strive to exhaust, but it is not obligated to exhaust, all economic resources prior to initiating a pre-emergency event. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the pre-emergency event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the pre-emergency event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Pre-Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented pre-emergency procedures and such resources are required to reduce demand in the PJM Region and as

described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailed Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, and comply with operational procedures, as described in detail in the PJM Manuals.

## **8.6 Emergency Operations**

PJM will initiate the ~~notification of request for~~ a Load Management event coincident with the declaration of Maximum ~~Emergency~~ Generation ~~emergency and prior to the implementation of~~ ~~Load Management Steps 1 and 2~~. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) ~~A Load Management event#~~ is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time ~~Locational Marginal Prices~~ ("LMP") when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailment Service Providers with resources registered to participate~~Participants~~ in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the *PJM Manual for Emergency Operations*.

## **8.7 Verification**

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the Load Management event. If the data are not received within 60 days, no payment for participation ~~is~~shall be provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction.

These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the ~~EDC~~Electric distribution company upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

## **8.8 Market Settlements**

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is ~~one~~**two** hours. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJM Settlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured energy load reduction adjusted for losses times the applicable LMP. The measured energy load reduction for locations with approved Economic Load Response registrations prior to emergency energy settlement submission will use the associated economic CBL to determine the energy load reduction unless the locations on the Emergency Load Response registration are not the same locations as those included on the Economic Load Response registration. If, at the time that an emergency event is initiated by PJM, an end-use customer is already responding economically (i.e., pursuant to the Economic Load Response rules) and economic CBL is based on Symmetric Additive Adjustment, then the CBL calculated based on the Symmetric Additive Adjustment period prior to the economic event will be used. Locations that do not have an approved Economic Load Response registration prior to submission of emergency energy settlement by the **Curtailment Service Provider**~~CSP~~ will use the measured load the hour before the load reduction as the CBL to determine the energy load reduction.

If, however, the sum of the hourly energy payments to a **Curtailment Service Provider with a Demand Resource**~~participant~~ dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price and shut down costs) then the **Curtailment Service Provider**~~participant~~ will be made whole up to the offer value for its actual, achieved reductions for the Demand Resource.

Locations on Economic Load Response registrations dispatched in the Real-time Energy Market or cleared in the Day-ahead Energy Market that are also included on an Emergency Load Response **and Pre-Emergency Load Response** registration as Full Program Option, and that have also been dispatched as part of an emergency event for the same hour (i.e., have an “overlapping dispatch hour”) will be compensated for energy based on emergency energy settlement and cost allocation rules as set forth in this section and in the PJM Manuals. Overlapping dispatch hours will use shutdown costs based on what was considered for the economic event, and no balancing Operating Reserve charges will be assessed for deviations from ~~r~~**Real-time** dispatch amounts or from cleared ~~d~~**Day-ahead** commitments. To avoid duplicative energy payments, overlapping dispatch hours for an aggregate registration (i.e., multiple locations on the same registration) or dispatch groups where locations on the Emergency Load Response **and Pre-Emergency Load**

Response registration are not the same locations as those on the Economic Load Response registration will have hourly economic energy load reduction and/or hourly emergency energy load reduction prorated based on load reduction capability provided by the Curtailment Service Provider CSP for the locations.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the Real-time Energy Market compared to the Day-ahead Energy Market. Consistent with this pricing methodology, all charges under the Emergency Load Response and Pre-Emergency Load Response Programs are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real-time.

Emergency Load Response and Pre-Emergency Load Response Program charges and credits will appear on the PJM Members monthly bill, as described in the *PJM Manual for Operating Agreement Accounting* and the *PJM Manual for Billing*.

## **8.9 Reporting and Compliance**

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response, Pre-Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during a pre-emergency or emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

- i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if PJM the Office of the Interconnection did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load (“Load”) and then multiplied by the loss factor (“LF”) or (b) the current Delivery Year peak load contribution (“PLC”) minus the metered load multiplied by the loss factor (“LF”). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

Minimum of {(comparison load – Load) \* LF, PLC – (Load \* LF)}

Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

- ◆ Comparable Day
- ◆ Same Day
- ◆ Customer Baseline
- ◆ Regression Analysis
- ◆ Generation

Each of these methodologies is described in greater detail in Manual M-19, *PJM Manual for Load Forecasting and Analysis*, at Attachment A: Load Drop Estimate Guidelines.

- ii) For Firm Service Level end-use customers the current Delivery Year ~~peak-load contribution~~ (“PLC”) minus the ~~metered load~~ (“Load”) multiplied by the ~~loss factor~~ (“LF”). The calculation is represented by:

$$PLC - (Load * LF)$$

The capacity compliance of Load Management resources that are registered as Emergency Load Response and Pre-Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Emergency Load Response and Pre-Emergency Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies pursuant to section 1.5A.3 of PJM’s EconomicEmergency Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies assert prohibit or condition retail participation in PJM’s Emergency Load Response and Pre-Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies.

## **8.10 Non-Hourly Metered Customer Pilot**

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection (“Pilot Period”). Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

### **8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response and Pre-Emergency Load Response Programs that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response and Pre-Emergency Load Response Participant aggregations shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company ;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and
- v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.
- vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

Section(s) of the  
PJM Reliability Assurance Agreement

(Marked / Redline Format)

## **ARTICLE 1 – DEFINITIONS**

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

### **1.1 Agreement**

Agreement shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

### **1.1A Annual Demand Resource**

Annual Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

### **1.2 Applicable Regional Entity**

Applicable Regional Entity shall have the same meaning as in the PJM Tariff.

### **1.3 Base Residual Auction**

Base Residual Auction shall have the same meaning as in Attachment DD to the PJM Tariff.

### **1.4 Behind The Meter Generation**

Behind The Meter Generation shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit's capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

## **1.5 Black Start Capability**

Black Start Capability shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

## **1.6 Capacity Emergency Transfer Objective (“CETO”)**

Capacity Emergency Transfer Objective (“CETO”) shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Paragraph C of Schedule 5.

## **1.7 Capacity Emergency Transmission Limit (“CETL”)**

Capacity Emergency Transmission Limit (“CETL”) shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

### **1.7A Capacity Import Limit**

*Capacity Import Limit shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transmission Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions.*

*PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:*

*(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;*

*(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and*

*(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by section 6.6 of Attachment DD of the PJM Tariff to offer their capacity into RPM Auctions;*

*provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.*

## **1.8 Capacity Resources**

Capacity Resources shall mean megawatts of (i) net capacity from existing or Planned Generation Capacity Resources meeting the requirements of Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under this Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from existing or Planned Generation Capacity Resources within the PJM Region not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in Schedules 9 and 10; and (iii) load reduction

capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in Schedule 6.

### **1.9 Capacity Transfer Right**

Capacity Transfer Right shall have the meaning specified in Attachment DD to the PJM Tariff.

### **1.10 Control Area**

Control Area shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

- (a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);
- (b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;
- (c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;
- (d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and
- (e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

### **1.11 Daily Unforced Capacity Obligation**

Daily Unforced Capacity Obligation shall have the meaning set forth in Schedule 8 or, as to an FRR Entity, in Schedule 8.1.

### **1.12 Delivery Year**

Delivery Year shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Attachment DD to the Tariff or pursuant to an FRR Capacity Plan.

### **1.13 Demand Resource**

Demand Resource or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource with a demonstrated capability to provide a

reduction in demand or otherwise control load in accordance with the requirements of Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan. As set forth in Schedule 6, a Limited Demand Resource, Extended Summer Demand Resource or Annual Demand Resource may be an existing demand response resource or a Planned Demand Resource.

### **1.13A Demand Resource Officer Certification Form**

Demand Resource Officer Certification Form shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with Schedules 6 and 8.1 of this Agreement and the PJM Manuals.

### **1.14 ~~Demand Resource Provider~~[Reserved for Future Use]**

~~Demand Resource Provider shall have the meaning specified in Attachment DD to the PJM Tariff.~~

### **1.14A Demand Resource Sell Offer Plan**

Demand Resource Sell Offer Plan shall mean the plan required by Schedules 6 and 8.1 of this Agreement in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

### **1.15 DR Factor**

DR Factor shall mean that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with Schedule 6.

### **1.16 [Reserved for Future Use]**

### **1.17 Electric Cooperative**

Electric Cooperative shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

### **1.18 Electric Distributor**

Electric Distributor shall mean an entity that owns or leases with rights equivalent to ownership electric distribution facilities that are providing electric distribution service to electric load within the PJM Region.

### **1.19 Emergency**

Emergency shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of system elements that could adversely affect the reliability of an electric system or the

safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

## **1.20 End-Use Customer**

End-Use Customer shall mean a Member that is a retail end-user of electricity within the PJM Region.

### **1.20A Energy Efficiency Resource**

Energy Efficiency Resource shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

#### **1.20A.1 Existing Demand Resource**

Existing Demand Resource shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

#### **1.20B Existing Generation Capacity Resource**

Existing Generation Capacity Resource shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. Notwithstanding the foregoing, a Generation Capacity Resource for which construction has not commenced and which would otherwise have been treated as a Planned Generation Capacity Resource but for the fact that it was bid into RPM Auctions for at least two consecutive Delivery Years, and cleared the last such auction only because it was considered existing and its mitigated offer cap was accepted when its price offer would not have otherwise been accepted, shall be deemed to be a Planned Generation Capacity Resource. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be

deemed to be an Existing Generation Capacity Resource until such time as those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

### **1.20C Extended Summer Demand Resource**

Extended Summer Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

### **1.21 Facilities Study Agreement**

Facilities Study Agreement shall have the same meaning as in the PJM Tariff

### **1.22 FERC**

FERC shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department.

### **1.23 Firm Point-To-Point Transmission Service**

Firm Point-To-Point Transmission Service shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

### **1.24 Firm Transmission Service**

Firm Transmission Service shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

### **1.25 Fixed Resource Requirement Alternative or FRR Alternative**

Fixed Resource Requirement Alternative or FRR Alternative shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in Schedule 8.1 to this Agreement.

### **1.26 Forecast Pool Requirement**

Forecast Pool Requirement or FPR shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Agreement, as approved by the PJM Board pursuant to Schedule 4.1.

**1.27 [Reserved]**

**1.28 [Reserved]**

**1.29 FRR Capacity Plan**

FRR Capacity Plan shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in Schedule 8.1 to this Agreement.

**1.30 FRR Entity**

FRR Entity shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

**1.31 FRR Service Area**

FRR Service Area shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

**1.32 Full Requirements Service**

Full Requirements Service shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

**1.33 Generation Capacity Resource**

Generation Capacity Resource shall mean a generation unit, or the right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

#### **1.34 Generation Owner**

Generation Owner shall mean a Member that owns or leases with rights equivalent to ownership facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

#### **1.35 Generator Forced Outage**

Generator Forced Outage shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

#### **1.36 Generator Maintenance Outage**

Generator Maintenance Outage shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

#### **1.37 Generator Planned Outage**

Generator Planned Outage shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

#### **1.38 Good Utility Practice**

Good Utility Practice shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region.

#### **1.39 [Reserved]**

#### **1.40 Incremental Auction**

Incremental Auction shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction, each as defined in Attachment DD to the PJM Tariff.

#### **1.41 Interconnection Agreement**

Interconnection Agreement shall have the same meaning as in the PJM Tariff.

#### **1.42 [Reserved]**

#### **1.43 IOU**

IOU shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

#### **1.43A Limited Demand Resource**

Limited Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 times during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

#### **1.44 Load Serving Entity or LSE**

Load Serving Entity or LSE shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

#### **1.45 Locational Reliability Charge**

Locational Reliability Charge shall mean the charge determined pursuant to Schedule 8.

#### **1.46 Markets and Reliability Committee**

Markets and Reliability Committee shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

#### **1.46A Maximum Emergency Service Level**

Maximum Emergency Service Level or MESL of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

#### **1.47 Member**

Member shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with Article 4 of this Agreement, each Party to this Agreement also is a Member.

#### **1.48 Members Committee**

Members Committee shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

#### **1.49 NERC**

NERC shall mean the North American Electric Reliability Council or any successor thereto.

#### ***1.49A Network External Designated Transmission Service***

*Network External Designated Transmission Service shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.*

#### **1.50 Network Resources**

Network Resources shall have the meaning set forth in the PJM Tariff.

#### **1.51 Network Transmission Service**

Network Transmission Service shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff or transmission service

comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

#### **1.51A Nominal PRD Value**

Nominal PRD Value shall mean, as to any PRD Provider, an adjustment, determined in accordance with Schedule 6.1 of this Agreement, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

#### **1.52 Nominated Demand Resource Value**

Nominated Demand Resource Value shall have the meaning specified in Attachment DD to the PJM Tariff.

#### **1.53 [Reserved]**

#### **1.54 Non-Retail Behind the Meter Generation**

Non-Retail Behind the Meter Generation shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

#### **1.55 Obligation Peak Load**

Obligation Peak Load shall have the meaning specified in Schedule 8 of this Agreement.

#### **1.56 Office of the Interconnection**

Office of the Interconnection shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

#### **1.57 Operating Agreement of PJM Interconnection, L.L.C. or Operating Agreement**

Operating Agreement of PJM Interconnection, L.L.C. or Operating Agreement shall mean that certain agreement, dated April 1, 1997 and as amended and restated June 2, 1997 and as amended from time to time thereafter, among the members of the PJM Interconnection, L.L.C.

#### **1.58 Operating Reserve**

Operating Reserve shall mean the amount of generating capacity scheduled to be available for a specified period of an operating day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

### **1.59 Other Supplier**

Other Supplier shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

### **1.60 Partial Requirements Service**

Partial Requirements Service shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

### **1.61 Percentage Internal Resources Required**

Percentage Internal Resources Required shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

### **1.62 Party**

Party shall mean an entity bound by the terms of this Agreement.

### **1.63 PJM**

PJM shall mean the PJM Board and the Office of the Interconnection.

### **1.64 PJM Board**

PJM Board shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

### **1.65 PJM Manuals**

PJM Manuals shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

### **1.66 PJM Open Access Transmission Tariff or PJM Tariff**

PJM Open Access Transmission Tariff or PJM Tariff shall mean the tariff for transmission service within the PJM Region, as in effect from time to time, including any schedules, appendices, or exhibits attached thereto.

### **1.67 PJM Region**

PJM Region shall have the same meaning as provided in the Operating Agreement.

### **1.68 PJM Region Installed Reserve Margin**

PJM Region Installed Reserve Margin shall mean the percent installed reserve margin for the PJM Region required pursuant to this Agreement, as approved by the PJM Board pursuant to Schedule 4.1.

### **1.69 Planned Demand Resource**

Planned Demand Resource shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Schedule 6. As set forth in Schedules 6 and 8.1 of this Agreement, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

### **1.69A Planned External Generation Capacity Resource**

Planned External Generation Capacity Resource shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource's commitment to the PJM Region. Prior to participation in any Reliability Pricing Model Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has executed an interconnection agreement (functionally equivalent to a System Impact Study Agreement under the PJM Tariff for Base Residual Auction and an Interconnection Service Agreement under the PJM Tariff for Incremental Auction) with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and if applicable the transmission provider. A Planned External Generation Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. An External Generation Capacity Resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM

Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

### **1.70 Planned Generation Capacity Resource**

Planned Generation Capacity Resource shall mean a Generation Capacity Resource participating in the generation interconnection process under Part IV, Subpart A of the PJM Tariff, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Plan; (ii) a System Impact Study Agreement has been executed prior to the Base Residual Auction for such Delivery Year; (iii) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (iv) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years. Notwithstanding the foregoing, a Generation Capacity Resource for which construction has not commenced and which would otherwise have been treated as a Planned Generation Capacity Resource but for the fact that it was bid into RPM Auctions for at least two consecutive Delivery Years, and cleared the last such auction only because it was considered existing and its mitigated offer cap was accepted when its price offer would not have otherwise been accepted, shall be deemed to be a Planned Generation Capacity Resource.

### **1.71 Planning Period**

Planning Period shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

#### **1.71A PRD Curve**

PRD Curve shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

#### **1.71B PRD Provider**

PRD Provider shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

#### **1.71C PRD Provider's Zonal Expected Peak Load Value of PRD**

PRD Provider's Zonal Expected Peak Load Value of PRD shall mean the expected contribution to Delivery Year peak load of a PRD Provider's Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use customers comprising such Price Responsive Demand to the most recent prior Delivery Year's peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection's load forecasts used for purposes of the RPM Auctions.

#### **1.71D PRD Reservation Price**

PRD Reservation Price shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

#### **1.71E PRD Substation**

PRD Substation shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

#### **1.71F Price Responsive Demand**

Price Responsive Demand or PRD shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

#### **1.71G Price Responsive Demand Credit**

Price Responsive Demand Credit shall mean a credit, based on committed Price Responsive Demand, as determined under Schedule 6.1 of this Agreement.

#### **1.71H Price Responsive Demand Plan or PRD Plan**

Price Responsive Demand Plan or PRD Plan shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Schedule 6.1 of this Agreement and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider's Nominal PRD Value.

### **1.72 Public Power Entity**

Public Power Entity shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

### **1.73 Qualifying Transmission Upgrades**

Qualifying Transmission Upgrades shall have the meaning specified in Attachment DD to the PJM Tariff.

### **1.74 [Reserved for Future Use]**

### **1.74A Relevant Electric Retail Regulatory Authority**

Relevant Electric Retail Regulatory Authority or RERRA shall have the meaning specified in the PJM Operating Agreement.

### **1.75 Reliability Principles and Standards**

Reliability Principles and Standards shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

### **1.76 Required Approvals**

Required Approvals shall mean all of the approvals required for this Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of this Agreement.

### **1.77 Self-Supply**

Self Supply shall have the meaning provided in Attachment DD to the PJM Tariff.

### **1.78 [Reserved for Future Use]**

### **1.79 [Reserved for Future Use]**

### **1.80 State Consumer Advocate**

State Consumer Advocate shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia

established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

### **1.81 State Regulatory Structural Change**

State Regulatory Structural Change shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party's default service rules that materially affect whether retail choice is economically viable.

#### **1.81A Supervisory Control**

Supervisory Control shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of this Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

### **1.82 Threshold Quantity**

Threshold Quantity shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity's Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Schedule 8.1).

### **1.83 Transmission Facilities**

Transmission Facilities shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii)

have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

#### **1.84 Transmission Owner**

Transmission Owner shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

#### **1.85 Transmission Owners Agreement**

Transmission Owners Agreement shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

#### **1.86 Unforced Capacity**

Unforced Capacity shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

#### **1.87 [Reserved for Future Use]**

#### **1.88 Zonal Capacity Price**

Zonal Capacity Price shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

#### **1.89 Zone or Zonal**

Zone or Zonal shall refer to an area within the PJM Region, as set forth in Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

## SCHEDULE 6

### PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Direct Load Control, as further specified in section G and the PJM Manuals. Qualified Demand Resources may be provided by a ~~Demand Resource~~Curtailment Service Provider, notwithstanding that such ~~Demand Resource~~Curtailment Service Provider is not a Party to this Agreement. Such ~~Demand Resource~~Curtailment Service Providers must satisfy the requirements ~~in section H~~hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and ~~paragraph~~section F of this schedule~~hereof~~, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource or an Annual Demand Resource.

2. ~~A period of no more than 2 hours prior notification must apply to interruptible customers.~~A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment

Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers which collectively cannot be notified of a Load Management event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load ~~interruption~~reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered an pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A ~~Demand Resource~~Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such ~~Demand Resource~~Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the ~~Demand Resource~~Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A ~~Demand Resource~~Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response P~~ro~~gram and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value

in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- if applicable, Direct Load Control (DLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial,

medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified

in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the ~~Demand Resource~~Curtailment Service Provider

shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or ~~Demand Resource~~Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM ~~measures recognizes three types of~~ Demand Resources in the following three ways:
- Direct Load Control (DLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for DLC programs. Each Curtailment Service Provider relying on DLC load management must

periodically update its DLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

~~For each type of Demand Resource above there can be two notification periods:~~

~~Step 1 (Short Lead Time) – Demand Resource which must be fully implemented in one hour or less from the time the PJM dispatcher notifies the market operations center of a curtailment event.~~

~~Step 2 (Long Lead Time) – Demand Resource which requires more than one hour but no more than two hours, from the time the PJM dispatcher notifies the market operations center of a curtailment event, to be fully implemented.~~

- H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company~~EDC~~ to provide) the following requirements:
- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
  - ~~S~~supplemental status reports, detailing Demand Resources available, as requested by PJM;
  - Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
  - Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
  - Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.
- I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer’s contract with the [Curtailment Service](#) Provider. The maximum credit nominated shall not exceed the customer’s Peak Load Contribution.

The Nominated Value for a Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the [Curtailment Service](#) Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, LSE contact information, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. [Curtailment Service](#) Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the [Curtailment Service](#) Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

For Direct Load Control programs, the [Curtailment Service](#) Provider must provide information detailing the number of active participants in each program. Other information on approved DLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the [Curtailment Service](#) Provider’s Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance

reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

Compliance for Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for FSL, by comparing actual load during the event to the firm service level. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for GLD, and will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (iii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management event for non-interval metered DLC programs. Compliance is averaged over the full hours of a Load Management event, for each FSL and GLD customer or DLC program dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., "partial dispatch compliance hour". The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manual. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data

shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and DLC programs to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described herein) reduction in electric energy consumption at the End-Use Customer's ~~R~~etail ~~S~~ite that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.
2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value, which shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday. The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.
3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the

applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. The Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.
5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

## SCHEDULE 6.1

### **PRICE RESPONSIVE DEMAND**

A. As more fully set forth in this Schedule 6.1 and the PJM Manuals, for any Delivery Year beginning on or after June 1, 2015 (subject to a transition plan, as set forth below), any PRD Provider, including any FRR Entity, may commit that certain loads identified by such PRD Provider shall not exceed a specified demand level at specified prices during Maximum Generation Emergencies, as a consequence of the implementation of Price Responsive Demand. Based on information provided by the PRD Provider in a PRD Plan (and, to the extent such plan identifies a PRD Reservation Price, based on the clearing price in the Base Residual Auction or Third Incremental Auction, as applicable), the Office of the Interconnection shall determine the Nominal PRD Value for the specified loads identified by such PRD Provider by Zone (or sub-Zonal LDA, if applicable). The Office of the Interconnection shall adjust the PJM Region Reliability Requirement and LDA Reliability Requirements, as applicable, to reflect committed PRD. Actual PRD reductions in response to price shall be added back in determining peak load contributions. Any PRD Provider that fails fully to honor its PRD commitments for a Delivery Year shall be assessed compliance charges.

B. End-use customer loads identified in a PRD Plan or PRD registration for a Delivery Year as Price Responsive Demand may not, for such Delivery Year, (i) be registered as Economic Load Response, Pre-Emergency Load Response or Emergency Load Response; (ii) be used as the basis of any Demand Resource Sell Offer or Energy Efficiency Resource Sell Offer in any RPM Auction; or (iii) be identified in a PRD Plan or PRD registration of any other PRD Provider.

C. Any PRD Provider seeking to commit PRD hereunder for a Delivery Year must submit to the Office of the Interconnection a PRD Plan identifying and supporting the Nominal PRD Value (calculated as the difference between the PRD Provider's Zonal Expected Peak Load Value of PRD and the Maximum Emergency Service Level of Price Responsive Demand) for each Zone (or sub-Zonal LDA, if applicable) for which such PRD is committed; such information shall be provided on a PRD Substation level to the extent available at the time the PRD Plan is submitted. Such plan must be submitted no later than the January 15 last preceding the Base Residual Auction for the Delivery Year for which such PRD is committed; any submitted plan that does not contain, by such January 15, all information required hereunder shall be rejected. A PRD Provider may submit a PRD Plan, or a modified PRD Plan, by the January 15 last preceding the Third Incremental Auction for such Delivery Year requesting approval of additional Price Responsive Demand but only in the event, and to the extent, that the final peak load forecast for the relevant LDA for such Delivery Year exceeds the preliminary peak load forecast for such LDA and Delivery Year. The Office of the Interconnection shall revise such requests (as adjusted, to the extent a PRD Reservation Price is specified, for the results of the Third Incremental Auction) for additional Price Responsive Demand downward, in accordance with rules in the PJM Manuals, if the submitted requests (as adjusted) in the aggregate exceed the increase in the load forecast in the LDA modeled. The Office of the Interconnection shall advise the PRD Provider, following the Third Incremental Auction, of its acceptance of, or any downward adjustment to, the Nominal PRD Value based on its review of the PRD Plan and the

results of the auction. Approval of the PRD Plan by the Office of the Interconnection shall establish a firm commitment by the PRD Provider to the specified Nominal PRD Value of Price Responsive Demand at each Zone (or sub-Zonal LDA, if applicable) during the relevant Delivery Year (subject to any PRD Reservation Price), and may not be uncommitted or replaced by any Capacity Resource. Although the PRD Plan may include reasonably supported forecasts and expectations concerning the development of Price Responsive Demand for a Delivery Year, the PRD Provider's commitment to a Nominal PRD Value for such Delivery Year shall not depend or be conditioned upon realization of such forecasts or expectations.

D. All submitted PRD Plans must comply with the requirements and criteria in the PJM Manuals for such plans, including assumptions and standards specified in the PJM Manuals for estimates of expected load levels. The PRD Plan shall explain and justify the methods used to determine the Nominal PRD Value. All assumptions and relevant variables affecting the Nominal PRD Value must be clearly stated. The PRD Plan must include sufficient data to allow a third party to audit the procedures and verify the Nominal PRD Value. Any non-compliance with a Nominal PRD Value for a prior Delivery Year shall be identified and taken into account. In addition, each submitted PRD Plan must include:

(i) documentation, in the form specified in the PJM Manuals, that: (1) where the PRD Provider is a Load Serving Entity, the Relevant Electric Retail Regulatory Authority has provided any required approval (including conditional approval, but only if the Load Serving Entity asserts that all such conditions have been satisfied) of such Load Serving Entity's time-varying retail rate structure and, regardless of whether RERRA approval is required, that such rate structure adheres to PRD implementation standards specified in the PJM Manuals; and (2) where the PRD Provider is not a Load Serving Entity, such PRD Provider has in place contractual arrangements with the relevant end-use customers establishing a time-varying retail rate structure that conforms to any RERRA requirements, and adheres to PRD implementation standards specified in the PJM Manuals; in such cases, the PRD Provider shall provide the Office of the Interconnection copies of its applicable contracts with end-use customers (including any proposed contracts) within ten business days after a request for such contracts, or its PRD Plan shall be rejected;

(ii) the expected peak load value that would apply, absent load reductions in response to price, to the end-use customer loads at a PRD Substation level, including applicable peak-load contribution data for such customers, to the extent available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(iii) the Maximum Emergency Service Level of the identified load given the load's price-responsive characteristics, at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(iv) Price-consumption curves ("PRD Curves") at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level that detail the base consumption level of the identified loads; and the decreasing consumption levels at increasing prices, provided that all identified load reductions must be capable of full implementation within 15 minutes of declaration of a Maximum Generation Emergency by the Office of the Interconnection, and

provided further that the specified prices may not exceed the maximum energy offer price cap under the PJM Tariff and Operating Agreement;

(v) the estimated Nominal PRD Value of the Price Responsive Demand at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(vi) specifications of equipment used to satisfy the advanced metering and Supervisory Control criteria for eligible Price Responsive Demand, including a timeline and milestones demonstrating that such equipment shall be available and operational for the start of the relevant Delivery Year. Such equipment shall comply with applicable RERRA requirements and shall be designed to meet all PRD requirements, including, without limitation, meter reading requirements and Supervisory Control requirements, specified in the PJM Manuals. The PRD Provider shall demonstrate in the PRD Plan that the Supervisory Control equipment enables an automated load response by Price Responsive Demand to the price trigger; provided, however, that the PRD Provider may request in the PRD Plan an exception to the automation requirement for any individual registered end-use customer that is located at a single site and that has Supervisory Control over processes by which load reduction would be accomplished; and provided further that nothing herein relieves such end-use customer of the obligation to respond within 15 minutes to declaration of a Maximum Generation Emergency in accordance with applicable PRD Curves. In addition to the above requirements and those in the PJM Manuals for metering equipment and associated data, metering equipment shall provide integrated hourly kWh values on an electric distribution company account basis and shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers). The installed metering equipment must be that used for retail electric service; or metering equipment owned by the end-use customer or PRD Provider that is approved by PJM and either read electronically by PJM or read by the customer or PRD Provider and forwarded to PJM, in either case in accordance with requirements set forth in the PJM Manuals; and

(vii) any RPM Auction clearing price below which the PRD Provider does not choose to commit PRD (“PRD Reservation Price”), specifying the relevant auction, Zone (or sub-Zonal LDA if applicable), and, if applicable, a range of up to ten pairs of PRD commitment levels and associated minimum RPM Auction clearing prices; provided however that the Office of the Interconnection may interpolate PRD commitment levels based on clearing prices between prices specified by the PRD Provider.

E. Each PRD Provider that commits Price Responsive Demand through an accepted PRD Plan must, no later than one day before the tenth business day prior to the start of the Delivery Year for which such PRD is committed, register with PJM, in the form and manner specified in the PJM Manuals, sufficient PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment. All information required in the PRD Plan to be at a PRD Substation level if available at the time of submission of the PRD Plan that was not provided at the time of submission of such plan must be provided with the registration. The PRD Provider shall also identify in the registration each individual end-use customer with a peak demand of 10 kW or greater included in such Price Responsive Demand, the peak demand of such customers, the Load Serving Entity responsible for serving such customers, and the Load Serving Entities responsible for serving the end-use customers not identified on an individual basis. PJM shall

provide notification of such PRD registrations to the applicable electric distribution company(ies) and load serving entity(ies). The PRD Provider shall maintain, and provide to the Office of the Interconnection upon request, an identification of all individual end-use customers with a peak load contribution of less than 10kW included in such Price Responsive Demand, and the peak load contribution of such customers. The PRD Provider must maintain its PRD Substation-level registration of PRD-eligible load at the level of its Zonal (or sub-zonal LDA, if applicable) Nominal PRD Value commitment during each day of the Delivery Year for which such commitment was made. The PRD Provider may change the end-use customer registered to meet the PRD Provider's commitment during the Delivery Year, but such PRD Provider must always in the aggregate register sufficient Price Responsive Demand to meet or exceed the Zonal (or sub-Zonal LDA, if applicable) committed Nominal PRD Value level. A PRD Provider must timely notify the Office of the Interconnection, in accordance with the PJM Manuals, of all changes in PRD registrations. Such notification must remove from the PRD Provider's registration(s) any end-use customer load that no longer meets the eligibility criteria for PRD, effective as of the first day that such end-use customer load is no longer PRD-eligible.

F. Each PRD Provider that is a Load Serving Entity shall be required to identify its committed Price Responsive Demand as price-sensitive demand at a PRD Substation level in the Day-Ahead and Real-Time Energy Markets. Each PRD Provider that is not a Load Serving Entity shall be required to identify its committed Price Responsive Demand as price-sensitive demand at a PRD Substation level in the Real-Time Energy Market. The most recent PRD Curve submitted by the PRD Provider in its PRD Plan or PRD registration shall be used for such purpose unless and until changed by the PRD Provider in accordance with the market rules of the Office of the Interconnection, provided that any changes to PRD Curves must be consistent with the PRD Provider's commitment of Price Responsive Demand hereunder.

G. The Obligation Peak Load of a Load Serving Entity that serves end-users registered as Price Responsive Demand in any Zone shall be as determined in Schedule 8 to this Agreement; provided, however, that such Load Serving Entity shall receive, for each day that an approved Price Response Demand registration is effective and applicable to such LSE's load, a Price Responsive Demand Credit for such registration during the Delivery Year, against the Locational Reliability Charge otherwise assessed upon such Load Serving Entity in such Zone for such day, determined as follows:

$$\text{LSE PRD Credit} = [(\text{Share of Zonal Nominal PRD Value committed in Base Residual Auction} * (\text{FZWNSP/FZPLDY}) * \text{Final Zonal RPM Scaling Factor} * \text{FPR} * \text{Final Zonal Capacity Price}) + (\text{Share of Zonal Nominal PRD Value committed in Third Incremental Auction} * (\text{FZWNSP/FZPLDY}) * \text{Final Zonal RPM Scaling Factor} * \text{FPR} * \text{Final Zonal Capacity Price} * \text{Third Incremental Auction Component of Final Zonal Capacity Price stated as a Percentage})]$$

Where:

Share of Zonal Nominal PRD Value Committed in Base Residual Auction = Nominal PRD Value for such registration/Total Zonal Nominal PRD Value of all Price Responsive Demand registered by the PRD Provider of such registration \*Zonal Nominal PRD Value committed in the Base Residual Auction by the PRD Provider of such registration .

Share of Zonal Nominal PRD Value Committed in Third Incremental Auction =  
Nominal PRD Value for such registration/Total Zonal Nominal PRD Value of all Price  
Responsive Demand registered by the PRD Provider of such registration \*Zonal Nominal  
PRD Value committed in the Third Incremental Auction by the PRD Provider of such  
registration.

FZPLDY = Final Zonal Peak Load Forecast for such Delivery Year; and

FZWNSP = Zonal Weather-Normalized Peak Load for the summer concluding prior to  
the commencement of such Delivery Year;

And where the PRD registration is associated with a sub-Zone, the Share of the Nominal PRD  
Value Committed in Base Residual Auction or Third Incremental Auction will be based on the  
Nominal PRD Values committed and registered in a sub-Zone. A Load Serving Entity will  
receive a LSE PRD Credit for each approved Price Responsive Demand registration that is  
effective and applicable to load served by such Load Serving Entity on a given day. The total  
daily credit to an LSE in a Zone shall be the sum of the credits received as a result of all  
approved registrations in the Zone for load served by such LSE on a given day.

H. A PRD Provider may transfer all or part of its PRD commitment for a Delivery Year in a  
Zone (or sub-Zonal LDA) to another PRD Provider for its use in the same Zone or sub-Zonal  
LDA, through notice of such transfer provided by both the transferor and transferee PRD  
Providers to the Office of the Interconnection in the form and manner specified in the PJM  
Manuals. From and after the effective date of such transfer, and to the extent of such transfer,  
the transferor PRD Provider shall be relieved of its PRD commitment and credit requirements,  
shall not be liable for PRD compliance charges, and shall not be entitled to a Price Responsive  
Demand Credit; and the transferee PRD Provider, to the extent of such transfer, shall assume  
such PRD commitment, credit requirements, and obligation for compliance charges and, if it is a  
Load Serving Entity, shall be entitled to a Price Responsive Demand Credit.

I. Any PRD Provider that commits Price Responsive Demand and does not register and  
maintain registration of sufficient PRD-eligible load, (including, without limitation, failing to  
install or maintain the required advanced metering or Supervisory Control facilities) in a Zone  
(or sub-Zonal LDA, if applicable) to satisfy in full its Nominal PRD Value commitment in such  
Zone (or sub-Zonal LDA) on each day of the Delivery Year for which such commitment is made  
shall be assessed a compliance charge for each day that the registered Price Responsive Demand  
is less than the committed Nominal PRD Value. Such daily penalty shall equal:

[MW Shortfall] \* [Forecast Pool Requirement] \* [(Weighted Final Zonal Capacity Price in  
\$/MW-day)

+ higher of (0.2 \* Weighted Final Zonal Capacity Price) or (\$20/MW-day)]

Where: MW Shortfall = Daily Nominal PRD Value committed in such PRD Provider's PRD  
Plan (including any permitted amendment to such plan) for the relevant Zone or sub-Zonal LDA  
– Daily Nominal PRD Value as a result of PRD registration for such Zone or sub-Zonal LDA;  
and

Weighted Final Zonal Capacity Price is the average of the Final Zonal Capacity Price and the  
price component of the Final Zonal Capacity Price attributable to the Third Incremental Auction,

weighted by the Nominal PRD Values committed by such PRD Provider in connection with the Base Residual Auction and those committed by such PRD Provider in connection with the Third Incremental Auction.

The MW Shortfall shall not be reduced through replacement of the Price Responsive Demand by any Capacity Resource or Excess Commitment Credits, provided, however, that the PRD Provider may register additional PRD-eligible end-use customer load to satisfy its PRD commitment.

J. PRD Providers shall be responsible for verifying the performance of their PRD loads during each maximum emergency event declared by the Office of the Interconnection. PRD Providers shall demonstrate that the identified PRD loads performed in accordance with the PRD Curves submitted at a PRD Substation level in the PRD Plan or PRD registration; provided, however, that the previously submitted MESL value shall be adjusted by a ratio equal to the amount by which the actual Zonal load during the declared event exceeded the PJM load forecast underlying the previously submitted MESL value. In accordance with procedures and deadlines specified in the PJM Manuals, the PRD Providers must submit actual customer load levels for all hours during the declared event and all other information reasonably required by the Office of the Interconnection to verify performance of the committed PRD loads.

K. If the identified loads submitted for a Zone (or sub-Zonal LDA) by a PRD Provider exceed during any Emergency the aggregate Maximum Emergency Service Level (“MESL”) specified in all PRD registrations of such PRD Provider that have a PRD Curve specifying a price at or below the highest Real-time LMP recorded during such Emergency, the PRD Provider that committed such loads as Price Responsive Demand shall be assessed a compliance charge hereunder. The charge shall be based on the net performance during an Emergency of the loads that were identified as Price Responsive Demand for such Delivery Year in the PRD registrations submitted by such PRD Provider in each Zone (or sub-Zonal LDA, if applicable) and that specified a price at the MESL that is at or below the highest Real-Time LMP recorded during such Emergency. The compliance charge hereunder shall equal:

$[\text{MW Shortfall}] * [\text{Forecast Pool Requirement}] * [(\text{Weighted Final Zonal Capacity Price in } \$/\text{MW-day})$

$+ \text{higher of } (0.2 * \text{Final Zonal Capacity Price}) \text{ or } (\$20/\text{MW-day})] * 365 \text{ days}$

Where: MW Shortfall =  $[\text{highest hourly integrated aggregate metered load for such PRD Provider's PRD load in the Zone or sub-Zonal LDA meeting the price condition specified above}] - \{(\text{aggregate MESL for the Zone or sub-Zonal LDA}) * \text{the higher of } [1.0] \text{ or } [(\text{actual Zonal load} - \text{actual total PRD load in Zone}) / (\text{Final Zonal Peak Load Forecast} - \text{final Zonal Expected Peak Load Value of PRD in total for all PRD load in Zone meeting the price condition specified above})]\}$ .

For purposes of the above provision, the MW Shortfall for any portion of the Emergency event that is less than a full clock hour shall be treated as a shortfall for a full clock hour unless either: (i) the load was reduced to the adjusted MESL level within 15 minutes of the emergency procedures notification, regardless of the response rate submitted, or (ii) the hourly integrated value of the load was at or below the adjusted MESL. Such MW shortfall shall not be reduced through replacement of the Price Responsive Demand by any Capacity Resource or Excess Commitment Credits; provided, however, that the performance and MW Shortfalls of all PRD-

eligible load registered by the PRD Provider, including any additional or replacement load registered by such PRD Provider, provided that it meets the price condition specified above, shall be reflected in the calculation of the overall MW Shortfall. Any greater MW Shortfall during a subsequent Emergency for such Zone or sub-Zonal LDA during the same Delivery Year shall result in a further charge hereunder, limited to the additional increment of MW Shortfall. As appropriate, the MW Shortfall for non-compliance during an Emergency shall be adjusted downward to the extent such PRD Provider also was assessed a compliance penalty for failure to register sufficient PRD to satisfy its PRD commitment.

L. PRD Providers that register Price Responsive Demand shall be subject to test at least once per year to demonstrate the ability of the registered Price Responsive Demand to reduce to the specified Maximum Emergency Service Level, and such PRD Providers shall be assessed a compliance charge to the extent of failure by the registered Price Responsive Demand during such test to reduce to the Maximum Emergency Service Level, in accordance with the following:

(i) If the Office of the Interconnection does not declare during the relevant Delivery Year a Maximum Generation Emergency that requires the registered PRD to reduce to the Maximum Emergency Service Level then such registered PRD must demonstrate that it was tested for a one-hour period during any hour when a Maximum Generation Emergency may be called during June through October or the following May of the relevant Delivery Year. If a Maximum Generation Emergency that requires the registered PRD to reduce to the Maximum Emergency Service Level is called during the relevant Delivery Year, then no compliance charges will be assessed hereunder.

(ii) All PRD registered in a zone must be tested simultaneously except that, when less than 25 percent (by megawatts) of a PRD Provider's total PRD registered in a Zone fails a test, the PRD Provider may conduct a re-test limited to all registered PRD that failed the prior test, provided that such re-test must be at the same time of day and under approximately the same weather conditions as the prior test, and provided further that all affiliated registered PRD must test simultaneously, where affiliated means registered PRD that has any ability to shift load and that is owned or controlled by the same entity. If less than 25 percent of a PRD Provider's total PRD registered in a Zone fails the test and the PRD Provider chooses to conduct a retest, the PRD Provider may elect to maintain the performance compliance result for registered PRD achieved during the test if the PRD Provider: (1) notifies the Office of the Interconnection 48 hours prior to the re-test under this election; and (2) the PRD Provider retests affiliated registered PRD under this election as set forth in the PJM Manuals.

(iii) A PRD Provider that registered PRD shall be assessed a PRD Test Failure Charge equal to the net PRD capability testing shortfall in a Zone during such test in the aggregate of all of such PRD Provider's registered PRD in such Zone times the PRD Test Failure Charge Rate. The net capability testing shortfall in such Zone shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable Forecast Pool Requirement:

MW Shortfall = [highest hourly integrated aggregate metered load for such PRD Provider's PRD load in the Zone or sub-Zonal LDA] – {(aggregate MESL for the Zone or sub-Zonal LDA) \* the

higher of [1.0] or  $[(\text{actual Zonal load} - \text{actual total PRD load in Zone}) / (\text{Final Zonal Peak Load Forecast} - \text{final Zonal Expected Peak Load Value of PRD in total for all PRD load in Zone})]$ .

The net PRD capability testing shortfall in such Zone shall be reduced by the PRD Provider's summer daily average of the MW shortfalls determined for compliance charge purposes under section I of this Schedule 6.1 in such Zone for such PRD Provider's registered PRD.

(iv) The PRD Test Failure Charge Rate shall equal such PRD Provider's Weighted Final Zonal Capacity Price in such Zone plus the greater of (0.20 times the Weighted Final Zonal Capacity Price in such Zone or \$20/MW-day) times the number of days in the Delivery Year, where the Weighted Final Zonal Capacity Price is the average of the Final Zonal Capacity Price and the price component of the Final Zonal Capacity Price attributable to the Third Incremental Auction, weighted by the Nominal PRD Values committed by such PRD Provider in connection with the Base Residual Auction and those committed by such PRD Provider in connection with the Third Incremental Auction. Such charge shall be assessed daily and charged monthly (or otherwise in accordance with customary PJM billing practices in effect at the time); provided, however, that a lump sum payment may be required to reflect amounts due, as a result of a test failure, from the start of the Delivery Year to the day that charges are reflected in regular billing.

M. The revenue collected from assessment of the charges assessed under subsections I, K, and L of this Schedule 6.1 shall be distributed on a pro-rata basis to all entities that committed Capacity Resources in the RPM Auctions for the Delivery Year for which the compliance charge is assessed, pro rata based on each such entity's revenues from Capacity Market Clearing Prices in such auctions, net of any compliance charges incurred by such entity.

N. Aggregate Price Responsive Demand that may be registered shall be limited for the first three Delivery Years that peak load adjustments for Price Responsive Demand are allowed under this Agreement. The maximum quantity of Price Responsive Demand that may be registered by all PRD Providers for the PJM Region as a whole shall be:

1. 2500 MW for the Delivery Year that begins on June 1, 2016;
2. 3500 MW for the Delivery Year that begins on June 1, 2017; and
3. 4000 MW for the Delivery Year that begins on June 1, 2018.

For Delivery Years in which the region-wide limit is not met, no limit as to the amount of Price Responsive Demand that may register in a Zone (or sub-Zone) shall apply. However, in the event the region-wide limit is met for a Delivery Year, then a portion of such limit shall be assigned to each Zone (or sub-Zonal LDA, if applicable) pro rata based on each such Zone's (or sub-Zone's) Preliminary Zonal Peak Load Forecast for the Delivery Year compared to the PJM Region's Preliminary RTO Peak Load Forecast for such Delivery Year (less, in each case, load expected to be served in such area under the Fixed Resource Requirement). Within each Zone (or sub-Zonal LDA, if applicable) the permitted registrations shall be those quantities within the Zonal (or sub-Zonal LDA) limit with the lowest identified PRD Reservation Prices for their identified loads; and, as between PRD Providers submitting PRD registrations at the same PRD Reservation Price, pro rata based on each such LSE's share of the Preliminary Zonal Peak Load Forecast for such Zone (or sub-Zonal LDA) less load expected to be served under the Fixed Resource Requirement. For Delivery Years in which the region-wide limit is met, any PRD

registrations that are not permitted by operation of this section will, to the extent not permitted, not be required to perform in accordance with its registration, not be considered in determining an LSE's PRD Credit or Nominal PRD Value, and not be accounted for in the applicable PRD Provider's PRD Curves. Nothing in this section precludes price-responsive load from exercising any opportunity it may otherwise have to participate in the day-ahead or real-time energy markets in the PJM Region. For Delivery Years beginning on or after June 1, 2019, there is no limit on the quantity of Price Responsive Demand that may register.

# Attachment D

PJM Open Access Transmission Tariff,  
PJM Operating Agreement and  
PJM Reliability Assurance Agreement

(Clean Format)

Section(s) of the  
PJM Open Access Transmission Tariff  
(Clean Format)

## TABLE OF CONTENTS

### **I. COMMON SERVICE PROVISIONS**

- 1**     **Definitions**
  - OATT Definitions – A – B**
  - OATT Definitions – C – D**
  - OATT Definitions – E – F**
  - OATT Definitions – G – H**
  - OATT Definitions – I – J – K**
  - OATT Definitions – L – M – N**
  - OATT Definitions – O – P – Q**
  - OATT Definitions – R – S**
  - OATT Definitions - T – U – V**
  - OATT Definitions – W – X – Y - Z**
- 2**     **Initial Allocation and Renewal Procedures**
- 3**     **Ancillary Services**
- 3B**    **PJM Administrative Service**
- 3C**    **Mid-Atlantic Area Council Charge**
- 3D**    **Transitional Market Expansion Charge**
- 3E**    **Transmission Enhancement Charges**
- 3F**    **Transmission Losses**
- 4**     **Open Access Same-Time Information System (OASIS)**
- 5**     **Local Furnishing Bonds**
- 6**     **Reciprocity**
- 6A**    **Counterparty**
- 7**     **Billing and Payment**
- 8**     **Accounting for a Transmission Owner’s Use of the Tariff**
- 9**     **Regulatory Filings**
- 10**    **Force Majeure and Indemnification**
- 11**    **Creditworthiness**
- 12**    **Dispute Resolution Procedures**

### **II. POINT-TO-POINT TRANSMISSION SERVICE**

- Preamble**
- 13**    **Nature of Firm Point-To-Point Transmission Service**
- 14**    **Nature of Non-Firm Point-To-Point Transmission Service**
- 15**    **Service Availability**
- 16**    **Transmission Customer Responsibilities**
- 17**    **Procedures for Arranging Firm Point-To-Point Transmission Service**
- 18**    **Procedures for Arranging Non-Firm Point-To-Point Transmission Service**
- 19**    **Initial Study Procedures For Long-Term Firm Point-To-Point Transmission Service Requests**
- 20**    **[Reserved]**
- 21**    **[Reserved]**

- 22 Changes in Service Specifications
- 23 Sale or Assignment of Transmission Service
- 24 Metering and Power Factor Correction at Receipt and Delivery Points(s)
- 25 Compensation for Transmission Service
- 26 Stranded Cost Recovery
- 27 Compensation for New Facilities and Redispatch Costs
- 27A Distribution of Revenues from Non-Firm Point-to-Point Transmission Service

### **III. NETWORK INTEGRATION TRANSMISSION SERVICE**

#### **Preamble**

- 28 Nature of Network Integration Transmission Service
- 29 Initiating Service
- 30 Network Resources
- 31 Designation of Network Load
- 32 Initial Study Procedures For Network Integration Transmission Service Requests
- 33 Load Shedding and Curtailments
- 34 Rates and Charges
- 35 Operating Arrangements

### **IV. INTERCONNECTIONS WITH THE TRANSMISSION SYSTEM**

#### **Preamble**

#### **Subpart A –INTERCONNECTION PROCEDURES**

- 36 Interconnection Requests
- 37 Additional Procedures
- 38 Service on Merchant Transmission Facilities
- 39 Local Furnishing Bonds

40-109 [Reserved]

Subpart B – [Reserved]

Subpart C – [Reserved]

Subpart D – [Reserved]

Subpart E – [Reserved]

Subpart F – [Reserved]

#### **Subpart G – SMALL GENERATION INTERCONNECTION PROCEDURE**

#### **Preamble**

- 110 Permanent Capacity Resource Additions Of 20 MW Or Less
- 111 Permanent Energy Resource Additions Of 20 MW Or Less
- 112 Temporary Energy Resource Additions Of 20 MW Or Less But Greater Than 2 MW
- 112A Screens Process for Permanent or Temporary Energy Resources of 2 MW or less
- 112B Certified Inverter-Based Small Generating Facilities No Larger than 10 kW

### **V. GENERATION DEACTIVATION**

**Preamble**

- 113 Notices**
- 114 Deactivation Avoidable Cost Credit**
- 115 Deactivation Avoidable Cost Rate**
- 116 Filing and Updating of Deactivation Avoidable Cost Rate**
  - 117 Excess Project Investment Required**
  - 118 Refund of Project Investment Reimbursement**
  - 118A Recovery of Project Investment**
  - 119 Cost of Service Recovery Rate**
  - 120 Cost Allocation**
  - 121 Performance Standards**
  - 122 Black Start Units**
  - 123-199 [Reserved]**

**VI. ADMINISTRATION AND STUDY OF NEW SERVICE REQUESTS; RIGHTS ASSOCIATED WITH CUSTOMER-FUNDED UPGRADES**

**Preamble**

- 200 Applicability**
- 201 Queue Position**
  - Subpart A – SYSTEM IMPACT STUDIES AND FACILITIES STUDIES FOR NEW SERVICE REQUESTS**
  - 202 Coordination with Affected Systems**
  - 203 System Impact Study Agreement**
  - 204 Tender of System Impact Study Agreement**
  - 205 System Impact Study Procedures**
  - 206 Facilities Study Agreement**
  - 207 Facilities Study Procedures**
  - 208 Expedited Procedures for Part II Requests**
  - 209 Optional Interconnection Studies**
  - 210 Responsibilities of the Transmission Provider and Transmission Owners**
    - Subpart B– AGREEMENTS AND COST REPONSIBILITY FOR CUSTOMER- FUNDED UPGRADES**
    - 211 Interim Interconnection Service Agreement**
    - 212 Interconnection Service Agreement**
    - 213 Upgrade Construction Service Agreement**
    - 214 Filing/Reporting of Agreement**
    - 215 Transmission Service Agreements**
    - 216 Interconnection Requests Designated as Market Solutions**
    - 217 Cost Responsibility for Necessary Facilities and Upgrades**
    - 218 New Service Requests Involving Affected Systems**
    - 219 Inter-queue Allocation of Costs of Transmission Upgrades**
    - 220 Advance Construction of Certain Network Upgrades**
    - 221 Transmission Owner Construction Obligation for Necessary Facilities And Upgrades**
    - 222 Confidentiality**

- 223 Confidential Information
- 224 – 229 [Reserved]
- Subpart C – RIGHTS RELATED TO CUSTOMER-FUNDED UPGRADES
- 230 Capacity Interconnection Rights
- 231 Incremental Auction Revenue Rights
- 232 Transmission Injection Rights and Transmission Withdrawal Rights
- 233 Incremental Available Transfer Capability Revenue Rights
- 234 Incremental Capacity Transfer Rights
- 235 Incremental Deliverability Rights
- 236 Interconnection Rights for Certain Transmission Interconnections
- 237 IDR Transfer Agreements

**SCHEDULE 1**

**Scheduling, System Control and Dispatch Service**

**SCHEDULE 1A**

**Transmission Owner Scheduling, System Control and Dispatch Service**

**SCHEDULE 2**

**Reactive Supply and Voltage Control from Generation Sources Service**

**SCHEDULE 3**

**Regulation and Frequency Response Service**

**SCHEDULE 4**

**Energy Imbalance Service**

**SCHEDULE 5**

**Operating Reserve – Synchronized Reserve Service**

**SCHEDULE 6**

**Operating Reserve - Supplemental Reserve Service**

**SCHEDULE 6A**

**Black Start Service**

**SCHEDULE 7**

**Long-Term Firm and Short-Term Firm Point-To-Point Transmission Service**

**SCHEDULE 8**

**Non-Firm Point-To-Point Transmission Service**

**SCHEDULE 9**

**PJM Interconnection L.L.C. Administrative Services**

**SCHEDULE 9-1**

**Control Area Administration Service**

**SCHEDULE 9-2**

**Financial Transmission Rights Administration Service**

**SCHEDULE 9-3**

**Market Support Service**

**SCHEDULE 9-4**

**Regulation and Frequency Response Administration Service**

**SCHEDULE 9-5**

**Capacity Resource and Obligation Management Service**

**SCHEDULE 9-6**

**Management Service Cost**  
**SCHEDULE 9-FERC**  
**FERC Annual Charge Recovery**  
**SCHEDULE 9-OPSI**  
**OPSI Funding**  
**SCHEDULE 9-FINCON**  
**Finance Committee Retained Outside Consultant**  
**SCHEDULE 9-MMU**  
**MMU Funding**  
**SCHEDULE 9 – PJM SETTLEMENT**  
**SCHEDULE 10 - [Reserved]**  
**SCHEDULE 10-NERC**  
**North American Electric Reliability Corporation Charge**  
**SCHEDULE 10-RFC**  
**Reliability First Corporation Charge**  
**SCHEDULE 11**  
**Transitional Market Expansion Charge**  
**SCHEDULE 12**  
**Transmission Enhancement Charges**  
**SCHEDULE 12 APPENDIX**  
**SCHEDULE 12-A**  
**SCHEDULE 13**  
**Expansion Cost Recovery Change (ECRC)**  
**SCHEDULE 14**  
**Transmission Service on the Neptune Line**  
**SCHEDULE 14 - Exhibit A**  
**SCHEDULE 15**  
**Non-Retail Behind The Meter Generation Maximum Generation Emergency**  
**Obligations**  
**SCHEDULE 16**  
**Transmission Service on the Linden VFT Facility**  
**SCHEDULE 16 Exhibit A**  
**SCHEDULE 16 – A**  
**Transmission Service for Imports on the Linden VFT Facility**  
**SCHEDULE 17**  
**Transmission Service on the Hudson Line**  
**SCHEDULE 17 - Exhibit A**  
**ATTACHMENT A**  
**Form of Service Agreement For Firm Point-To-Point Transmission Service**  
**ATTACHMENT A-1**  
**Form of Service Agreement For The Resale, Reassignment or Transfer of Point-to-Point Transmission Service**  
**ATTACHMENT B**  
**Form of Service Agreement For Non-Firm Point-To-Point Transmission Service**  
**ATTACHMENT C**  
**Methodology To Assess Available Transfer Capability**

**ATTACHMENT C-1**

**Conversion of Service in the Dominion and Duquesne Zones**

**ATTACHMENT C-2**

**Conversion of Service in the Duke Energy Ohio, Inc. and Duke Energy Kentucky, Inc, (“DEOK”) Zone**

**ATTACHMENT D**

**Methodology for Completing a System Impact Study**

**ATTACHMENT E**

**Index of Point-To-Point Transmission Service Customers**

**ATTACHMENT F**

**Service Agreement For Network Integration Transmission Service**

**ATTACHMENT F-1**

**Form of Umbrella Service Agreement for Network Integration Transmission Service Under State Required Retail Access Programs**

**ATTACHMENT G**

**Network Operating Agreement**

**ATTACHMENT H-1**

**Annual Transmission Rates -- Atlantic City Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-1A**

**Atlantic City Electric Company Formula Rate Appendix A**

**ATTACHMENT H-1B**

**Atlantic City Electric Company Formula Rate Implementation Protocols**

**ATTACHMENT H-2**

**Annual Transmission Rates -- Baltimore Gas and Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-2A**

**Baltimore Gas and Electric Company Formula Rate**

**ATTACHMENT H-2B**

**Baltimore Gas and Electric Company Formula Rate Implementation Protocols**

**ATTACHMENT H-3**

**Annual Transmission Rates -- Delmarva Power & Light Company for Network Integration Transmission Service**

**ATTACHMENT H-3A**

**Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points**

**ATTACHMENT H-3B**

**Delmarva Power & Light Company Load Power Factor Charge Applicable to Service the Interconnection Points**

**ATTACHMENT H-3C**

**Delmarva Power & Light Company Under-Frequency Load Shedding Charge**

**ATTACHMENT H-3D**

**Delmarva Power & Light Company Formula Rate – Appendix A**

**ATTACHMENT H-3E**

**Delmarva Power & Light Company Formula Rate Implementation Protocols**

**ATTACHMENT H-3F**

**Old Dominion Electric Cooperative Formula Rate – Appendix A**  
**ATTACHMENT H-3G**  
**Old Dominion Electric Cooperative Formula Rate Implementation Protocols**

**ATTACHMENT H-4**  
**Annual Transmission Rates -- Jersey Central Power & Light Company for Network Integration Transmission Service**

**ATTACHMENT H-5**  
**Annual Transmission Rates -- Metropolitan Edison Company for Network Integration Transmission Service**

**ATTACHMENT H-5A**  
**Other Supporting Facilities -- Metropolitan Edison Company**

**ATTACHMENT H-6**  
**Annual Transmission Rates -- Pennsylvania Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-6A**  
**Other Supporting Facilities Charges -- Pennsylvania Electric Company**

**ATTACHMENT H-7**  
**Annual Transmission Rates -- PECO Energy Company for Network Integration Transmission Service**

**ATTACHMENT H-8**  
**Annual Transmission Rates – PPL Group for Network Integration Transmission Service**

**ATTACHMENT H-8A**  
**Other Supporting Facilities Charges -- PPL Electric Utilities Corporation**

**ATTACHMENT 8C**  
**UGI Utilities, Inc. Formula Rate – Appendix A**

**ATTACHMENT 8D**  
**UGI Utilities, Inc. Formula Rate Implementation Protocols**

**ATTACHMENT 8E**  
**UGI Utilities, Inc. Formula Rate – Appendix A**

**ATTACHMENT H-8G**  
**Annual Transmission Rates – PPL Electric Utilities Corp.**

**ATTACHMENT H-8H**  
**Formula Rate Implementation Protocols – PPL Electric Utilities Corp.**

**ATTACHMENT H-9**  
**Annual Transmission Rates -- Potomac Electric Power Company for Network Integration Transmission Service**

**ATTACHMENT H-9A**  
**Potomac Electric Power Company Formula Rate – Appendix A**

**ATTACHMENT H-9B**  
**Potomac Electric Power Company Formula Rate Implementation Protocols**

**ATTACHMENT H-10**  
**Annual Transmission Rates -- Public Service Electric and Gas Company for Network Integration Transmission Service**

**ATTACHMENT H-10A**  
**Formula Rate -- Public Service Electric and Gas Company**

**ATTACHMENT H-10B**

**Formula Rate Implementation Protocols – Public Service Electric and Gas Company**

**ATTACHMENT H-11**

**Annual Transmission Rates -- Allegheny Power for Network Integration Transmission Service**

**ATTACHMENT 11A**

**Other Supporting Facilities Charges - Allegheny Power**

**ATTACHMENT H-12**

**Annual Transmission Rates -- Rockland Electric Company for Network Integration Transmission Service**

**ATTACHMENT H-13**

**Annual Transmission Rates – Commonwealth Edison Company for Network Integration Transmission Service**

**ATTACHMENT H-13A**

**Commonwealth Edison Company Formula Rate – Appendix A**

**ATTACHMENT H-13B**

**Commonwealth Edison Company Formula Rate Implementation Protocols**

**ATTACHMENT H-14**

**Annual Transmission Rates – AEP East Operating Companies for Network Integration Transmission Service**

**ATTACHMENT H-14A**

**AEP East Operating Companies Formula Rate Implementation Protocols**

**ATTACHMENT H-14B Part 1**

**ATTACHMENT H-14B Part 2**

**ATTACHMENT H-15**

**Annual Transmission Rates -- The Dayton Power and Light Company for Network Integration Transmission Service**

**ATTACHMENT H-16**

**Annual Transmission Rates -- Virginia Electric and Power Company for Network Integration Transmission Service**

**ATTACHMENT H-16A**

**Formula Rate - Virginia Electric and Power Company**

**ATTACHMENT H-16B**

**Formula Rate Implementation Protocols - Virginia Electric and Power Company**

**ATTACHMENT H-16C**

**Virginia Retail Administrative Fee Credit for Virginia Retail Load Serving Entities in the Dominion Zone**

**ATTACHMENT H-16D – [Reserved]**

**ATTACHMENT H-16E – [Reserved]**

**ATTACHMENT H-16AA**

**Virginia Electric and Power Company**

**ATTACHMENT H-17**

**Annual Transmission Rates -- Duquesne Light Company for Network Integration Transmission Service**

**ATTACHMENT H-17A**

**Duquesne Light Company Formula Rate – Appendix A**  
**ATTACHMENT H-17B**  
**Duquesne Light Company Formula Rate Implementation Protocols**  
**ATTACHMENT H-18**  
**Annual Transmission Rates – Trans-Allegheny Interstate Line Company**  
**ATTACHMENT H-18A**  
**Trans-Allegheny Interstate Line Company Formula Rate – Appendix A**  
**ATTACHMENT H-18B**  
**Trans-Allegheny Interstate Line Company Formula Rate Implementation Protocols**  
**ATTACHMENT H-19**  
**Annual Transmission Rates – Potomac-Appalachian Transmission Highline, L.L.C.**  
**ATTACHMENT H-19A**  
**Potomac-Appalachian Transmission Highline, L.L.C. Summary**  
**ATTACHMENT H-19B**  
**Potomac-Appalachian Transmission Highline, L.L.C. Formula Rate**  
**Implementation Protocols**  
**ATTACHMENT H-20**  
**Annual Transmission Rates – AEP Transmission Companies (AEPTCo) in the AEP**  
**Zone**  
**ATTACHMENT H-20A**  
**AEP Transmission Companies (AEPTCo) in the AEP Zone - Formula Rate**  
**Implementation Protocols**  
**ATTACHMENT H-20B**  
**AEP Transmission Companies (AEPTCo) in the AEP Zone – Blank Formula Rate**  
**Template**  
**ATTACHMENT H-21**  
**Annual Transmission Rates – American Transmission Systems, Inc. for Network**  
**Integration Transmission Service**  
**ATTACHMENT H-21A - ATSI**  
**ATTACHMENT H-21A Appendix A - ATSI**  
**ATTACHMENT H-21A Appendix B - ATSI**  
**ATTACHMENT H-21A Appendix C - ATSI**  
**ATTACHMENT H-21A Appendix C - ATSI [Reserved]**  
**ATTACHMENT H-21A Appendix D – ATSI**  
**ATTACHMENT H-21A Appendix E - ATSI**  
**ATTACHMENT H-21A Appendix F – ATSI [Reserved]**  
**ATTACHMENT H-21A Appendix G - ATSI**  
**ATTACHMENT H-21A Appendix G – ATSI (Credit Adj)**  
**ATTACHMENT H-21B ATSI Protocol**  
**ATTACHMENT H-22**  
**Annual Transmission Rates – DEOK for Network Integration Transmission Service**  
**and Point-to-Point Transmission Service**  
**ATTACHMENT H-22A**  
**Duke Energy Ohio and Duke Energy Kentucky (DEOK) Formula Rate Template**  
**ATTACHMENT H-22B**  
**DEOK Formula Rate Implementation Protocols**

**ATTACHMENT H-A**

**Annual Transmission Rates -- Non-Zone Network Load for Network Integration  
Transmission Service**

**ATTACHMENT I**

**Index of Network Integration Transmission Service Customers**

**ATTACHMENT J**

**PJM Transmission Zones**

**ATTACHMENT K**

**Transmission Congestion Charges and Credits**

**Preface**

**ATTACHMENT K -- APPENDIX**

**Preface**

**1. MARKET OPERATIONS**

- 1.1 Introduction
- 1.2 Cost-Based Offers
- 1.2A Transmission Losses
- 1.3 Definitions
- 1.4 Market Buyers
- 1.5 Market Sellers
- 1.5A Economic Load Response Participant
- 1.6 Office of the Interconnection
- 1.6A PJM Settlement
- 1.7 General
- 1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
- 1.9 Prescheduling
- 1.10 Scheduling
- 1.11 Dispatch
- 1.12 Dynamic Scheduling

**2. CALCULATION OF LOCATIONAL MARGINAL PRICES**

- 2.1 Introduction
- 2.2 General
- 2.3 Determination of System Conditions Using the State Estimator
- 2.4 Determination of Energy Offers Used in Calculating
- 2.5 Calculation of Real-time Prices
- 2.6 Calculation of Day-ahead Prices
- 2.6A Interface Prices
- 2.7 Performance Evaluation

**3. ACCOUNTING AND BILLING**

- 3.1 Introduction
- 3.2 Market Buyers
- 3.3 Market Sellers
  - 3.3A Economic Load Response Participants
- 3.4 Transmission Customers
- 3.5 Other Control Areas
- 3.6 Metering Reconciliation
- 3.7 Inadvertent Interchange

**4. [Reserved For Future Use]**

- 5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES**
  - 5.1 Transmission Congestion Charge Calculation
  - 5.2 Transmission Congestion Credit Calculation
  - 5.3 Unsheduled Transmission Service (Loop Flow)
  - 5.4 Transmission Loss Charge Calculation
  - 5.5 Distribution of Total Transmission Loss Charges
- 6. “MUST-RUN” FOR RELIABILITY GENERATION**
  - 6.1 Introduction
  - 6.2 Identification of Facility Outages
  - 6.3 Dispatch for Local Reliability
  - 6.4 Offer Price Caps
  - 6.5 [Reserved]
  - 6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules
- 6A. [Reserved]**
  - 6A.1 [Reserved]
  - 6A.2 [Reserved]
  - 6A.3 [Reserved]
- 7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS**
  - 7.1 Auctions of Financial Transmission Rights
  - 7.1A Long-Term Financial Transmission Rights Auctions
  - 7.2 Financial Transmission Rights Characteristics
  - 7.3 Auction Procedures
  - 7.4 Allocation of Auction Revenues
  - 7.5 Simultaneous Feasibility
  - 7.6 New Stage 1 Resources
  - 7.7 Alternate Stage 1 Resources
  - 7.8 Elective Upgrade Auction Revenue Rights
  - 7.9 Residual Auction Revenue Rights
  - 7.10 Financial Settlement
  - 7.11 PJMSettlement as Counterparty
- 8. EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**
  - 8.1 Emergency Load Response and Pre-Emergency Load Response Program Options
  - 8.2 Participant Qualifications
  - 8.3 Metering Requirements
  - 8.4 Registration
  - 8.5 Pre-Emergency Operations
  - 8.6 Emergency Operations
  - 8.7 Verification
  - 8.8 Market Settlements
  - 8.9 Reporting and Compliance
  - 8.10 Non-Hourly Metered Customer Pilot
  - 8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation

**ATTACHMENT L**

	<b>List of Transmission Owners</b>
<b>ATTACHMENT M</b>	<b>PJM Market Monitoring Plan</b>
<b>ATTACHMENT M – APPENDIX</b>	<b>PJM Market Monitor Plan Attachment M Appendix</b>
I	Confidentiality of Data and Information
II	Development of Inputs for Prospective Mitigation
III	Black Start Service
IV	Deactivation Rates
V	Opportunity Cost Calculation
VI	FTR Forfeiture Rule
VII	Forced Outage Rule
VIII	Data Collection and Verification
<b>ATTACHMENT M-1 (FirstEnergy)</b>	<b>Energy Procedure Manual for Determining Supplier Total Hourly Energy Obligation</b>
<b>ATTACHMENT M-2 (First Energy)</b>	<b>Energy Procedure Manual for Determining Supplier Peak Load Share Procedures for Load Determination</b>
<b>ATTACHMENT M-2 (ComEd)</b>	<b>Determination of Capacity Peak Load Contributions and Network Service Peak Load Contributions</b>
<b>ATTACHMENT M-2 (PSE&amp;G)</b>	<b>Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers</b>
<b>ATTACHMENT M-2 (Atlantic City Electric Company)</b>	<b>Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers</b>
<b>ATTACHMENT M-2 (Delmarva Power &amp; Light Company)</b>	<b>Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers</b>
<b>ATTACHMENT M-2 (Delmarva Power &amp; Light Company)</b>	<b>Procedures for Determination of Peak Load Contributions and Hourly Load Obligations for Retail Customers</b>
<b>ATTACHMENT N</b>	<b>Form of Generation Interconnection Feasibility Study Agreement</b>
<b>ATTACHMENT N-1</b>	<b>Form of System Impact Study Agreement</b>
<b>ATTACHMENT N-2</b>	<b>Form of Facilities Study Agreement</b>
<b>ATTACHMENT N-3</b>	<b>Form of Optional Interconnection Study Agreement</b>
<b>ATTACHMENT O</b>	<b>Form of Interconnection Service Agreement</b>
1.0	Parties
2.0	Authority

- 3.0 Customer Facility Specifications
- 4.0 Effective Date
- 5.0 Security
- 6.0 Project Specific Milestones
- 7.0 Provision of Interconnection Service
- 8.0 Assumption of Tariff Obligations
- 9.0 Facilities Study
- 10.0 Construction of Transmission Owner Interconnection Facilities
- 11.0 Interconnection Specifications
- 12.0 Power Factor Requirement
- 12.0A RTU
- 13.0 Charges
- 14.0 Third Party Benefits
- 15.0 Waiver
- 16.0 Amendment
- 17.0 Construction With Other Parts Of The Tariff
- 18.0 Notices
- 19.0 Incorporation Of Other Documents
- 20.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
- 21.0 Addendum of Interconnection Customer's Agreement  
to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
- 22.0 Addendum of Interconnection Requirements for a Wind Generation Facility
- 23.0

**Specifications for Interconnection Service Agreement**

- 1.0
- 2.0 Rights
- 3.0 Construction Responsibility and Ownership of Interconnection Facilities
- 4.0
- 4.1 Attachment Facilities Charge
- 4.2 Network Upgrades Charge
- 4.3 Local Upgrades Charge
- 4.4 Other Charges
- 4.5 Cost of Merchant Network Upgrades
- 4.6 Cost breakdown
- 4.7 Security Amount Breakdown

**ATTACHMENT O APPENDIX 1: Definitions**

**ATTACHMENT O APPENDIX 2: Standard Terms and Conditions for Interconnections**

- 1 Commencement, Term of and Conditions Precedent to Interconnection Service**
  - 1.1 Commencement Date
  - 1.2 Conditions Precedent
  - 1.3 Term
  - 1.4 Initial Operation
  - 1.4A Limited Operation
  - 1.5 Survival
- 2 Interconnection Service**

- 2.1 Scope of Service
- 2.2 Non-Standard Terms
- 2.3 No Transmission Services
- 2.4 Use of Distribution Facilities
- 2.5 Election by Behind The Meter Generation
- 3 Modification Of Facilities**
  - 3.1 General
  - 3.2 Interconnection Request
  - 3.3 Standards
  - 3.4 Modification Costs
- 4 Operations**
  - 4.1 General
  - 4.2 Operation of Merchant Network Upgrades
  - 4.3 Interconnection Customer Obligations
  - 4.4 [Reserved.]
  - 4.5 Permits and Rights-of-Way
  - 4.6 No Ancillary Services
  - 4.7 Reactive Power
  - 4.8 Under- and Over-Frequency Conditions
  - 4.9 Protection and System Quality
  - 4.10 Access Rights
  - 4.11 Switching and Tagging Rules
  - 4.12 Communications and Data Protocol
  - 4.13 Nuclear Generating Facilities
- 5 Maintenance**
  - 5.1 General
  - 5.2 Maintenance of Merchant Network Upgrades
  - 5.3 Outage Authority and Coordination
  - 5.4 Inspections and Testing
  - 5.5 Right to Observe Testing
  - 5.6 Secondary Systems
  - 5.7 Access Rights
  - 5.8 Observation of Deficiencies
- 6 Emergency Operations**
  - 6.1 Obligations
  - 6.2 Notice
  - 6.3 Immediate Action
  - 6.4 Record-Keeping Obligations
- 7 Safety**
  - 7.1 General
  - 7.2 Environmental Releases
- 8 Metering**
  - 8.1 General
  - 8.2 Standards
  - 8.3 Testing of Metering Equipment
  - 8.4 Metering Data

- 8.5 Communications
- 9 Force Majeure**
  - 9.1 Notice
  - 9.2 Duration of Force Majeure
  - 9.3 Obligation to Make Payments
- 10 Charges**
  - 10.1 Specified Charges
  - 10.2 FERC Filings
- 11 Security, Billing And Payments**
  - 11.1 Recurring Charges Pursuant to Section 10
  - 11.2 Costs for Transmission Owner Interconnection Facilities and/or Merchant Network Upgrades
  - 11.3 No Waiver
  - 11.4 Interest
- 12 Assignment**
  - 12.1 Assignment with Prior Consent
  - 12.2 Assignment Without Prior Consent
  - 12.3 Successors and Assigns
- 13 Insurance**
  - 13.1 Required Coverages for Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
  - 13.1A Required Coverages for Generation Resources Of 20 Megawatts Or Less
  - 13.2 Additional Insureds
  - 13.3 Other Required Terms
  - 13.3A No Limitation of Liability
  - 13.4 Self-Insurance
  - 13.5 Notices; Certificates of Insurance
  - 13.6 Subcontractor Insurance
  - 13.7 Reporting Incidents
- 14 Indemnity**
  - 14.1 Indemnity
  - 14.2 Indemnity Procedures
  - 14.3 Indemnified Person
  - 14.4 Amount Owing
  - 14.5 Limitation on Damages
  - 14.6 Limitation of Liability in Event of Breach
  - 14.7 Limited Liability in Emergency Conditions
- 15 Breach, Cure And Default**
  - 15.1 Breach
  - 15.2 Continued Operation
  - 15.3 Notice of Breach
  - 15.4 Cure and Default
  - 15.5 Right to Compel Performance
  - 15.6 Remedies Cumulative
- 16 Termination**

- 16.1 Termination
- 16.2 Disposition of Facilities Upon Termination
- 16.3 FERC Approval
- 16.4 Survival of Rights
- 17 Confidentiality**
  - 17.1 Term
  - 17.2 Scope
  - 17.3 Release of Confidential Information
  - 17.4 Rights
  - 17.5 No Warranties
  - 17.6 Standard of Care
  - 17.7 Order of Disclosure
  - 17.8 Termination of Interconnection Service Agreement
  - 17.9 Remedies
  - 17.10 Disclosure to FERC or its Staff
  - 17.11
  - 17.12
  - 17.13 Return or Destruction of Confidential Information
- 18 Subcontractors**
  - 18.1 Use of Subcontractors
  - 18.2 Responsibility of Principal
  - 18.3 Indemnification by Subcontractors
  - 18.4 Subcontractors Not Beneficiaries
- 19 Information Access And Audit Rights**
  - 19.1 Information Access
  - 19.2 Reporting of Non-Force Majeure Events
  - 19.3 Audit Rights
- 20 Disputes**
  - 20.1 Submission
  - 20.2 Rights Under The Federal Power Act
  - 20.3 Equitable Remedies
- 21 Notices**
  - 21.1 General
  - 21.2 Emergency Notices
  - 21.3 Operational Contacts
- 22 Miscellaneous**
  - 22.1 Regulatory Filing
  - 22.2 Waiver
  - 22.3 Amendments and Rights Under the Federal Power Act
  - 22.4 Binding Effect
  - 22.5 Regulatory Requirements
- 23 Representations And Warranties**
  - 23.1 General
- 24 Tax Liability**
  - 24.1 Safe Harbor Provisions
  - 24.2 Tax Indemnity

- 24.3 Taxes Other Than Income Taxes
- 24.4 Income Tax Gross-Up
- 24.5 Tax Status

**ATTACHMENT O - SCHEDULE A**

**Customer Facility Location/Site Plan**

**ATTACHMENT O - SCHEDULE B**

**Single-Line Diagram**

**ATTACHMENT O - SCHEDULE C**

**List of Metering Equipment**

**ATTACHMENT O - SCHEDULE D**

**Applicable Technical Requirements and Standards**

**ATTACHMENT O - SCHEDULE E**

**Schedule of Charges**

**ATTACHMENT O - SCHEDULE F**

**Schedule of Non-Standard Terms & Conditions**

**ATTACHMENT O - SCHEDULE G**

**Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status**

**ATTACHMENT O - SCHEDULE H**

**Interconnection Requirements for a Wind Generation Facility**

**ATTACHMENT O-1**

**Form of Interim Interconnection Service Agreement**

**ATTACHMENT P**

**Form of Interconnection Construction Service Agreement**

- 1.0 Parties
- 2.0 Authority
- 3.0 Customer Facility
- 4.0 Effective Date and Term
  - 4.1 Effective Date
  - 4.2 Term
  - 4.3 Survival
- 5.0 Construction Responsibility
- 6.0 [Reserved.]
- 7.0 Scope of Work
- 8.0 Schedule of Work
- 9.0 [Reserved.]
- 10.0 Notices
- 11.0 Waiver
- 12.0 Amendment
- 13.0 Incorporation Of Other Documents
- 14.0 Addendum of Interconnection Customer's Agreement to Conform with IRS Safe Harbor Provisions for Non-Taxable Status
- 15.0 Addendum of Non-Standard Terms and Conditions for Interconnection Service
- 16.0 Addendum of Interconnection Requirements for a Wind Generation Facility
- 17.0

**ATTACHMENT P - APPENDIX 1 – DEFINITIONS**

## **ATTACHMENT P - APPENDIX 2 – STANDARD CONSTRUCTION TERMS AND CONDITIONS**

### **Preamble**

#### **1 Facilitation by Transmission Provider**

#### **2 Construction Obligations**

- 2.1 Interconnection Customer Obligations
- 2.2 Transmission Owner Interconnection Facilities and Merchant Network Upgrades
- 2.2A Scope of Applicable Technical Requirements and Standards
- 2.3 Construction By Interconnection Customer
- 2.4 Tax Liability
- 2.5 Safety
- 2.6 Construction-Related Access Rights
- 2.7 Coordination Among Constructing Parties

#### **3 Schedule of Work**

- 3.1 Construction by Interconnection Customer
- 3.2 Construction by Interconnected Transmission Owner
  - 3.2.1 Standard Option
  - 3.2.2 Negotiated Contract Option
  - 3.2.3 Option to Build
- 3.3 Revisions to Schedule of Work
- 3.4 Suspension
  - 3.4.1 Costs
  - 3.4.2 Duration of Suspension
- 3.5 Right to Complete Transmission Owner Interconnection Facilities
- 3.6 Suspension of Work Upon Default
- 3.7 Construction Reports
- 3.8 Inspection and Testing of Completed Facilities
- 3.9 Energization of Completed Facilities
- 3.10 Interconnected Transmission Owner's Acceptance of Facilities Constructed by Interconnection Customer

#### **4 Transmission Outages**

- 4.1 Outages; Coordination

#### **5 Land Rights; Transfer of Title**

- 5.1 Grant of Easements and Other Land Rights
- 5.2 Construction of Facilities on Interconnection Customer Property
- 5.3 Third Parties
- 5.4 Documentation
- 5.5 Transfer of Title to Certain Facilities Constructed By Interconnection Customer
- 5.6 Liens

#### **6 Warranties**

- 6.1 Interconnection Customer Warranty
- 6.2 Manufacturer Warranties

#### **7 [Reserved.]**

- 8 [Reserved.]**
- 9 Security, Billing And Payments**
  - 9.1 Adjustments to Security
  - 9.2 Invoice
  - 9.3 Final Invoice
  - 9.4 Disputes
  - 9.5 Interest
  - 9.6 No Waiver
- 10 Assignment**
  - 10.1 Assignment with Prior Consent
  - 10.2 Assignment Without Prior Consent
  - 10.3 Successors and Assigns
- 11 Insurance**
  - 11.1 Required Coverages For Generation Resources Of More Than 20 Megawatts and Merchant Transmission Facilities
  - 11.1A Required Coverages For Generation Resources of 20 Megawatts Or Less
  - 11.2 Additional Insureds
  - 11.3 Other Required Terms
  - 11.3A No Limitation of Liability
  - 11.4 Self-Insurance
  - 11.5 Notices; Certificates of Insurance
  - 11.6 Subcontractor Insurance
  - 11.7 Reporting Incidents
- 12 Indemnity**
  - 12.1 Indemnity
  - 12.2 Indemnity Procedures
  - 12.3 Indemnified Person
  - 12.4 Amount Owing
  - 12.5 Limitation on Damages
  - 12.6 Limitation of Liability in Event of Breach
  - 12.7 Limited Liability in Emergency Conditions
- 13 Breach, Cure And Default**
  - 13.1 Breach
  - 13.2 Notice of Breach
  - 13.3 Cure and Default
    - 13.3.1 Cure of Breach
  - 13.4 Right to Compel Performance
  - 13.5 Remedies Cumulative
- 14 Termination**
  - 14.1 Termination
  - 14.2 [Reserved.]
  - 14.3 Cancellation By Interconnection Customer
  - 14.4 Survival of Rights
- 15 Force Majeure**
  - 15.1 Notice

- 15.2 Duration of Force Majeure
- 15.3 Obligation to Make Payments
- 16 Subcontractors**
  - 16.1 Use of Subcontractors
  - 16.2 Responsibility of Principal
  - 16.3 Indemnification by Subcontractors
  - 16.4 Subcontractors Not Beneficiaries
- 17 Confidentiality**
  - 17.1 Term
  - 17.2 Scope
  - 17.3 Release of Confidential Information
  - 17.4 Rights
  - 17.5 No Warranties
  - 17.6 Standard of Care
  - 17.7 Order of Disclosure
  - 17.8 Termination of Construction Service Agreement
  - 17.9 Remedies
  - 17.10 Disclosure to FERC or its Staff
  - 17.11
  - 17.12
  - 17.13 Return or Destruction of Confidential Information
- 18 Information Access And Audit Rights**
  - 18.1 Information Access
  - 18.2 Reporting of Non-Force Majeure Events
  - 18.3 Audit Rights
- 19 Disputes**
  - 19.1 Submission
  - 19.2 Rights Under The Federal Power Act
  - 19.3 Equitable Remedies
- 20 Notices**
  - 20.1 General
  - 20.2 Operational Contacts
- 21 Miscellaneous**
  - 21.1 Regulatory Filing
  - 21.2 Waiver
  - 21.3 Amendments and Rights under the Federal Power Act
  - 21.4 Binding Effect
  - 21.5 Regulatory Requirements
- 22 Representations and Warranties**
  - 22.1 General

**ATTACHMENT P - SCHEDULE A**

**Site Plan**

**ATTACHMENT P - SCHEDULE B**

**Single-Line Diagram of Interconnection Facilities**

**ATTACHMENT P - SCHEDULE C**

**Transmission Owner Interconnection Facilities to be Built by Interconnected**

**Transmission Owner**  
**ATTACHMENT P - SCHEDULE D**  
**Transmission Owner Interconnection Facilities to be Built by Interconnection Customer Pursuant to Option to Build**  
**ATTACHMENT P - SCHEDULE E**  
**Merchant Network Upgrades to be Built by Interconnected Transmission Owner**  
**ATTACHMENT P - SCHEDULE F**  
**Merchant Network Upgrades to be Built by Interconnection Customer Pursuant to Option to Build**  
**ATTACHMENT P - SCHEDULE G**  
**Customer Interconnection Facilities**  
**ATTACHMENT P - SCHEDULE H**  
**Negotiated Contract Option Terms**  
**ATTACHMENT P - SCHEDULE I**  
**Scope of Work**  
**ATTACHMENT P - SCHEDULE J**  
**Schedule of Work**  
**ATTACHMENT P - SCHEDULE K**  
**Applicable Technical Requirements and Standards**  
**ATTACHMENT P - SCHEDULE L**  
**Interconnection Customer's Agreement to Confirm with IRS Safe Harbor Provisions For Non-Taxable Status**  
**ATTACHMENT P - SCHEDULE M**  
**Schedule of Non-Standard Terms and Conditions**  
**ATTACHMENT P - SCHEDULE N**  
**Interconnection Requirements for a Wind Generation Facility**  
**ATTACHMENT Q**  
**PJM Credit Policy**  
**ATTACHMENT R**  
**Lost Revenues Of PJM Transmission Owners And Distribution of Revenues Remitted By MISO, SECA Rates to Collect PJM Transmission Owner Lost Revenues Under Attachment X, And Revenues From PJM Existing Transactions**  
**ATTACHMENT S**  
**Form of Transmission Interconnection Feasibility Study Agreement**  
**ATTACHMENT T**  
**Identification of Merchant Transmission Facilities**  
**ATTACHMENT U**  
**Independent Transmission Companies**  
**ATTACHMENT V**  
**Form of ITC Agreement**  
**ATTACHMENT W**  
**COMMONWEALTH EDISON COMPANY**  
**ATTACHMENT X**  
**Seams Elimination Cost Assignment Charges**  
**NOTICE OF ADOPTION OF NERC TRANSMISSION LOADING RELIEF PROCEDURES**

**NOTICE OF ADOPTION OF LOCAL TRANSMISSION LOADING RELIEF  
PROCEDURES**

**SCHEDULE OF PARTIES ADOPTING LOCAL TRANSMISSION LOADING  
RELIEF PROCEDURES**

**ATTACHMENT Y**

**Forms of Screens Process Interconnection Request (For Generation Facilities of 2  
MW or less)**

**ATTACHMENT Z**

**Certification Codes and Standards**

**ATTACHMENT AA**

**Certification of Small Generator Equipment Packages**

**ATTACHMENT BB**

**Form of Certified Inverter-Based Generating Facility No Larger Than 10 kW  
Interconnection Service Agreement**

**ATTACHMENT CC**

**Form of Certificate of Completion  
(Small Generating Inverter Facility No Larger Than 10 kW)**

**ATTACHMENT DD**

**Reliability Pricing Model**

**ATTACHMENT EE**

**Form of Upgrade Request**

**ATTACHMENT FF**

**Form of Initial Study Agreement**

**ATTACHMENT GG**

**Form of Upgrade Construction Service Agreement**

Article 1 – Definitions And Other Documents

1.0 Defined Terms

1.1 Incorporation of Other Documents

Article 2 – Responsibility for Direct Assignment Facilities or Customer-Funded  
Upgrades

2.0 New Service Customer Financial Responsibilities

2.1 Obligation to Provide Security

2.2 Failure to Provide Security

2.3 Costs

2.4 Transmission Owner Responsibilities

Article 3 – Rights To Transmission Service

3.0 No Transmission Service

Article 4 – Early Termination

4.0 Termination by New Service Customer

Article 5 – Rights

5.0 Rights

5.1 Amount of Rights Granted

5.2 Availability of Rights Granted

5.3 Credits

Article 6 – Miscellaneous

6.0 Notices

- 6.1 Waiver
- 6.2 Amendment
- 6.3 No Partnership
- 6.4 Counterparts

**ATTACHMENT GG - APPENDIX I –  
SCOPE AND SCHEDULE OF WORK FOR DIRECT ASSIGNMENT  
FACILITIES OR CUSTOMER-FUNDED UPGRADES TO BE BUILT BY  
TRANSMISSION OWNER**

**ATTACHMENT GG - APPENDIX II - DEFINITIONS**

- 1 Definitions
  - 1.1 Affiliate
  - 1.2 Applicable Laws and Regulations
  - 1.3 Applicable Regional Reliability Council
  - 1.4 Applicable Standards
  - 1.5 Breach
  - 1.6 Breaching Party
  - 1.7 Cancellation Costs
  - 1.8 Commission
  - 1.9 Confidential Information
  - 1.10 Constructing Entity
  - 1.11 Control Area
  - 1.12 Costs
  - 1.13 Default
  - 1.14 Delivering Party
  - 1.15 Emergency Condition
  - 1.16 Environmental Laws
  - 1.17 Facilities Study
  - 1.18 Federal Power Act
  - 1.19 FERC
  - 1.20 Firm Point-To-Point
  - 1.21 Force Majeure
  - 1.22 Good Utility Practice
  - 1.23 Governmental Authority
  - 1.24 Hazardous Substances
  - 1.25 Incidental Expenses
  - 1.26 Local Upgrades
  - 1.27 Long-Term Firm Point-To-Point Transmission Service
  - 1.28 MAAC
  - 1.29 MAAC Control Zone
  - 1.30 NERC
  - 1.31 Network Upgrades
  - 1.32 Office of the Interconnection
  - 1.33 Operating Agreement of the PJM Interconnection, L.L.C. or Operating Agreement
  - 1.34 Part I
  - 1.35 Part II

- 1.36 Part III
- 1.37 Part IV
- 1.38 Part VI
- 1.39 PJM Interchange Energy Market
- 1.40 PJM Manuals
- 1.41 PJM Region
- 1.42 PJM West Region
- 1.43 Point(s) of Delivery
- 1.44 Point(s) of Receipt
- 1.45 Project Financing
- 1.46 Project Finance Entity
- 1.47 Reasonable Efforts
- 1.48 Receiving Party
- 1.49 Regional Transmission Expansion Plan
- 1.50 Schedule and Scope of Work
- 1.51 Security
- 1.52 Service Agreement
- 1.53 State
- 1.54 Transmission System
- 1.55 VACAR

**ATTACHMENT GG - APPENDIX III – GENERAL TERMS AND CONDITIONS**

- 1.0 Effective Date and Term
  - 1.1 Effective Date
  - 1.2 Term
  - 1.3 Survival
- 2.0 Facilitation by Transmission Provider
- 3.0 Construction Obligations
  - 3.1 Direct Assignment Facilities or Customer-Funded Upgrades
  - 3.2 Scope of Applicable Technical Requirements and Standards
- 4.0 Tax Liability
  - 4.1 New Service Customer Payments Taxable
  - 4.2 Income Tax Gross-Up
  - 4.3 Private Letter Ruling
  - 4.4 Refund
  - 4.5 Contests
  - 4.6 Taxes Other Than Income Taxes
  - 4.7 Tax Status
- 5.0 Safety
  - 5.1 General
  - 5.2 Environmental Releases
- 6.0 Schedule Of Work
  - 6.1 Standard Option
  - 6.2 Option to Build
  - 6.3 Revisions to Schedule and Scope of Work
  - 6.4 Suspension
- 7.0 Suspension of Work Upon Default

- 7.1 Notification and Correction of Defects
- 8.0 Transmission Outages
  - 8.1 Outages; Coordination
- 9.0 Security, Billing and Payments
  - 9.1 Adjustments to Security
  - 9.2 Invoice
  - 9.3 Final Invoice
  - 9.4 Disputes
  - 9.5 Interest
  - 9.6 No Waiver
- 10.0 Assignment
  - 10.1 Assignment with Prior Consent
  - 10.2 Assignment Without Prior Consent
  - 10.3 Successors and Assigns
- 11.0 Insurance
  - 11.1 Required Coverages
  - 11.2 Additional Insureds
  - 11.3 Other Required Terms
  - 11.4 No Limitation of Liability
  - 11.5 Self-Insurance
  - 11.6 Notices: Certificates of Insurance
  - 11.7 Subcontractor Insurance
  - 11.8 Reporting Incidents
- 12.0 Indemnity
  - 12.1 Indemnity
  - 12.2 Indemnity Procedures
  - 12.3 Indemnified Person
  - 12.4 Amount Owing
  - 12.5 Limitation on Damages
  - 12.6 Limitation of Liability in Event of Breach
  - 12.7 Limited Liability in Emergency Conditions
- 13.0 Breach, Cure And Default
  - 13.1 Breach
  - 13.2 Notice of Breach
  - 13.3 Cure and Default
  - 13.4 Right to Compel Performance
  - 13.5 Remedies Cumulative
- 14.0 Termination
  - 14.1 Termination
  - 14.2 Cancellation By New Service Customer
  - 14.3 Survival of Rights
  - 14.4 Filing at FERC
- 15.0 Force Majeure
  - 15.1 Notice
  - 15.2 Duration of Force Majeure
  - 15.3 Obligation to Make Payments

- 16.0 Confidentiality
  - 16.1 Term
  - 16.2 Scope
  - 16.3 Release of Confidential Information
  - 16.4 Rights
  - 16.5 No Warranties
  - 16.6 Standard of Care
  - 16.7 Order of Disclosure
  - 16.8 Termination of Upgrade Construction Service Agreement
  - 16.9 Remedies
  - 16.10 Disclosure to FERC or its Staff
  - 16.11
  - 16.12
  - 16.13 Return or Destruction of Confidential Information
- 17.0 Information Access And Audit Rights
  - 17.1 Information Access
  - 17.2 Reporting of Non-Force Majeure Events
  - 17.3 Audit Rights
  - 17.4 Waiver
  - 17.5 Amendments and Rights under the Federal Power Act
  - 17.6 Regulatory Requirements
- 18.0 Representation and Warranties
  - 18.1 General
- 19.0 Inspection and Testing of Completed Facilities
  - 19.1 Coordination
  - 19.2 Inspection and Testing
  - 19.3 Review of Inspection and Testing by Transmission Owner
  - 19.4 Notification and Correction of Defects
  - 19.5 Notification of Results
- 20.0 Energization of Completed Facilities
- 21.0 Transmission Owner's Acceptance of Facilities Constructed by New Service Customer
- 22.0 Transfer of Title to Certain Facilities Constructed By New Service Customer
- 23.0 Liens

**ATTACHMENT HH – RATES, TERMS, AND CONDITIONS OF SERVICE FOR PJMSETTLEMENT, INC.**

**ATTACHMENT II – MTEP PROJECT COST RECOVERY FOR ATSI ZONE**

**ATTACHMENT JJ – MTEP PROJECT COST RECOVERY FOR DEOK ZONE**

### **1.3 Definitions.**

#### **1.3.1 Acceleration Request.**

“Acceleration Request” shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

#### **1.3.1A Auction Revenue Rights.**

“Auction Revenue Rights” or “ARRs” shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

#### **1.3.1B Auction Revenue Rights Credits.**

“Auction Revenue Rights Credits” shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

##### **1.3.1B.01 Batch Load Demand Resource.**

“Batch Load Demand Resource” shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

##### **1.3.1B.02 Congestion Price.**

“Congestion Price” shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

##### **1.3.1B.03 Curtailment Service Provider.**

“Curtailment Service Provider” or “CSP” shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

##### **1.3.1B.04 Day-ahead Congestion Price.**

“Day-ahead Congestion Price” shall mean the Congestion Price resulting from the Day-ahead Energy Market.

#### **1.3.1C Day-ahead Energy Market.**

“Day-ahead Energy Market” shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1C.01 Day-ahead Loss Price.**

“Day-ahead Loss Price” shall mean the Loss Price resulting from the Day-ahead Energy Market.

**1.3.1D Day-ahead Prices.**

“Day-ahead Prices” shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

**1.3.1D.01 Day-ahead Scheduling Reserves.**

“Day-ahead Scheduling Reserves” shall mean thirty-minute reserves as defined by the Reliability *First* Corporation and SERC.

**1.3.1D.02 Day-ahead Scheduling Reserves Requirement.**

“Day-ahead Scheduling Reserves Requirement” shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

**1.3.1D.03 Day-ahead Scheduling Reserves Resources.**

“Day-ahead Scheduling Reserves Resources” shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

**1.3.1D.04 Day-ahead Scheduling Reserves Market.**

“Day-ahead Scheduling Reserves Market” shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1D.05 Day-ahead System Energy Price.**

“Day-ahead System Energy Price” shall mean the System Energy Price resulting from the Day-ahead Energy Market.

**1.3.1E Decrement Bid.**

“Decrement Bid” shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

#### **1.3.1E.01 Demand Resource.**

“Demand Resource” shall mean a resource with the capability to provide a reduction in demand.

#### **1.3.1F Dispatch Rate.**

“Dispatch Rate” shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

#### **1.3.1G Energy Storage Resource.**

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

#### **1.3.2 Equivalent Load.**

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

#### **1.3.2A Economic Load Response Participant.**

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

##### **1.3.2A.01 Economic Minimum.**

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

##### **1.3.2A.02 Economic Maximum.**

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

#### **1.3.2B Energy Market Opportunity Cost.**

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.3 External Market Buyer.**

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

### **1.3.4 External Resource.**

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

### **1.3.5 Financial Transmission Right.**

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

#### **1.3.5A Financial Transmission Right Obligation.**

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

#### **1.3.5B Financial Transmission Right Option.**

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

### **1.3.6 Generating Market Buyer.**

“Generating Market Buyer” shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer’s load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

### **1.3.7 Generator Forced Outage.**

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

### **1.3.8 Generator Maintenance Outage.**

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

### **1.3.9 Generator Planned Outage.**

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

#### **1.3.9A Increment Offer.**

“Increment Offer” shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Offer results in scheduled generation at the specified location in the Day-ahead Energy Market.

#### **1.3.9B Interface Pricing Point.**

“Interface Pricing Point” shall have the meaning specified in section 2.6A.

### **1.3.10 Internal Market Buyer.**

“Internal Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

### **1.3.11 Inadvertent Interchange.**

“Inadvertent Interchange” shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

#### **1.3.11.01 Load Management.**

“Load Management” shall mean a Demand Resource (“DR”) as defined in the Reliability Assurance Agreement.

### **1.3.11A Load Reduction Event.**

“Load Reduction Event” shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.11A.01 Location.**

“Location” as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

### **1.3.11B Loss Price.**

“Loss Price” shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.12 Market Operations Center.**

“Market Operations Center” shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.12A Maximum Emergency.**

“Maximum Emergency” shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

### **1.3.13 Maximum Generation Emergency.**

“Maximum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

### **1.3.14 Minimum Generation Emergency.**

“Minimum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

#### **1.3.14A NERC Interchange Distribution Calculator.**

“NERC Interchange Distribution Calculator” shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

#### **1.3.14B Net Benefits Test.**

“Net Benefits Test” shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

#### **1.3.15 Network Resource.**

“Network Resource” shall have the meaning specified in the PJM Tariff.

#### **1.3.16 Network Service User.**

“Network Service User” shall mean an entity using Network Transmission Service.

#### **1.3.17 Network Transmission Service.**

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

#### **1.3.17A Non-Regulatory Opportunity Cost.**

“Non-Regulatory Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.17B Non-Synchronized Reserve.**

“Non-Synchronized Reserve” shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

### **1.3.17C Non-Synchronized Reserve Event.**

“Non-Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

### **1.3.17D Non-Variable Loads.**

“Non-Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

### **1.3.18 Normal Maximum Generation.**

“Normal Maximum Generation” shall mean the highest output level of a generating resource under normal operating conditions.

### **1.3.19 Normal Minimum Generation.**

“Normal Minimum Generation” shall mean the lowest output level of a generating resource under normal operating conditions.

### **1.3.20 Offer Data.**

“Offer Data” shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

### **1.3.21 Office of the Interconnection Control Center.**

“Office of the Interconnection Control Center” shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.21A On-Site Generators.**

“On-Site Generators” shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.22 Operating Day.**

“Operating Day” shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

#### **1.3.23 Operating Margin.**

“Operating Margin” shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

#### **1.3.24 Operating Margin Customer.**

“Operating Margin Customer” shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

#### **1.3.25 PJM Interchange.**

“PJM Interchange” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

#### **1.3.26 PJM Interchange Export.**

“PJM Interchange Export” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

#### **1.3.27 PJM Interchange Import.**

“PJM Interchange Import” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

### **1.3.28 PJM Open Access Same-time Information System.**

“PJM Open Access Same-time Information System” shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

#### **1.3.28A Planning Period Quarter.**

“Planning Period Quarter” shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

#### **1.3.28B Planning Period Balance.**

“Planning Period Balance” shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

### **1.3.29 Point-to-Point Transmission Service.**

“Point-to-Point Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

#### **1.3.29A PRD Curve.**

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29B PRD Provider.**

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29C PRD Reservation Price.**

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29D PRD Substation.**

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29E Price Responsive Demand.**

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29F Primary Reserve.**

“Primary Reserve” shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

**1.3.30 Ramping Capability.**

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

**1.3.30.01 Real-time Congestion Price.**

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30.02 Real-time Loss Price.**

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30A Real-time Prices.**

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30B Real-time Energy Market.**

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

**1.3.30B.01 Real-time System Energy Price.**

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

### **1.3.31 Regulation.**

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

#### **1.3.31.001 Reserve Penalty Factor.**

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

#### **1.3.31.01 Residual Auction Revenue Rights.**

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2 (h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

#### **1.3.31.01A Residual Metered Load.**

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

#### **1.3.31.02 Special Member.**

“Special Member” shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response and Pre-Emergency Load Response Programs.

### **1.3.32 Spot Market Backup.**

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

### **1.3.33 Spot Market Energy.**

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

### **1.3.33A State Estimator.**

“State Estimator” shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

### **1.3.33B Station Power.**

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

#### **1.3.33B.001 Sub-meter.**

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

#### **1.3.33B.01 Synchronized Reserve.**

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

#### **1.3.33B.02 Synchronized Reserve Event.**

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

#### **1.3.33B.03 System Energy Price.**

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.33C Target Allocation.**

“Target Allocation” shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

### **1.3.34 Transmission Congestion Charge.**

“Transmission Congestion Charge” shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

### **1.3.35 Transmission Congestion Credit.**

“Transmission Congestion Credit” shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

### **1.3.36 Transmission Customer.**

“Transmission Customer” shall mean an entity using Point-to-Point Transmission Service.

### **1.3.37 Transmission Forced Outage.**

“Transmission Forced Outage” shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

### **1.3.37A Transmission Loading Relief.**

“Transmission Loading Relief” shall mean NERC’s procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

### **1.3.37B Transmission Loading Relief Customer.**

“Transmission Loading Relief Customer” shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

### **1.3.37C Transmission Loss Charge.**

“Transmission Loss Charge” shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

### **1.3.38 Transmission Planned Outage.**

“Transmission Planned Outage” shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

#### **1.3.38.01 Up-to Congestion Transaction.**

“Up-to Congestion Transaction” shall have the meaning specified in Section 1.10.1A of this Schedule.

#### **1.3.38A Variable Loads.**

“Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

#### **1.3.38B Virtual Transaction.**

“Virtual Transaction” shall mean a Decrement Bid, Increment Offer and/or Up-to Congestion Transaction.

### **1.3.39 Zonal Base Load.**

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

## **1.5A Economic Load Response Participant.**

As used in this section 1.5A, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number.

### **1.5A.1 Qualification.**

A Member or Special Member that is an end-use customer, Load Serving Entity or Curtailment Service Provider that has the ability to cause a reduction in demand as metered on an electric distribution company account basis or has an On-Site Generator that enables demand reduction may become an Economic Load Response Participant by complying with the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with this section 1.5A including, but not limited to, section 1.5A.3. A Member or Special Member may aggregate multiple individual end-use customer sites to qualify as an Economic Load Response Participant, subject to the requirements of Section 1.5A.10.

### **1.5A.2 Special Member.**

Entities that are not Members and desire to participate solely in the Real-time Energy Market by reducing demand may become a Special Member by paying an annual membership fee of \$500 plus 10% of each payment owed by PJMSettlement for a Load Reduction Event not to exceed \$5,000 in a calendar year. For entities that become Special Members pursuant to this section, the following obligations are waived: (1) the \$1,500 membership application fee set forth in section 1.4.3 of this Agreement; (ii) liability under section 15.2 of this Agreement for Member defaults; (iii) thirty days notice for waiting period; and (iv) the requirement for 24/7 control center coverage. In addition, such Members shall not have voting privileges in committees or sector designations, and shall not be permitted to form user groups. On January 1 of a calendar year, a Special Member under this section, at its sole election, may become a Member rather than a Special Member subject to all rules governing being a Member, including regular application and membership fee requirements.

### **1.5A.3 Registration.**

1. Prior to participating in the PJM Interchange Energy Market or Ancillary Services Market, Economic Load Response Participants must complete either the Economic Load Response or Economic Load Response Regulation Only Registration Form posted on the Office of the Interconnection’s website and submit such form to the Office of the Interconnection for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Notwithstanding the below sub-provisions, Economic Load Response Regulation Only registrations will not require the identification of the relevant Load Serving Entity, nor will such relevant Load Serving Entity be notified of such registration or requested to verify such registration. All other below sub-provisions apply equally to Economic Load Response Regulation Only registrations as well as Economic Load Response registrations.

- a. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:
  - i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is subject to another contractual obligation or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. A relevant electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in PJM's Economic Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.
  - ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets the requirements of this section 1.5A.
- b. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:
  - i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only

registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is permitted to participate in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. If the relevant electric distribution company or Load Serving Entity verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then the electric distribution company or the Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

- ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with section 1.5A hereof, including section 1.5A.3, the Economic Load Response Participant may submit a new registration for consideration if a prior registration has been rejected pursuant to this subsection.

2. In the event that the end-use customer is subject to another contractual obligation, special settlement terms may be employed to accommodate such contractual obligation. The Office of the Interconnection shall notify the end-use customer or appropriate Curtailment Service Provider, or relevant electric distribution company and/or Load Serving Entity that the Economic Load Response Participant has or has not met the requirements of this section 1.5A. An end-use customer that desires not to be simultaneously registered to reduce demand under the Emergency Load Response and Pre-Emergency Load Response Programs and under this section, upon one-day advance notice to the Office of the Interconnection, may switch its registration for reducing demand, if it has been registered to reduce load for 15 consecutive days under its current registration.

### **1.5A.3.01 Economic Load Response Registrations in Effect as of August 28, 2009**

1. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. Effective as of the later of either August 28, 2009 (the effective date of Wholesale Competition in Regions with Organized Electric Markets, Order 719-A, 128 FERC ¶ 61,059 (2009) (“Order 719-A”)) or the effective date of a Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer’s participation in PJM’s Economic Load Response Program, the existing Economic Load Response Participant’s registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated upon an electric distribution company or Load Serving Entity submitting to the Office of the Interconnection either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer’s participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority’s legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer’s participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer’s participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

2. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. Effective as of August 28, 2009 (the effective date of Order 719-A), an existing Economic Load Response Participant's registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated unless an electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program and provides evidence to the Office of the Interconnection documenting that the permission or conditional permission is pursuant to the laws or regulations of the Relevant Electric Retail Regulatory Authority. If the electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then, within ten business days of verifying such permission or conditional permission, the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer’s participation, (b) an opinion of the

Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. All registrations submitted to the Office of the Interconnection on or after August 28, 2009, including requests to extend existing registrations, will be processed by the Office of the Interconnection in accordance with the provisions of section 1.5A, including section 1.5A.3.

#### **1.5A.3. 02 Economic Load Response Regulation Only Registrations.**

An Economic Load Response Regulation Only registration allows end-use customer participation in the Regulation market only, and may be submitted by a Curtailment Service Provider that is different than the Curtailment Service Provider that submits an Emergency Load Response Program registration, Pre-Emergency Load Response Program registration or Economic Load Response registration for the same end-use customer. An end-use customer that is registered as Economic Load Response Regulation Only shall not be permitted to register and/or participate in any other Ancillary Service markets at the same time, but may have a second, simultaneously existing Economic Load Response registration to participate in the PJM Interchange Energy Market as set forth in the PJM Manuals.

#### **1.5A.4 Metering and Electronic Dispatch Signal.**

a) The Curtailment Service Provider is responsible to ensure that end-use customers have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy, or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. End-use customer reductions in demand must be metered by recording integrated hourly values for On-Site Generators running to serve local load (net of output used by the On-Site Generator), or by metering load on an electric distribution company account basis and comparing actual metered load to its Customer Baseline Load, calculated pursuant to section 3.3A of this Schedule, or on an alternative metering basis approved by the Office of the Interconnection and agreed upon by all relevant parties, including any Curtailment Service Provider, Load Serving Entity, electric distribution company and end-use customer. To qualify for compensation for such load reductions that are not metered directly by the Office of the Interconnection, hourly data reflecting meter readings for each day during which the load reduction occurred and all associated days to determine the reduction must be submitted to the

Office of the Interconnection in accordance with the PJM Manuals within 60 days of the load reduction.

Curtailement Service Providers that have end-use customers that will participate in the Regulation market may be permitted to use Sub-metered load data instead of load data at the electric distribution company account number level for Regulation measurement and verification as set forth in the PJM Manuals and subject to the following:

- a. Curtailement Service Providers, must clearly identify for the Office of the Interconnection all electrical devices that will provide Regulation and identify all other devices used for similar processes within the same Location that will not provide Regulation. The Location must contribute to management of frequency control on the PJM electric grid or PJM shall deny use of Sub-metered load data for the Location.
  - b. If the registration to participate in the Regulation market contains an aggregation of Locations, the relevant Curtailement Service Provider will provide the Office of the Interconnection with load data for each Location's Sub-meter through an after-the-fact load data submission process.
  - c. The Office of the Interconnection may conduct random, unannounced audits of all Locations that are registered to participate in the Regulation market to ensure that devices that are registered by the Curtailement Service Providers as providing Regulation service are not otherwise being offset by a change in usage of other devices within the same Location.
  - d. The Office of the Interconnection may suspend the Regulation market activity of Economic Load Response Participants, including Curtailement Service Providers, that do not comply with the Economic Load Response and Regulation market requirements as set forth in Schedule 1 and the PJM Manuals, and may refer the matter to the Independent Market Monitor and/or the Federal Energy Regulatory Commission Office of Enforcement.
- b) Curtailement Service Providers shall be responsible for maintaining, or ensuring that Economic Load Response Participants maintain, the capability to receive and act upon an electronic dispatch signal from the Office of the Interconnection in accordance with any standards and specifications contained in the PJM Manuals.

#### **1.5A.5 On-Site Generators.**

An Economic Load Response Participant that intends to use an On-Site Generator for the purpose of reducing demand to participate in the PJM Interchange Energy Market shall represent to the Office of the Interconnection in writing that it holds all necessary environmental permits applicable to the operation of the On-Site Generator. Unless notified otherwise, the Office of the Interconnection shall deem such representation applies to each time the On-Site Generator is used to reduce demand to enable participation in the PJM Interchange Energy Market and that

the On-Site Generator is being operated in compliance with all applicable permits, including any emissions, run-time limits or other operational constraints that may be imposed by such permits.

#### **1.5A.6 Variable-Load Customers.**

The loads of an Economic Load Response Participant shall be categorized as Variable or Non-variable at the time the load is registered, based on hourly load data for the most recent 60 days provided by the participant in the registration process; provided, however, that any alternative means of making such determination when 60 days of data is not available shall be subject to review and approval by the Office of the Interconnection and provided further that 60 days of hourly load data shall not be required on an individual customer basis for residential or small commercial customers that provide Economic Load Response through a direct load control program under which an electric distribution company, Load Serving Entity, or CSP has direct control over such customer's load, without reliance upon any action by such customer to reduce load. Non-Variable Loads shall be those for which the Customer Baseline Load calculation and adjustment methods prescribed by sections 3.3A.2 and 3.3A.3 result in a relative root mean square hourly error of twenty percent or less compared to the actual hourly loads based on the hourly load data provided in the registration process and using statistical methods prescribed in the PJM Manuals. All other loads shall be Variable Loads.

#### **1.5A.7 Non-Hourly Metered Customer Pilot.**

Non-hourly metered customers may participate in the PJM Interchange Energy Market as Economic Load Response Participants on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period. Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in the Emergency Load Response Program, Pre-Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering as set forth in Section 1.5A.4 of this Schedule, non-hourly metered customers that qualify as Economic Load Response Participants pursuant to this section 1.5A.7 shall be subject to the rules and procedures for participation by Economic Load Response Participants in the PJM Interchange Energy Market, including, without limitation, the Net Benefits Test and the requirement for dispatch by the Office of the Interconnection. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the PJM Interchange Energy Market.

#### **1.5A.8 Batch Load Demand Resource Provision of Synchronized Reserve or Day-ahead Scheduling Reserves.**

(a) A Batch Load Demand Resource may provide Synchronized Reserve or Day-ahead Scheduling Reserves in the PJM Interchange Energy Market provided it has pre-qualified by providing the Office of the Interconnection with documentation acceptable to the Office of the Interconnection that shows six months of one minute incremental load history of the Batch Load Demand Resource, or in the event such history is unavailable, other such information or data acceptable to the Office of the Interconnection to demonstrate that the resource meets the definition of “Batch Load Demand Resource” pursuant to section 1.3.1A.001 of this Schedule. This requirement is a one-time pre-qualification requirement for a Batch Load Demand Resource.

(b) Batch Load Demand Resources may provide up to 20 percent of the total system-wide PJM Synchronized Reserve requirement in any hour, or up to 20 percent of the total system-wide Day-ahead Scheduling Reserves requirement in any hour; provided, however, that in the event the Office of the Interconnection determines in its sole discretion that satisfying 20 percent of either such requirement from Batch Load Demand Resources is causing or may cause a reliability degradation, the Office of the Interconnection may reduce the percentage of either such requirement that may be satisfied by Batch Load Demand Resources in any hour to as low as 10 percent. This reduction will be effective seven days after the posting of the reduction on the PJM website. Notwithstanding anything to the contrary in this Agreement, as soon as practicable, the Office of the Interconnection unilaterally shall make a filing under section 205 of the Federal Power Act to revise the rules for Batch Load Demand Resources so as to continue such reduction. The reduction shall remain in effect until the Commission acts upon the Office of the Interconnection’s filing and thereafter if approved or accepted by the Commission.

(c) A Batch Load Demand Resource that is consuming energy at the start of a Synchronized Reserve Event, or, if committed to provide Day-ahead Scheduling Reserves, at the time of a dispatch instruction from the Office of the Interconnection to reduce load, shall respond to the Office of the Interconnection’s calling of a Synchronized Reserve Event, or to such instruction to reduce load, by reducing load as quickly as it is capable and by keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following the reduction, or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required. A Batch Load Demand Resource that has reduced its consumption of energy for its production processes to minimal or zero megawatts before the start of a Synchronized Reserve Event (or, in the case of Day-ahead Scheduling Reserves, before a dispatch instruction to reduce load) shall respond to the Office of the Interconnection’s calling of a Synchronized Reserve Event (or such instruction to reduce load) by reducing any load that is present at the time the Synchronized Reserve Event is called (or at the time of such instruction to reduce load) as quickly as it is capable, delaying the restart of its production processes, and keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following any such reduction (or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required). Failure to respond as described in this section shall be considered non-compliance with the Office of the Interconnection’s dispatch instruction associated with a Synchronized Reserve Event, or as applicable, associated with an instruction to a resource committed to provide Day-ahead Scheduling Reserves to reduce load.

### **1.5A.9 Day-ahead and Real-time Energy Market Participation.**

Economic Load Response Participants shall be compensated under section 3.3A.5 and 3.3A.6 only if they participate in the Day-ahead or Real-time Energy Markets as a dispatchable resource.

### **1.5A.10 Aggregation for Economic Load Response Registrations.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Energy Market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis or can provide less than 0.1 megawatt of demand response in the Day-Ahead Scheduling Reserve, Synchronized Reserve or Regulation markets when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation. If the aggregation will provide Synchronized Reserves, all customers in the aggregation must also be part of the same Synchronized Reserve sub-zone;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. A single CBL for the aggregation shall be used to determine settlements pursuant to Sections 3.3A.5 and 3.3A.6;
- v. If the aggregation will only provide energy to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve. If the aggregation will provide an Ancillary Service to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve;
- vi. Each End-Use Customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for energy or the 0.1 megawatt minimum load reduction requirement for Ancillary Services; and
- vii. An End-Use Customer's participation in the Energy and Ancillary Services markets shall be administered under one economic registration.

#### **1.5A.10.01 Aggregation for Economic Load Response Regulation Only Registrations**

The purpose for aggregation is to allow the participation of end-use customers in the Regulation market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All end-use customers in an aggregation shall be specifically identified;
- ii. All end-use customers in the aggregation must be served by the same electric distribution company and must also be part of the same Transmission Zone; and
- iii. Each end-use customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for Regulation service.

#### **1.5A.11 Reporting**

(a) PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

(b) As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.5A.3, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Economic Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

## **1.10 Scheduling.**

### **1.10.1 General.**

(a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.

(b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-to Congestion Transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such Up-to Congestion Transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.

(c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.

(d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified in Section 1.10.1A below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

### **1.10.1A Day-ahead Energy Market Scheduling.**

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection: (i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any energy exports, energy imports, and wheel through transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection if the transaction is to be scheduled in the Day-ahead Energy Market. Any Market Participant that elects to schedule an export, import or wheel through transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which the export, import or wheel through transaction will be wholly or partially curtailed. The foregoing price specification shall apply to the applicable interface pricing point. Any Market Participant that elects not to schedule its export, import or wheel through transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur

Transmission Congestion and Loss Charges in the Real-time Energy Market in order to complete any such scheduled transaction. Scheduling of such transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

- i) Market Participants shall submit schedules for all energy purchases for delivery within the PJM Region, whether from resources inside or outside the PJM Region;
- ii) Market Participants shall submit schedules for exports for delivery outside the PJM Region from resources within the PJM Region that are not dynamically scheduled to such entities pursuant to Section 1.12; and
- iii) In addition to the foregoing schedules for exports, imports and wheel through transactions, Market Participants shall submit confirmations of each scheduled transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(c-1) A Market Participant may elect to submit in the Day-ahead Energy Market a form of Virtual Transaction that combines an offer to sell energy at a source, with a bid to buy the same megawatt quantity of energy at a sink where such transaction specifies the maximum difference between the Locational Marginal Prices at the source and sink. The Office of Interconnection will schedule these transactions only to the extent this difference in Locational Marginal Prices is within the maximum amount specified by the Market Participant. A Virtual Transaction of this type is referred to as an “Up-to Congestion Transaction.” Such Up-to Congestion Transactions may be wholly or partially scheduled depending on the price difference between the source and sink locations in the Day-ahead Energy Market. *The maximum difference between the source and sink prices that a participant may specify shall be limited to +/- \$50/MWh.* The foregoing price specification shall apply to the price difference between the specified source and sink in the day-ahead scheduling process only. An accepted Up-to Congestion Transaction results in scheduled injection at a specified source and scheduled withdrawal of the same megawatt quantity at a specified sink in the Day-ahead Energy Market. The source-sink paths on which an Up-to Congestion Transaction may be submitted are limited to those *paths posted on the PJM internet site and determined by the Office of the Interconnection using the following criteria:*

*Step 1: Start with the historic set of eligible nodes that were available as sources and sinks for interchange transactions on the PJM OASIS.*

*Step 2: Remove from the list of nodes described in Step 1 all load buses below 69 kV.*

*Step 3: Remove from the resulting set of nodes from Step 2 all generator buses at which no generators of 100 megawatts or more are connected.*

*Step 4: Remove from the results of Step 3 all electrically equivalent nodes.*

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation, Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.

ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.

iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.

iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region.

The foregoing offers:

- i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;
- ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;
- iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;
- iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;
- v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;
- vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;
- vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day;
- viii) Shall not exceed an energy offer price of \$1,000/megawatt-hour for all Generation Capacity Resources; and
- ix) Shall not exceed an energy offer price of \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00, for all Economic Load Response Resources;
- x) Shall not exceed an offer price as follows for Emergency Load Response and Pre-Emergency Load Response participants with:

a) a 30 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00;

b) an approved 60 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus [the applicable Primary Reserve Penalty Factor divided by 2]; and

c) an approved 120 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provisions of Schedule 6 of the RAA, \$1,100/megawatt-hour.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed \$100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

i. The costs (in \$/MW) of the fuel cost increase due to the steady-state heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation shall apply to the capability offer;

ii. The cost increase (in \$/ΔMW) in costs associated with movement of the regulation resource incurred from the provision of Regulation shall apply to the performance offer; and

iii. An adder of up to \$12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for

energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Virtual Transactions that apply to the Day-ahead Energy Market only. Such Virtual Transactions must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of a defined number of bid/offer segments in the Day-ahead Energy Market, as specified in the PJM Manuals, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Offer or Decrement Bid. For purposes of applying this provision to an Up-to Congestion Transaction, a bid/offer segment shall refer to the pairing of a source and sink designation, as well as price and megawatt quantity, that comprise each Up-to Congestion Transaction.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts; (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load, subject to section 1.10.1A(d)(ix); and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand

in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or that offered and cleared in a Base Residual Auction or Incremental Auction, may submit demand reduction bids for the available load reduction capability of the Demand Resource. The submission of demand reduction bids for Demand Resource increments that were not committed in an FRR Capacity Plan, or that have not cleared in a Base Residual Auction or Incremental Auction, shall be optional, but any such bids must contain the information required to be included in such bids, as specified in the PJM Economic Load Response Program. A Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or offered and cleared in a Base Residual Auction or Incremental Auction, may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program; provided, however, that in the event of an Emergency PJM shall require Demand Resources to reduce load, notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

### **1.10.2 Pool-scheduled Resources.**

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, whether the resource is expected to be needed to maintain system reliability during the Operating Day, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by

Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

### **1.10.3 Self-scheduled Resources.**

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

#### **1.10.4 Capacity Resources.**

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

#### **1.10.5 External Resources.**

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled

resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

#### **1.10.6 External Market Buyers.**

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

#### **1.10.6A Transmission Loading Relief Customers.**

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

(i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

(ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

### **1.10.7 Bilateral Transactions.**

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

### **1.10.8 Office of the Interconnection Responsibilities.**

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as

the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively. The foregoing notwithstanding, the deadlines set forth in this subsection shall not apply if the Office of the Interconnection is unable to obtain Market Participant bid/offer data due to extraordinary circumstances. For purposes of this subsection, extraordinary circumstances shall mean a technical malfunction that limits, prohibits or otherwise interferes with the ability of the Office of the Interconnection to obtain Market Participant bid/offer data prior to 11:59 p.m. on the day before the affected Operating Day. Extraordinary circumstances do not include a Market Participant's inability to submit bid/offer data to the Office of the Interconnection. If the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day as a result of such extraordinary circumstances, the Office of the Interconnection shall notify Members as soon as practicable.

(c) Following posting of the information specified in Section 1.10.8(b), and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule. Notwithstanding the foregoing, if the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day due to extraordinary circumstances as described in subsection (b) above, no settlements shall be made for the Day-ahead Energy Market, no scheduled megawatt quantities shall be established, and no Day-ahead Prices shall be established for that Operating Day. Rather, for purposes of settlements for such Operating Day, the Office of the Interconnection shall utilize a scheduled megawatt quantity and price of zero and all settlements,

including Financial Transmission Right Target Allocations, will be based on the real-time quantities and prices as determined pursuant to Sections 2.4 and 2.5 hereof.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market.

After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

### **1.10.9 Hourly Scheduling.**

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, a generation rebidding period shall exist. Typically the rebidding period shall be from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. However, should the clearing of the Day-ahead Energy Market be significantly delayed, the Office of the Interconnection may establish a revised rebidding period. During the

rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;

ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or

iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or

iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

## 2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants, Pre-Emergency Load Response participants and Emergency Load Response participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response and Pre-Emergency Load Response participants in the Real-time Energy Market.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage (“false positives”) by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

**8. EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**

## **8.1 Emergency Load Response and Pre-Emergency Load Response Program Options**

The Emergency Load Response Program and Pre-Emergency Load Response Program are designed to provide a method by which end-use customers may be compensated by PJM for reducing load immediately prior to an anticipated emergency event (“pre-emergency event”) or during an emergency event. As used in the Emergency Load Response Program and Pre-Emergency Load Response Program, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program and Pre-Emergency Load Response Program:

- ◆ **Full Program Option**

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during a pre-emergency or emergency event, and (ii) a capacity payment for load reductions during a pre-emergency event or emergency event measured as set forth in the Reporting and Compliance provisions below.

- ◆ **Energy Only Option**

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

## 8.2 Participant Qualifications

Two primary types of distributed resources are candidates to participate in the PJM Emergency Load Response Program and Pre-Emergency Load Response Program:

### On-Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

### Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

Only Members or Special Members may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response and Pre-Emergency Load Response Program provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member or Special Member may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program on behalf of non-members as the Curtailment Service Provider. All payments are made to the PJM Member or Special Member in such case. Curtailment Service Providers must become signatories to the PJM Operating Agreement, as described in the *PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.* However, for Special Members the \$5,000 annual member fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications:

- Special Members are limited to be PJM market sellers;
- Voting privileges and sector designation are waived;
- Thirty day notice for waiting period is waived;
- Requirement for 24/7 control center coverage is waived;
- No PJM-supported user group capability is permitted.

To participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, the Demand Resource must:

- Be capable of reducing at least 100 kW of load
- Be capable of receiving notification of a Load Management event.

### **8.3 Metering Requirements**

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program and Pre-Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Program and Pre-Emergency Load Response Program participants must meter reductions in demand by using either of the following two methods:

- a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or
- b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

- a) Metering equipment used for retail electric service;
- b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM, in accordance with the requirements herein and in the PJM Manuals; or
- c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

## 8.4 Registration

1. Curtailment Service Providers must complete the applicable PJM Load Response Program Registration Form (“Registration Form”) that is posted on the PJM website ([www.pjm.com](http://www.pjm.com)) for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company ten business day review period, as described herein, Curtailment Service Providers should submit completed Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31<sup>st</sup> preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or the Office of the Interconnection because of incorrect data on the Registration Form, such registration may be resubmitted by the Curtailment Service Provider before May 31<sup>st</sup> preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company has verified the registration on or before May 31<sup>st</sup> preceding the relevant Delivery Year. Incomplete Registration Forms will be rejected by the Office of the Interconnection; Curtailment Service Providers may not resubmit registrations that were rejected for being incomplete unless they are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The Curtailment Service Provider completes the Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response or Pre-Emergency Load Response Program participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response Program participant's registration and request verification as to whether the load that may be reduced is subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs pursuant to the process described below. The electric distribution company *has* ten business days to respond. An electric distribution company which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company asserts has not been satisfied) an end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31<sup>st</sup> preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response and Pre-Emergency Load Response Program requirements.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The Curtailment Service Provider completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response and Pre-Emergency Load Response participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response participant's registration and request verification as to whether the load that may be reduced is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company *has* ten business days to respond. If the electric distribution company verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company asserts has been satisfied) to participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, then the electric distribution company must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response and Pre-Emergency Load Response Program requirements, including the registration section, the Emergency Load Response and Pre-Emergency Load Response participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response and Pre-Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM will inform the requesting Curtailment Service Provider of acceptance into the Emergency Load Response Program and Pre-Emergency Load Response Program and notify the appropriate electric distribution company of the requesting Curtailment Service Provider's acceptance into the program, or notifies the requesting Curtailment Service Provider and appropriate electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

## 8.5 Pre-Emergency Operations

All participants in the Emergency Load Response Program shall be subject to the pre-emergency procedures herein, unless the participant can demonstrate it: (1) relies on Behind the Meter generation to fulfill its load reduction obligations; and (2) it has environmental restrictions on when it can operate such that it is only permitted to operate if PJM is in emergency conditions, in which case the participant shall be subject to the emergency operation procedures contained in Section 8.6. In such case, the Curtailment Service Provider shall submit a request for the relevant Demand Resource(s) to be an emergency (versus pre-emergency) Demand Resource to the Office of the Interconnection, at the time the Registration Form is submitted in accordance with this Agreement. A Curtailment Service Provider shall not submit a request for an exception unless it has done its due diligence to confirm that the Demand Resource meets the requirements referenced herein and has obtained from the end-use customer documentation supporting the exception request. The Curtailment Service Provider shall provide the Office of the Interconnection with a copy of such supporting documentation within three (3) business days of a request therefor. Failure to provide such supporting documentation by the deadline shall result in the Demand Resource being subject to the pre-emergency procedures herein.

PJM will initiate a pre-emergency event prior to the declaration of a Maximum Generation Emergency or an emergency event when practicable. A pre-emergency event is implemented when economic resources are not adequate to serve load and maintain reserves or maintain system reliability, and prior to proceeding into emergency procedures. Understanding the primary responsibility of the Office of the Interconnection to maintain system security, the Office of the Interconnection will strive to exhaust, but it is not obligated to exhaust, all economic resources prior to initiating a pre-emergency event. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the pre-emergency event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the pre-emergency event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Pre-Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented pre-emergency procedures and such resources are required to reduce demand in the PJM Region and as

described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailed Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, and comply with operational procedures, as described in detail in the PJM Manuals.

## 8.6 Emergency Operations

PJM will initiate the notification of a Load Management event coincident with the declaration of Maximum Generation emergency. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) A Load Management event is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time LMP when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailment Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the *PJM Manual for Emergency Operations*.

## **8.7 Verification**

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the Load Management event. If the data are not received within 60 days, no payment for participation shall be provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction.

These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the electric distribution company upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

## 8.8 Market Settlements

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is one hour. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJM Settlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured energy load reduction adjusted for losses times the applicable LMP. The measured energy load reduction for locations with approved Economic Load Response registrations prior to emergency energy settlement submission will use the associated economic CBL to determine the energy load reduction unless the locations on the Emergency Load Response registration are not the same locations as those included on the Economic Load Response registration. If, at the time that an emergency event is initiated by PJM, an end-use customer is already responding economically (i.e., pursuant to the Economic Load Response rules) and economic CBL is based on Symmetric Additive Adjustment, then the CBL calculated based on the Symmetric Additive Adjustment period prior to the economic event will be used. Locations that do not have an approved Economic Load Response registration prior to submission of emergency energy settlement by the Curtailment Service Provider will use the measured load the hour before the load reduction as the CBL to determine the energy load reduction.

If, however, the sum of the hourly energy payments to a Curtailment Service Provider with a Demand Resource dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price and shut down costs) then the Curtailment Service Provider will be made whole up to the offer value for its actual, achieved reductions for the Demand Resource.

Locations on Economic Load Response registrations dispatched in the Real-time Energy Market or cleared in the Day-ahead Energy Market that are also included on an Emergency Load Response and Pre-Emergency Load Response registration as Full Program Option, and that have also been dispatched as part of an emergency event for the same hour (i.e., have an "overlapping dispatch hour") will be compensated for energy based on emergency energy settlement and cost allocation rules as set forth in this section and in the PJM Manuals. Overlapping dispatch hours will use shutdown costs based on what was considered for the economic event, and no balancing Operating Reserve charges will be assessed for deviations from real-time dispatch amounts or from cleared day-ahead commitments. To avoid duplicative energy payments, overlapping dispatch hours for an aggregate registration (i.e., multiple locations on the same registration) or dispatch groups where locations on the Emergency Load Response and Pre-Emergency Load Response registration are not the same locations as those on the Economic Load Response

registration will have hourly economic energy load reduction and/or hourly emergency energy load reduction prorated based on load reduction capability provided by the Curtailment Service Provider for the locations.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the Real-time Energy Market compared to the Day-ahead Energy Market. Consistent with this pricing methodology, all charges under the Emergency Load Response and Pre-Emergency Load Response Programs are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real-time.

Emergency Load Response and Pre-Emergency Load Response Program charges and credits will appear on the PJM Members monthly bill, as described in the *PJM Manual for Operating Agreement Accounting and the PJM Manual for Billing*.

## 8.9 Reporting and Compliance

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response, Pre-Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during a pre-emergency or emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

- i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if the Office of the Interconnection did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load (“Load”) and then multiplied by the loss factor (“LF”) or (b) the current Delivery Year peak load contribution (“PLC”) minus the metered load multiplied by the loss factor (“LF”). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

Minimum of  $\{(comparison\ load - Load) * LF, PLC - (Load * LF)\}$

Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

- ◆ Comparable Day
- ◆ Same Day
- ◆ Customer Baseline
- ◆ Regression Analysis
- ◆ Generation

Each of these methodologies is described in greater detail in Manual M-19, *PJM Manual for Load Forecasting and Analysis*, at Attachment A: Load Drop Estimate Guidelines.

- ii) For Firm Service Level end-use customers the current Delivery Year PLC minus the Load multiplied by the LF. The calculation is represented by:

$$\text{PLC} - (\text{Load} * \text{LF})$$

The capacity compliance of Load Management resources that are registered as Emergency Load Response and Pre-Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Emergency Load Response and Pre-Emergency Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies pursuant to section 1.5A.3 of PJM's Economic Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies assert prohibit or condition retail participation in PJM's Emergency Load Response and Pre-Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies.

## **8.10 Non-Hourly Metered Customer Pilot**

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection (“Pilot Period”).

Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

## **8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response and Pre-Emergency Load Response Programs that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response and Pre-Emergency Load Response Participant aggregations shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company ;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and
- v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.
- vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

## **2. DEFINITIONS**

Definitions specific to this Attachment are set forth below. In addition, any capitalized terms used in this Attachment not defined herein shall have the meaning given to such terms elsewhere in this Tariff or in the RAA. References to section numbers in this Attachment DD refer to sections of this attachment, unless otherwise specified.

### **2.1A Annual Demand Resource**

“Annual Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.1B Annual Resource**

“Annual Resource” shall mean a Generation Capacity Resource, an Energy Efficiency Resource or an Annual Demand Resource.

### **2.1C Annual Resource Price Adder**

“Annual Resource Price Adder” shall mean, *for Delivery Years starting June 1, 2014 and ending May 31, 2017*, an addition to the marginal value of Unforced Capacity and the Extended Summer Resource Price Adder as necessary to reflect the price of Annual Resources required to meet the applicable Minimum Annual Resource Requirement.

### **2.1D Annual Revenue Rate**

“Annual Revenue Rate” shall mean the rate employed to assess a compliance penalty charge on a Curtailment Service Provider under section 11.

## **2.2 Avoidable Cost Rate**

“Avoidable Cost Rate” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

## **2.3 Base Load Generation Resource**

“Base Load Generation Resource” shall mean a Generation Capacity Resource that operates at least 90 percent of the hours that it is available to operate, as determined by the Office of the Interconnection in accordance with the PJM Manuals.

## **2.4 Base Offer Segment**

“Base Offer Segment” shall mean a component of a Sell Offer based on an existing Generation Capacity Resource, equal to the Unforced Capacity of such resource, as determined in accordance with the PJM Manuals. If the Sell Offers of multiple Market Sellers are based on a single existing Generation Capacity Resource, the Base Offer Segments of such Market Sellers

shall be determined pro rata based on their entitlements to Unforced Capacity from such resource.

## **2.5 Base Residual Auction**

“Base Residual Auction” shall mean the auction conducted three years prior to the start of the Delivery Year to secure commitments from Capacity Resources as necessary to satisfy any portion of the Unforced Capacity Obligation of the PJM Region not satisfied through Self-Supply.

## **2.6 Buy Bid**

“Buy Bid” shall mean a bid to buy Capacity Resources in any Incremental Auction.

## **2.7 Capacity Credit**

“Capacity Credit” shall have the meaning specified in Schedule 11 of the Operating Agreement, including Capacity Credits obtained prior to the termination of such Schedule applicable to periods after the termination of such Schedule.

## **2.8 Capacity Emergency Transfer Limit**

“Capacity Emergency Transfer Limit” or “CETL” shall have the meaning provided in the Reliability Assurance Agreement.

## **2.9 Capacity Emergency Transfer Objective**

“Capacity Emergency Transfer Objective” or “CETO” shall have the meaning provided in the Reliability Assurance Agreement.

## **2.9A Capacity Export Transmission Customer**

“Capacity Export Transmission Customer” shall mean a customer taking point to point transmission service under Part II of this Tariff to export capacity from a generation resource located in the PJM Region that is delisted from Capacity Resource status as described in section 5.6.6(d).

## **2.9B Capacity Import Limit**

*“Capacity Import Limit” shall have the meaning provided in the Reliability Assurance Agreement.*

## **2.10 Capacity Market Buyer**

“Capacity Market Buyer” shall mean a Member that submits bids to buy Capacity Resources in any Incremental Auction.

## **2.11 Capacity Market Seller**

“Capacity Market Seller” shall mean a Member that owns, or has the contractual authority to control the output or load reduction capability of, a Capacity Resource, that has not transferred such authority to another entity, and that offers such resource in the Base Residual Auction or an Incremental Auction.

## **2.12 Capacity Resource**

“Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.13 Capacity Resource Clearing Price**

“Capacity Resource Clearing Price” shall mean the price calculated for a Capacity Resource that offered and cleared in a Base Residual Auction or Incremental Auction, in accordance with Section 5.

## **2.14 Capacity Transfer Right**

“Capacity Transfer Right” shall mean a right, allocated to LSEs serving load in a Locational Deliverability Area, to receive payments, based on the transmission import capability into such Locational Deliverability Area, that offset, in whole or in part, the charges attributable to the Locational Price Adder, if any, included in the Zonal Capacity Price calculated for a Locational Delivery Area.

## **2.14A Conditional Incremental Auction**

“Conditional Incremental Auction” shall mean an Incremental Auction conducted for a Delivery Year if and when necessary to secure commitments of additional capacity to address reliability criteria violations arising from the delay in a Backbone Transmission upgrade that was modeled in the Base Residual Auction for such Delivery Year.

## **2.15 CONE Area**

“CONE Area” shall mean the areas listed in section 5.10(a)(iv)(A) and any LDAs established as CONE Areas pursuant to section 5.10(a)(iv)(B).

## **2.16 Cost of New Entry**

“Cost of New Entry” or “CONE” shall mean the nominal levelized cost of a Reference Resource, as determined in accordance with section 5.

## **2.16A Credit-Limited Offer**

“Credit-Limited Offer” shall have the meaning provided in Attachment Q to this Tariff.

## **2.17 Daily Deficiency Rate**

“Daily Deficiency Rate” shall mean the rate employed to assess certain deficiency charges under sections 7, 8, 9, or 13.

## **2.18 Daily Unforced Capacity Obligation**

“Daily Unforced Capacity Obligation” shall mean the capacity obligation of a Load Serving Entity during the Delivery Year, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

## **2.19 Delivery Year**

Delivery Year shall mean the Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Section 5.

## **2.20 Demand Resource**

“Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.21 Demand Resource Factor**

“Demand Resource Factor” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.22 [Reserved for Future Use]**

## **2.23 EFORD**

“EFORD” shall have the meaning specified in the PJM Reliability Assurance Agreement.

## **2.24 Energy Efficiency Resource**

“Energy Efficiency Resource” shall have the meaning specified in the PJM Reliability Assurance Agreement.

## **2.24A Extended Summer Demand Resource**

“Extended Summer Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.24B Extended Summer Resource Price Adder**

“Extended Summer Resource Price Adder” shall mean an addition to the marginal value of Unforced Capacity as necessary to reflect the price of Annual Resources and Extended Summer

Demand Resources required to meet the applicable Minimum Extended Summer Resource Requirement.

### **2.24C Sub-Annual Resource Reliability Target**

“*Sub-Annual Reliability Target*” for the PJM Region or an LDA, shall mean the maximum amount of the combination of Extended Summer Demand Resources and Limited Demand Resources in Unforced Capacity determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity, that shall be used to calculate the Minimum Annual Resource Requirement for *Delivery Years through May 31, 2017 and the Sub-Annual Resource Constraint for Delivery Years beginning June 1, 2017*. As more fully set forth in the PJM Manuals, PJM calculates the *Sub-Annual Resource Reliability Target*, by first determining a reference annual loss of load expectation (“LOLE”) assuming no Demand Resources. The calculation for the unconstrained portion of the PJM Region uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast and iteratively shifting the load distributions to result in the Installed Reserve Margin established for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Installed Reserve Margin study for the Delivery Year in question). The calculation for each relevant LDA uses a daily distribution of loads under a range of weather scenarios (based on the most recent load forecast for the Delivery Year in question) and a weekly capacity distribution (based on the cumulative capacity availability distributions developed for the Capacity Emergency Transfer Objective study for the Delivery Year in question). For the relevant LDA calculation, the weekly capacity distributions are adjusted to reflect the Capacity Emergency Transfer Limit for the Delivery Year in question.

For both the PJM Region and LDA analyses, PJM then models the commitment of varying amounts of DR (displacing otherwise committed generation) as interruptible from May 1 through October 31 and unavailable from November 1 through April 30 and calculates the LOLE at each DR level. The Extended Summer DR Reliability Target is the DR amount, stated as a percentage of the unrestricted peak load, that produces no more than a ten percent increase in the LOLE, compared to the reference value. The *Sub-Annual Resource Reliability Target* shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

### **2.25 Sub-Annual Resource Constraint**

“*Sub-Annual Resource Constraint*” shall mean, for the PJM Region or for each LDA for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources and Extended Summer Demand Resources for such Delivery Year in the PJM Region or in such LDA, calculated as the *Sub-Annual Resource Reliability Target* for the PJM Region or for such LDA, respectively, minus the *Short-Term Resource Procurement Target* for the PJM Region or for such LDA, respectively.

## **2.26 Final RTO Unforced Capacity Obligation**

“Final RTO Unforced Capacity Obligation” shall mean the capacity obligation for the PJM Region, determined in accordance with Schedule 8 of the Reliability Assurance Agreement.

### **2.26A [Reserved]**

## **2.27 First Incremental Auction**

“First Incremental Auction” shall mean an Incremental Auction conducted 20 months prior to the start of the Delivery Year to which it relates.

## **2.28 Forecast Pool Requirement**

“Forecast Pool Requirement” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.29 [Reserved]**

### **2.30 [Reserved]**

## **2.31 Generation Capacity Resource**

“Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.32 [Reserved]**

### **2.33 [Reserved]**

## **2.34 Incremental Auction**

“Incremental Auction” shall mean any of several auctions conducted for a Delivery Year after the Base Residual Auction for such Delivery Year and before the first day of such Delivery Year, including the First Incremental Auction, Second Incremental Auction, Third Incremental Auction or Conditional Incremental Auction. Incremental Auctions (other than the Conditional Incremental Auction), shall be held for the purposes of:

(i) allowing Market Sellers that committed Capacity Resources in the Base Residual Auction for a Delivery Year, which subsequently are determined to be unavailable to deliver the committed Unforced Capacity in such Delivery Year (due to resource retirement, resource cancellation or construction delay, resource derating, EFORD increase, a decrease in the Nominated Demand Resource Value of a Planned Demand Resource, delay or cancellation of a Qualifying Transmission Upgrade, or similar occurrences) to submit Buy Bids for replacement Capacity Resources; and

(ii) allowing the Office of the Interconnection to reduce or increase the amount of committed capacity secured in prior auctions for such Delivery Year if, as a result of changed circumstances or expectations since the prior auction(s), there is, respectively, a significant excess or significant deficit of committed capacity for such Delivery Year, for the PJM Region or for an LDA.

### **2.35 Incremental Capacity Transfer Right**

“Incremental Capacity Transfer Right” shall mean a Capacity Transfer Right allocated to a Generation Interconnection Customer or Transmission Interconnection Customer obligated to fund a transmission facility or upgrade, to the extent such upgrade or facility increases the transmission import capability into a Locational Deliverability Area, or a Capacity Transfer Right allocated to a Responsible Customer in accordance with Schedule 12A of the Tariff.

### **2.36 [Reserved]**

#### **2.36A Limited Demand Resource**

“Limited Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.36B Limited Demand Resource Reliability Target**

“Limited Demand Resource Reliability Target” for the PJM Region or an LDA, shall mean the maximum amount of Limited Demand Resources determined by PJM to be consistent with the maintenance of reliability, stated in Unforced Capacity that shall be used to calculate the Minimum Extended Summer Demand Resource Requirement *for Delivery Years through May 31, 2017 and the Limited Resource Constraint for Delivery Years beginning June 1, 2017* for the PJM Region or such LDA. As more fully set forth in the PJM Manuals, PJM calculates the Limited Demand Resource Reliability Target by first: i) testing the effects of the ten-interruption requirement by comparing possible loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery Year in question) against possible generation capacity on such days under a range of conditions (using the cumulative capacity distributions employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) more than ten times over those peak days; ii) testing the six-hour duration requirement by calculating the MW difference between the highest hourly unrestricted peak load and seventh highest hourly unrestricted peak load on certain high peak load days (e.g., the annual peak, loads above the weather normalized peak, or days where load management was called) in recent years, then dividing those loads by the forecast peak for those years and averaging the result; and (iii) (for the 2016-2017 and subsequent Delivery Years) testing the effects of the six-hour duration requirement by comparing possible hourly loads on peak days under a range of weather conditions (from the daily load forecast distributions for the Delivery

Year in question) against possible generation capacity on such days under a range of conditions (using a Monte Carlo model of hourly capacity levels that is consistent with the capacity model employed in the Installed Reserve Margin study for the PJM Region and in the Capacity Emergency Transfer Objective study for the relevant LDAs for such Delivery Year) and, by varying the assumed amounts of DR that is committed and displaces committed generation, determines the DR penetration level at which there is a ninety percent probability that DR will not be called (based on the applicable operating reserve margin for the PJM Region and for the relevant LDAs) for more than six hours over any one or more of the tested peak days. Second, PJM adopts the lowest result from these three tests as the Limited Demand Resource Reliability Target. The Limited Demand Resource Reliability Target shall be expressed as a percentage of the forecasted peak load of the PJM Region or such LDA and is converted to Unforced Capacity by multiplying [the reliability target percentage] times [the Forecast Pool Requirement] times [the DR Factor] times [the forecasted peak load of the PJM Region or such LDA, reduced by the amount of load served under the FRR Alternative].

### **2.36C Limited Resource Constraint**

*“Limited Resource Constraint” shall mean, for the PJM Region or each LDA for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for a Delivery Year, a limit on the total amount of Unforced Capacity that can be committed as Limited Demand Resources for such Delivery Year in the PJM Region or in such LDA, calculated as the Limited Demand Resource Reliability Target for the PJM Region or such LDA, respectively, minus the Short Term Resource Procurement Target for the PJM Region or such LDA, respectively.*

### **2.36D Limited Resource Price Decrement**

*“Limited Resource Price Decrement” shall mean, for the Delivery Year commencing June 1, 2017 and subsequent Delivery Years, a difference between the clearing price for Limited Demand Resources and the clearing price for Extended Summer Demand Resources and Annual Resources, representing the cost to procure additional Extended Summer Demand Resources or Annual Resources out of merit order when the Limited Resource Constraint is binding.*

### **2.37 Load Serving Entity (LSE)**

“Load Serving Entity” or “LSE” shall have the meaning specified in the Reliability Assurance Agreement.

### **2.38 Locational Deliverability Area (LDA)**

“Locational Deliverability Area” or “LDA” shall mean a geographic area within the PJM Region that has limited transmission capability to import capacity to satisfy such area’s reliability requirement, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, and as specified in Schedule 10.1 of the Reliability Assurance Agreement.

### **2.39 Locational Deliverability Area Reliability Requirement**

“Locational Deliverability Area Reliability Requirement” shall mean the projected internal capacity in the Locational Deliverability Area plus the Capacity Emergency Transfer Objective for the Delivery Year, as determined by the Office of the Interconnection in connection with preparation of the Regional Transmission Expansion Plan, less the minimum internal resources required for all FRR Entities in such Locational Deliverability Area, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction for the Zones comprising such Locational Deliverability Area for such Delivery Year.

#### **2.40 Locational Price Adder**

“Locational Price Adder” shall mean an addition to the marginal value of Unforced Capacity within an LDA as necessary to reflect the price of Capacity Resources required to relieve applicable binding locational constraints.

#### **2.41 Locational Reliability Charge**

“Locational Reliability Charge” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.41A Locational UCAP**

“Locational UCAP” shall mean unforced capacity that a Member with available uncommitted capacity sells in a bilateral transaction to a Member that previously committed capacity through an RPM Auction but now requires replacement capacity to fulfill its RPM Auction commitment. The Locational UCAP Seller retains responsibility for performance of the resource providing such replacement capacity.

#### **2.41B Locational UCAP Seller**

“Locational UCAP Seller” shall mean a Member that sells Locational UCAP.

#### **2.41C Market Seller Offer Cap**

“Market Seller Offer Cap” shall mean a maximum offer price applicable to certain Market Sellers under certain conditions, as determined in accordance with section 6 of Attachment DD and section II.E of Attachment M - Appendix.

#### **2.41D Minimum Annual Resource Requirement**

“Minimum Annual Resource Requirement” shall mean, *for Delivery Years through May 31, 2017*, the minimum amount of capacity that PJM will seek to procure from Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Annual Resource

Requirement shall be equal to the RTO Reliability Requirement minus [the *Sub-Annual* Resource Reliability Target for the RTO in Unforced Capacity]. For an LDA, the Minimum Annual Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the *Sub-Annual* Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

#### **2.41E Minimum Extended Summer Resource Requirement**

“Minimum Extended Summer Resource Requirement” shall mean, *for Delivery Years through May 31, 2017*, the minimum amount of capacity that PJM will seek to procure from Extended Summer Demand Resources and Annual Resources for the PJM Region and for each Locational Deliverability Area for which the Office of the Interconnection is required under section 5.10(a) of this Attachment DD to establish a separate VRR Curve for such Delivery Year. For the PJM Region, the Minimum Extended Summer Resource Requirement shall be equal to the RTO Reliability Requirement minus [the Limited Demand Resource Reliability Target for the PJM Region in Unforced Capacity]. For an LDA, the Minimum Extended Summer Resource Requirement shall be equal to the LDA Reliability Requirement minus [the LDA CETL] minus [the Limited Demand Resource Reliability Target for such LDA in Unforced Capacity]. The LDA CETL may be adjusted pro rata for the amount of load served under the FRR Alternative.

#### **2.42 Net Cost of New Entry**

“Net Cost of New Entry” shall mean the Cost of New Entry minus the Net Energy and Ancillary Service Revenue Offset, as defined in Section 5.

#### **2.43 Nominated Demand Resource Value**

“Nominated Demand Resource Value” shall mean the amount of load reduction that a Demand Resource commits to provide either through direct load control, firm service level or guaranteed load drop programs. For existing Demand Resources, the maximum Nominated Demand Resource Value is limited, in accordance with the PJM Manuals, to the value appropriate for the method by which the load reduction would be accomplished, at the time the Base Residual Auction or Incremental Auction is being conducted.

#### **2.43A Nominated Energy Efficiency Value**

“Nominated Energy Efficiency Value” shall mean the amount of load reduction that an Energy Efficiency Resource commits to provide through installation of more efficient devices or equipment or implementation of more efficient processes or systems.

#### **2.44 [Reserved]**

#### **2.45 Opportunity Cost**

“Opportunity Cost” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

#### **2.46 Peak-Hour Dispatch**

“Peak-Hour Dispatch” shall mean, for purposes of calculating the Energy and Ancillary Services Revenue Offset under section 5 of this Attachment, an assumption, as more fully set forth in the PJM Manuals, that the Reference Resource is committed in the Day-Ahead Energy Market in four distinct blocks of four hours of continuous output for each block from the peak-hour period beginning with the hour ending 0800 EPT through to the hour ending 2300 EPT for any day when the average day-ahead LMP for the area for which the Net Cost of New Entry is being determined is greater than, or equal to, the cost to generate (including the cost for a complete start and shutdown cycle) for at least two hours during each four-hour block, where such blocks shall be assumed to be committed independently; provided that, if there are not at least two economic hours in any given four-hour block, then the Reference Resource shall be assumed not to be committed for such block; and to the extent not committed in any such block in the Day-Ahead Energy Market under the above conditions based on Day-Ahead LMPs, is dispatched in the Real-Time Energy Market for such block if the Real-Time LMP is greater than or equal to the cost to generate under the same conditions as described above for the Day-Ahead Energy Market.

#### **2.47 Peak Season**

“Peak Season” shall mean the weeks containing the 24th through 36th Wednesdays of the calendar year. Each such week shall begin on a Monday and end on the following Sunday, except for the week containing the 36th Wednesday, which shall end on the following Friday.

#### **2.48 Percentage Internal Resources Required**

“Percentage Internal Resources Required” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.49 Planned Demand Resource**

“Planned Demand Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.50 Planned External Generation Capacity Resource**

“Planned External Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

#### **2.50A Planned Generation Capacity Resource**

“Planned Generation Capacity Resource” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.51 Planning Period**

“Planning Period” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.52 PJM Region**

“PJM Region” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.53 PJM Region Installed Reserve Margin**

“PJM Region Installed Reserve Margin” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.54 PJM Region Peak Load Forecast**

“PJM Region Peak Load Forecast” shall mean the peak load forecast used by the Office of the Interconnection in determining the PJM Region Reliability Requirement, and shall be determined on both a preliminary and final basis as set forth in section 5.

## **2.55 PJM Region Reliability Requirement**

“PJM Region Reliability Requirement” shall mean, for purposes of the Base Residual Auction, the Forecast Pool Requirement multiplied by the Preliminary PJM Region Peak Load Forecast, less the sum of all Preliminary Unforced Capacity Obligations of FRR Entities in the PJM Region; and, for purposes of the Incremental Auctions, the Forecast Pool Requirement multiplied by the updated PJM Region Peak Load Forecast, less the sum of all updated Unforced Capacity Obligations of FRR Entities in the PJM Region, and less any necessary adjustment for Price Responsive Demand proposed in a PRD Plan or committed following an RPM Auction (as applicable) for such Delivery Year.

## **2.56 Projected PJM Market Revenues**

“Projected PJM Market Revenues” shall mean a component of the Market Seller Offer Cap calculated in accordance with section 6.

## **2.57 Qualifying Transmission Upgrade**

“Qualifying Transmission Upgrade” shall mean a proposed enhancement or addition to the Transmission System that: (a) will increase the Capacity Emergency Transfer Limit into an LDA by a megawatt quantity certified by the Office of the Interconnection; (b) the Office of the Interconnection has determined will be in service on or before the commencement of the first Delivery Year for which such upgrade is the subject of a Sell Offer in the Base Residual Auction; (c) is the subject of a Facilities Study Agreement executed before the conduct of the Base Residual Auction for such Delivery Year and (d) a New Service Customer is obligated to fund through a rate or charge specific to such facility or upgrade.

## **2.58 Reference Resource**

“Reference Resource” shall mean a combustion turbine generating station, configured with two General Electric Frame 7FA turbines with inlet air cooling to 50 degrees, Selective Catalytic Reduction technology in CONE Areas 1, 2, 3, and 4, dual fuel capability, and a heat rate of 10.096 Mmbtu/ MWh.

## **2.59 Reliability Assurance Agreement**

“Reliability Assurance Agreement” shall mean that certain “Reliability Assurance Agreement Among Load-Serving Entities in the PJM Region,” on file with FERC as PJM Interconnection, L.L.C. Rate Schedule FERC No.44.

## **2.60 Reliability Pricing Model Auction**

“Reliability Pricing Model Auction” or “RPM Auction” shall mean the Base Residual Auction or any Incremental Auction.

### ***2.60A Repowered / Repowering***

*“Repowering” or “Repowered” shall refer to a partial or total replacement of existing steam production equipment with new technology or a partial or total replacement of steam production process and power generation equipment, or an addition of steam production and/or power generation equipment, or a change in the primary fuel being used at the plant. A resource can be considered Repowered whether or not such aforementioned replacement, addition, or fuel change provides an increase in installed capacity, and whether or not the pre-existing plant capability is formally deactivated or retired.*

## **2.61 Resource Substitution Charge**

“Resource Substitution Charge” shall mean a charge assessed on Capacity Market Buyers in an Incremental Auction to recover the cost of replacement Capacity Resources.

### **2.61A Scheduled Incremental Auctions**

“Scheduled Incremental Auctions” shall refer to the First, Second, or Third Incremental Auction.

## **2.62 Second Incremental Auction**

“Second Incremental Auction” shall mean an Incremental Auction conducted ten months before the Delivery Year to which it relates.

## **2.63 Sell Offer**

“Sell Offer” shall mean an offer to sell Capacity Resources in a Base Residual Auction, Incremental Auction, or Reliability Backstop Auction.

## **2.64 [Reserved for Future Use]**

## **2.65 Self-Supply**

“Self-Supply” shall mean Capacity Resources secured by a Load-Serving Entity, by ownership or contract, outside a Reliability Pricing Model Auction, and used to meet obligations under this Attachment or the Reliability Assurance Agreement through submission in a Base Residual Auction or an Incremental Auction of a Sell Offer indicating such Market Seller’s intent that such Capacity Resource be Self-Supply. Self-Supply may be either committed regardless of clearing price or submitted as a Sell Offer with a price bid. A Load Serving Entity’s Sell Offer with a price bid for an owned or contracted Capacity Resource shall not be deemed “Self-Supply,” unless it is designated as Self-Supply and used by the LSE to meet obligations under this Attachment or the Reliability Assurance Agreement.

### **2.65A Short-Term Resource Procurement Target**

“Short-Term Resource Procurement Target” shall mean, as to the PJM Region, for purposes of the Base Residual Auction, 2.5% of the PJM Region Reliability Requirement determined for such Base Residual Auction, for purposes of the First Incremental Auction, 2% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, for purposes of the Second Incremental Auction, 1.5% of the of the PJM Region Reliability Requirement as calculated at the time of the Base Residual Auction; and, as to any Zone, an allocation of the PJM Region Short-Term Resource Procurement Target based on the Preliminary Zonal Forecast Peak Load, reduced by the amount of load served under the FRR Alternative. For any LDA, the LDA Short-Term Resource Procurement Target shall be the sum of the Short-Term Resource Procurement Targets of all Zones in the LDA.

### **2.65B Short-Term Resource Procurement Target Applicable Share**

“Short-Term Resource Procurement Target Applicable Share” shall mean: (i) for the PJM Region, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction and, as to the Third Incremental Auction for the PJM Region, 0.6 times such target; and (ii) for an LDA, as to the First and Second Incremental Auctions, 0.2 times the Short-Term Resource Procurement Target used in the Base Residual Auction for such LDA and, as to the Third Incremental Auction, 0.6 times such target.

### **2.65C Sub-Annual Resource Price Decrement**

*“Sub-Annual Resource Price Decrement” shall mean, for the Delivery Year commencing June 1, 2017 and subsequent Delivery Years, a difference between the clearing price for Extended Summer Demand Resources and the clearing price for Annual Resources, representing the cost to procure additional Annual Resources out of merit order when the Sub-Annual Resource Constraint is binding.*

## **2.66 Third Incremental Auction**

“Third Incremental Auction” shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

## **2.67 [Reserved for Future Use]**

## **2.68 Unconstrained LDA Group**

“Unconstrained LDA Group” shall mean a combined group of LDAs that form an electrically contiguous area and for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD. Any LDA for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD shall be combined with all other such LDAs that form an electrically contiguous area.

## **2.69 Unforced Capacity**

“Unforced Capacity” shall have the meaning specified in the Reliability Assurance Agreement.

## **2.69A Updated VRR Curve**

“Updated VRR Curve” shall mean the Variable Resource Requirement Curve as defined in section 5.10(a) of this Attachment for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect the Short-term Resource Procurement Target applicable to the relevant Incremental Auction and any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction.

## **2.69B Updated VRR Curve Increment**

“Updated VRR Curve Increment” shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

## **2.69C Updated VRR Curve Decrement**

“Updated VRR Curve Decrement” shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year.

## **2.70 Variable Resource Requirement Curve**

“Variable Resource Requirement Curve” shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying

resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

### **2.71 Zonal Capacity Price**

“Zonal Capacity Price” shall mean the clearing price required in each Zone to meet the demand for Unforced Capacity and satisfy Locational Deliverability Requirements for the LDA or LDAs associated with such Zone. If the Zone contains multiple LDAs with different Capacity Resource Clearing Prices, the Zonal Capacity Price shall be a weighted average of the Capacity Resource Clearing Prices for such LDAs, weighted by the Unforced Capacity of Capacity Resources cleared in each such LDA.

## **11. DEMAND RESOURCE COMPLIANCE PENALTY CHARGE**

(a) The Office of the Interconnection shall separately evaluate compliance of each Demand Resource committed for a Delivery Year, in accordance with procedures set forth in the PJM Manuals. The compliance is evaluated separately by event in each Zone for Demand Resources dispatched by the Office of Interconnection. The Demand Resource Compliance Penalty Charges will not be assessed to resources that are dispatched on a subzonal basis for the 2012/2013 and 2013/2014 Delivery Years. For the 2014/2015 Delivery Year, the Demand Resource Compliance Penalty Charge will not be assessed to resources that are dispatched on a subzonal basis unless such subzone is defined and publically posted the day before the Load Management event as set forth in the PJM Manuals. For the 2015/2016 Delivery Year and all subsequent Delivery Years, the Demand Resource Compliance Penalty Charges will not be assessed to resources that are dispatched on a subzonal basis unless such subzone is defined and publicly posted the day of the Load Management event as set forth in the PJM Manuals. To the extent a Demand Resource cannot respond, another Demand Resource in the same geographic location defined by the PJM dispatch instruction with the same designated lead time and comparable capacity commitment may be substituted. Any Demand Resource used as a substitute during an event will have the same obligation to respond to future event(s) as if it did not respond to such event. Capacity Market Sellers that committed Demand Resources and Locational UCAP Sellers that sold Demand Resources that cannot demonstrate the hourly performance of such resource in real-time based on the capacity commitment shall be assessed a Demand Resource Compliance Penalty Charge; provided, however, that such under compliance shall be determined on an aggregate basis for all dispatched Demand Resources committed by the same Capacity Market Seller or same Locational UCAP Seller.

(b) The Demand Resource Compliance Penalty Charge for a Capacity Market Seller in a Zone for the on-peak period, which includes all hours specified in the Reliability Assurance Agreement definition of the Limited Demand Resource, shall equal the lesser of (1/the number of Load Management events during the year for which such Demand Resources were dispatched, or 0.50) times the weighted daily revenue rate for such seller resources dispatched, multiplied by the net under-compliance in such on-peak period, if any, for such seller resulting from all dispatched resources it has committed for such Delivery Year for such Zone for each Load Management event called by the Office of the Interconnection. Net zonal under compliance for the event will be prorated to individual under compliant registrations based on performance of each registration in order to determine net under compliance(s). The Demand Resource Compliance Penalty Charge for a Capacity Market Seller in a Zone for the off-peak period, which includes all hours specified in the Reliability Assurance Agreement definitions of Extended Summer Demand Resource or Annual Demand Resource, but does not included in the on-peak period, shall equal 1/52 times the weighted daily revenue rate for resources dispatched for such seller, multiplied by the net undercompliance in such off-peak period, if any, for such seller resulting from all dispatched resources it has committed for such Delivery Year for such Zone for each Load Management event called by the Office of the Interconnection. If a Load Management event is comprised of both an on-peak period and

an off-peak period then such Demand Resource Compliance Penalty Charge will be the higher of the charges calculated under the prior two sentences. The total Compliance Penalty Charge for the Delivery Year is not to exceed the annual revenue received for such resources. The net zonal undercompliance for each such Load Management event shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable DR Factor and Forecast Pool Requirement: (i) the megawatts of load reduction capability committed by such seller on the day of the Load Management event for all dispatched resources minus (ii) the megawatts of load reduction actually provided by all such dispatched Demand Resources during such event. A seller's net undercompliance in a Zone shall be reduced by the seller's total amount of Capacity Resource deficiency shortfalls on the day of the Load Management event, determined pursuant to section 8 of Attachment DD of this Tariff, in a Zone for the seller's committed Demand Resources that are the same product(s) dispatched. The daily revenue rate for a Demand Resource shall be the Resource Clearing Price that the resource received in the auction in which it cleared, including any adjustment pursuant to Attachment DD-1, section C of this Tariff. The weighted daily revenue rate for a Capacity Market Seller shall be the average rate for all cleared Demand Resources, weighted by the megawatts cleared at each price. The total charge per megawatt that may be assessed on a Capacity Market Seller in a Delivery Year shall be capped at the weighted daily revenue rate the Capacity Market Seller would receive in the Delivery Year.

The Demand Resource Compliance Penalty Charges for a Load Management event for Limited Demand Resources are assessed daily and initially billed by the later of the month of October during such Delivery Year or the third billing month following the Load Management event that gave rise to such charge. The initial billing for a Load Management event for Limited Demand Resources will reflect the amounts due from the start of the Delivery Year to the last day that is reflected in the initial billing. The remaining charges for such Load Management event will be assessed daily and billed monthly through the remainder of the Delivery Year. The Demand Resource Compliance Penalty Charges for a Load Management event for Annual or Extended Summer Demand Resources are assessed daily and billed by the later of the month of June following such Delivery Year or the third billing month following the Load Management event that gave rise to such charge. The billing for the Load Management event for Annual or Extended Summer Demand Resources will be in a lump sum and reflect the accrued charges for the entire Delivery Year.

c) Daily revenues from assessment of a Demand Resource Compliance Penalty Charge shall be distributed on a pro-rata basis to Demand Resource Providers and Locational UCAP Sellers that provided load reductions in excess of the amount such resources were committed to provide. Such revenue distribution, however, shall not exceed for any Capacity Market Seller the quantity of excess megawatts provided by such Capacity Market Seller during a single event times 0.20 times the weighted daily revenue rate for such Capacity Market Seller for resources dispatched. To the extent any such revenues remain after such distribution, the remaining revenues shall be distributed to LSEs based on each LSE's Daily Unforced Capacity Obligation.

## ATTACHMENT DD-1

Preface: The provisions of this Attachment incorporate into the Tariff for ease of reference the provisions of Schedule 6 of the Reliability Assurance Agreement among Load Serving Entities in the PJM Region. As a result, this Attachment will be modified, subject to FERC approval, so that the terms and conditions set forth herein remain consistent with the corresponding terms and conditions of Schedule 6 of the RAA. Capitalized terms used herein that are not otherwise defined in Attachment DD or elsewhere in this Tariff have the meaning set forth in the RAA.

### PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Direct Load Control, as further specified in section G and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource, or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the

Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

- 1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;
- 2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;
- 3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,
- 4) The Demand Resource is comprised of mass market residential customers which collectively cannot be notified of a Load Management event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- if applicable, Direct Load Control (DLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak

Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the current Delivery Year (at the time of plan submission) and two preceding Delivery Years;
- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

the product of the Nominated Value of the Demand Resource times the DR Factor, times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of

such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.

E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.

F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.

G. PJM measures Demand Resources in the following three ways:

Direct Load Control (DLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for DLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its DLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer’s contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer’s Peak Load Contribution.

The Nominated Value for a Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-

participant load reduction multiplied by the number of active participants, adjusted for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, LSE contact information, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

For Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved DLC programs will be provided by PJM.

K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider’s Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period. Compliance for Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for FSL, by comparing actual load during the event to the firm service level. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for GLD, and will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (iii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management event for non-interval metered DLC programs. Compliance is averaged over the Load Management event, for each FSL and GLD customer dispatched by the Office of the Interconnection, for at least 30 minutes of the clock hour (i.e., "partial dispatch compliance hour"). The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manuals. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and DLC programs to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

#### L. Energy Efficiency Resources

1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described herein) reduction in electric energy

consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2012. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value, which shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday. The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.

3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. The Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement.

4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.

6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.

7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

Section(s) of the  
PJM Operating Agreement  
(Clean Format)

---

**OPERATING AGREEMENT  
TABLE OF CONTENTS**

1. **DEFINITIONS**
  - OA Definitions - A - B
  - OA Definitions - C - D
  - OA Definitions - E - F
  - OA Definitions - G - H
  - OA Definitions - I - L
  - OA Definitions - M - N
  - OA Definitions - O - P
  - OA Definitions - Q - R
  - OA Definitions - S - T
  - OA Definitions - U - Z
2. **FORMATION, NAME; PLACE OF BUSINESS**
  - 2.1 Formation of LLC; Certificate of Formation
  - 2.2 Name of LLC
  - 2.3 Place of Business
  - 2.4 Registered Office and Registered Agent
3. **PURPOSES AND POWERS OF LLC**
  - 3.1 Purposes
  - 3.2 Powers
4. **EFFECTIVE DATE AND TERMINATION**
  - 4.1 Effective Date and Termination
  - 4.2 Governing Law
5. **WORKING CAPITAL AND CAPITAL CONTRIBUTIONS**
  - 5.1 Funding of Working Capital and Capital Contributions
  - 5.2 Contributions to Association
6. **TAX STATUS AND DISTRIBUTIONS**
  - 6.1 Tax Status
  - 6.2 Return of Capital Contributions
  - 6.3 Liquidating Distribution
7. **PJM BOARD**
  - 7.1 Composition
  - 7.2 Qualifications
  - 7.3 Term of Office
  - 7.4 Quorum
  - 7.5 Operating and Capital Budgets
  - 7.6 By-laws
  - 7.7 Duties and Responsibilities of the PJM Board
8. **MEMBERS COMMITTEE**
  - 8.1 Sectors
  - 8.2 Representatives
  - 8.3 Meetings

- 8.4 Manner of Acting
- 8.5 Chair and Vice Chair of the Members Committee
- 8.6 Senior, Standing, and Other Committees
- 8.7 User Groups
- 8.8 Powers of the Members Committee
- 9. OFFICERS
  - 9.1 Election and Term
  - 9.2 President
  - 9.3 Secretary
  - 9.4 Treasurer
  - 9.5 Renewal of Officers; Vacancies
  - 9.6 Compensation
- 10. OFFICE OF THE INTERCONNECTION
  - 10.1 Establishment
  - 10.2 Processes and Organization
  - 10.3 Confidential Information
  - 10.4 Duties and Responsibilities
- 11. MEMBERS
  - 11.1 Management Rights
  - 11.2 Other Activities
  - 11.3 Member Responsibilities
  - 11.4 Regional Transmission Expansion Planning Protocol
  - 11.5 Member Right to Petition
  - 11.6 Membership Requirements
  - 11.7 Associate Membership Requirements
- 12. TRANSFERS OF MEMBERSHIP INTEREST
- 13. INTERCHANGE
  - 13.1 Interchange Arrangements with Non-Members
  - 13.2 Energy Market
- 14. METERING
  - 14.1 Installation, Maintenance and Reading of Meters
  - 14.2 Metering Procedures
  - 14.3 Integrated Megawatt-Hours
  - 14.4 Meter Locations
  - 14.5 Metering of Behind The Meter Generation
- 14A. TRANSMISSION LOSSES
  - 14A.1 Description of Transmission Losses
  - 14A.2 Inclusion of State Estimator Transmission Losses
  - 14A.3 Other Losses
- 15. ENFORCEMENT OF OBLIGATIONS
  - 15.1 Failure to Meet Obligations
  - 15.2 Enforcement of Obligations
  - 15.3 Obligations to a Member in Default
  - 15.4 Obligations of a Member in Default
  - 15.5 No Implied Waiver
  - 15.6 Limitation on Claims

- 16. LIABILITY AND INDEMNITY
  - 16.1 Members
  - 16.2 LLC Indemnified Parties
  - 16.3 Workers Compensation Claims
  - 16.4 Limitation of Liability
  - 16.5 Resolution of Disputes
  - 16.6 Gross Negligence or Willful Misconduct
  - 16.7 Insurance
- 17. MEMBER REPRESENTATIONS, WARRANTIES AND COVENANTS
  - 17.1 Representations and Warranties
  - 17.2 Municipal Electric Systems
  - 17.3 Survival
- 18. MISCELLANEOUS PROVISIONS
  - 18.1 [Reserved.]
  - 18.2 Fiscal and Taxable Year
  - 18.3 Reports
  - 18.4 Bank Accounts; Checks, Notes and Drafts
  - 18.5 Books and Records
  - 18.6 Amendment
  - 18.7 Interpretation
  - 18.8 Severability
  - 18.9 *Force Majeure*
  - 18.10 Further Assurances
  - 18.11 Seal
  - 18.12 Counterparts
  - 18.13 Costs of Meetings
  - 18.14 Notice
  - 18.15 Headings
  - 18.16 No Third-Party Beneficiaries
  - 18.17 Confidentiality
  - 18.18 Termination and Withdrawal
    - 18.18.1 Termination
    - 18.18.2 Withdrawal
    - 18.18.3 Winding Up

RESOLUTION REGARDING ELECTION OF DIRECTORS

SCHEDULE 1 – PJM INTERCHANGE ENERGY MARKET

- 1. MARKET OPERATIONS
  - 1.1 Introduction
  - 1.2 Cost-Based Offers
  - 1.2A Transmission Losses
  - 1.3 Definitions
  - 1.4 Market Buyers
  - 1.5 Market Sellers
  - 1.5A Economic Load Response Participant
  - 1.6 Office of the Interconnection
  - 1.6A PJMSettlement

- 1.7 General
- 1.8 Selection, Scheduling and Dispatch Procedure Adjustment Process
- 1.9 Prescheduling
- 1.10 Scheduling
- 1.11 Dispatch
- 1.12 Dynamic Scheduling
- 2. CALCULATION OF LOCATIONAL MARGINAL PRICES
  - 2.1 Introduction
  - 2.2 General
  - 2.3 Determination of System Conditions Using the State Estimator
  - 2.4 Determination of Energy Offers Used in Calculating Real-time Prices
  - 2.5 Calculation of Real-time Prices
  - 2.6 Calculation of Day-ahead Prices
  - 2.6A Interface Prices
  - 2.7 Performance Evaluation
- 3. ACCOUNTING AND BILLING
  - 3.1 Introduction
  - 3.2 Market Buyers
  - 3.3 Market Sellers
  - 3.3A Economic Load Response Participants
  - 3.4 Transmission Customers
  - 3.5 Other Control Areas
  - 3.6 Metering Reconciliation
  - 3.7 Inadvertent Interchange
- 4. [Reserved For Future Use]
- 5. CALCULATION OF CHARGES AND CREDITS FOR TRANSMISSION CONGESTION AND LOSSES
  - 5.1 Transmission Congestion Charge Calculation
  - 5.2 Transmission Congestion Credit Calculation
  - 5.3 Unscheduled Transmission Service (Loop Flow)
  - 5.4 Transmission Loss Charge Calculation
  - 5.5 Distribution of Total Transmission Loss Charges
- 6. "MUST-RUN" FOR RELIABILITY GENERATION
  - 6.1 Introduction
  - 6.2 Identification of Facility Outages
  - 6.3 Dispatch for Local Reliability
  - 6.4 Offer Price Caps
  - 6.5 [Reserved]
  - 6.6 Minimum Generator Operating Parameters – Parameter-Limited Schedules
- 6A [Reserved]
  - 6A.1 [Reserved]
  - 6A.2 [Reserved]
  - 6A.3 [Reserved]
- 7. FINANCIAL TRANSMISSION RIGHTS AUCTIONS
  - 7.1 Auctions of Financial Transmission Rights
  - 7.1A Long-Term Financial Transmission Rights Auctions

- 7.2 Financial Transmission Rights Characteristics
- 7.3 Auction Procedures
- 7.4 Allocation of Auction Revenues
- 7.5 Simultaneous Feasibility
- 7.6 New Stage 1 Resources
- 7.7 Alternate Stage 1 Resources
- 7.8 Elective Upgrade Auction Revenue Rights
- 7.9 Residual Auction Revenue Rights
- 7.10 Financial Settlement
- 7.11 PJM Settlement as Counterparty
- 8. EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM
  - 8.1 Emergency Load Response and Pre-Emergency Load Response Program Options
  - 8.2 Participant Qualifications
  - 8.3 Metering Requirements
  - 8.4 Registration
  - 8.5 Pre-Emergency Operations
  - 8.6 Emergency Operations
  - 8.7 Verification
  - 8.8 Market Settlements
  - 8.9 Reporting and Compliance
  - 8.10 Non-Hourly Metered Customer Pilot
  - 8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation
- SCHEDULE 2 – COMPONENTS OF COST
- SCHEDULE 2 – EXHIBIT A, EXPLANATION OF THE TREATMENT OF THE COSTS OF EMISSION ALLOWANCES
- SCHEDULE 3 – ALLOCATION OF THE COST AND EXPENSES OF THE OFFICE OF THE INTERCONNECTION
- SCHEDULE 4 – STANDARD FORM OF AGREEMENT TO BECOME A MEMBER OF THE LLC
- SCHEDULE 5 – PJM DISPUTE RESOLUTION PROCEDURES
  - 1. DEFINITIONS
    - 1.1 Alternate Dispute Resolution Committee
    - 1.2 MAAC Dispute Resolution Committee
    - 1.3 Related PJM Agreements
  - 2. PURPOSES AND OBJECTIVES
    - 2.1 Common and Uniform Procedures
    - 2.2 Interpretation
  - 3. NEGOTIATION AND MEDIATION
    - 3.1 When Required
    - 3.2 Procedures
    - 3.3 Costs
  - 4. ARBITRATION
    - 4.1 When Required
    - 4.2 Binding Decision
    - 4.3 Initiation

- 4.4 Selection of Arbitrator(s)
  - 4.5 Procedures
  - 4.6 Summary Disposition and Interim Measures
  - 4.7 Discovery of Facts
  - 4.8 Evidentiary Hearing
  - 4.9 Confidentiality
  - 4.10 Timetable
  - 4.11 Advisory Interpretations
  - 4.12 Decisions
  - 4.13 Costs
  - 4.14 Enforcement
  - 5. ALTERNATE DISPUTE RESOLUTION COMMITTEE
    - 5.1 Membership
    - 5.2 Voting Requirements
    - 5.3 Officers
    - 5.4 Meetings
    - 5.5 Responsibilities
- SCHEDULE 6 – REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL**
- 1. REGIONAL TRANSMISSION EXPANSION PLANNING PROTOCOL
    - 1.1 Purpose and Objectives
    - 1.2 Conformity with NERC and Other Applicable Criteria
    - 1.3 Establishment of Committees
    - 1.4 Contents of the Regional Transmission Expansion Plan
    - 1.5 Procedure for Development of the Regional Transmission Expansion Plan
    - 1.6 Approval of the Final Regional Transmission Expansion Plan
    - 1.7 Obligation to Build
    - 1.8 Interregional Expansions
    - 1.9 Relationship to the PJM Open Access Transmission Tariff
- SCHEDULE 7 – UNDERFREQUENCY RELAY OBLIGATIONS AND CHARGES**
- 1. UNDERFREQUENCY RELAY OBLIGATION
    - 1.1 Application
    - 1.2 Obligations
  - 2. UNDERFREQUENCY RELAY CHARGES
  - 3. DISTRIBUTION OF UNDERFREQUENCY RELAY CHARGES
    - 3.1 Share of Charges
    - 3.2 Allocation by the Office of the Interconnection
- SCHEDULE 8 – DELEGATION OF PJM CONTROL AREA RELIABILITY RESPONSIBILITIES**
- 1. DELEGATION
  - 2. NEW PARTIES
  - 3. IMPLEMENTATION OF RELIABILITY ASSURANCE AGREEMENT
- SCHEDULE 9B – PJM SOUTH REGION EMERGENCY PROCEDURE CHARGES**
- 1. EMERGENCY PROCEDURE CHARGE
  - 2. DISTRIBUTION OF EMERGENCY PROCEDURE CHARGES
    - 2.1 Complying Parties

2.2 All Parties

SCHEDULE 10 – FORM OF NON-DISCLOSURE AGREEMENT

1. DEFINITIONS
  - 1.1 Affected Member
  - 1.2 Authorized Commission
  - 1.3 Authorized Person
  - 1.4 Confidential Information
  - 1.5 FERC
  - 1.6 Information Request.
  - 1.7 Operating Agreement
  - 1.8 PJM Market Monitor
  - 1.9 PJM Tariff
  - 1.10 Third Party Request.
2. Protection of Confidentiality
  - 2.1 Duty to Not Disclose
  - 2.2 Discussion of Confidential Information with Other Authorized Persons
  - 2.3 Defense Against Third Party Requests
  - 2.4 Care and Use of Confidential Information
  - 2.5 Ownership and Privilege
3. Remedies
  - 3.1 Material Breach
  - 3.2 Judicial Recourse
  - 3.3 Waiver of Monetary Damages
4. Jurisdiction
5. Notices
6. Severability and Survival
7. Representations
8. Third Party Beneficiaries
9. Counterparts
10. Amendment

SCHEDULE 10A – FORM OF CERTIFICATION

1. Definitions
2. Requisite Authority
3. Protection of Confidential Information
4. Defense Against Requests for Disclosure
5. Use and Destruction of Confidential Information
6. Notice of Disclosure of Confidential Information
7. Release of Claims
8. Ownership and Privilege

Exhibit A - Certification List of Authorized Persons

SCHEDULE 11 – ALLOCATION OF COSTS ASSOCIATED WITH NERC  
PENALTY ASSESSMENTS

- 1.1 Purpose and Objectives
- 1.2 Definitions
- 1.3 Allocation of Costs When PJM is the Registered Entity
- 1.4 Allocation of Costs When a PJM Member is the Registered Entity

1.5

SCHEDULE 12 – PJM MEMBER LIST

RESOLUTION TO AMEND THE PROCEDURES REQUIRING THE RETENTION OF AN  
INDEPENDENT CONSULTANT TO PROPOSE A LIST OF CANDIDATES FOR THE  
BOARD OF MANAGERS ELECTION FOR 2001

### **1.3 Definitions.**

#### **1.3.1 Acceleration Request.**

“Acceleration Request” shall mean a request pursuant to section 1.9.4A of this Schedule to accelerate or reschedule a transmission outage scheduled pursuant to sections 1.9.2 or 1.9.4.

#### **1.3.1A Auction Revenue Rights.**

“Auction Revenue Rights” or “ARRs” shall mean the right to receive the revenue from the Financial Transmission Right auction, as further described in Section 7.4 of this Schedule.

#### **1.3.1B Auction Revenue Rights Credits.**

“Auction Revenue Rights Credits” shall mean the allocated share of total FTR auction revenues or costs credited to each holder of Auction Revenue Rights, calculated and allocated as specified in Section 7.4.3 of this Schedule.

##### **1.3.1B.01 Batch Load Demand Resource.**

“Batch Load Demand Resource” shall mean a Demand Resource that has a cyclical production process such that at most times during the process it is consuming energy, but at consistent regular intervals, ordinarily for periods of less than ten minutes, it reduces its consumption of energy for its production processes to minimal or zero megawatts.

##### **1.3.1B.02 Congestion Price.**

“Congestion Price” shall mean the congestion component of the Locational Marginal Price, which is the effect on transmission congestion costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource, based on the effect of increased generation from or consumption by the resource on transmission line loadings, calculated as specified in Section 2 of Schedule 1 of this Agreement.

##### **1.3.1B.03 Curtailment Service Provider.**

“Curtailment Service Provider” or “CSP” shall mean a Member or a Special Member, which action on behalf of itself or one or more other Members or non-Members, participates in the PJM Interchange Energy Market, Ancillary Services markets, and/or Reliability Pricing Model by causing a reduction in demand.

##### **1.3.1B.04 Day-ahead Congestion Price.**

“Day-ahead Congestion Price” shall mean the Congestion Price resulting from the Day-ahead Energy Market.

#### **1.3.1C Day-ahead Energy Market.**

“Day-ahead Energy Market” shall mean the schedule of commitments for the purchase or sale of energy and payment of Transmission Congestion Charges developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1C.01 Day-ahead Loss Price.**

“Day-ahead Loss Price” shall mean the Loss Price resulting from the Day-ahead Energy Market.

**1.3.1D Day-ahead Prices.**

“Day-ahead Prices” shall mean the Locational Marginal Prices resulting from the Day-ahead Energy Market.

**1.3.1D.01 Day-ahead Scheduling Reserves.**

“Day-ahead Scheduling Reserves” shall mean thirty-minute reserves as defined by the Reliability *First* Corporation and SERC.

**1.3.1D.02 Day-ahead Scheduling Reserves Requirement.**

“Day-ahead Scheduling Reserves Requirement” shall mean the thirty-minute reserve requirement for the PJM Region established consistent with the Applicable Standards, plus any additional thirty-minute reserves scheduled in response to an RTO-wide Hot or Cold Weather Alert or other reasons for conservative operations.

**1.3.1D.03 Day-ahead Scheduling Reserves Resources.**

“Day-ahead Scheduling Reserves Resources” shall mean synchronized and non-synchronized generation resources and Demand Resources electrically located within the PJM Region that are capable of providing Day-ahead Scheduling Reserves.

**1.3.1D.04 Day-ahead Scheduling Reserves Market.**

“Day-ahead Scheduling Reserves Market” shall mean the schedule of commitments for the purchase or sale of Day-ahead Scheduling Reserves developed by the Office of the Interconnection as a result of the offers and specifications submitted in accordance with Section 1.10 of this Schedule.

**1.3.1D.05 Day-ahead System Energy Price.**

“Day-ahead System Energy Price” shall mean the System Energy Price resulting from the Day-ahead Energy Market.

**1.3.1E Decrement Bid.**

“Decrement Bid” shall mean a bid to purchase energy at a specified location in the Day-ahead Energy Market. An accepted Decrement Bid results in scheduled load at the specified location in the Day-ahead Energy Market.

#### **1.3.1E.01 Demand Resource.**

“Demand Resource” shall mean a resource with the capability to provide a reduction in demand.

#### **1.3.1F Dispatch Rate.**

“Dispatch Rate” shall mean the control signal, expressed in dollars per megawatt-hour, calculated and transmitted continuously and dynamically to direct the output level of all generation resources dispatched by the Office of the Interconnection in accordance with the Offer Data.

#### **1.3.1G Energy Storage Resource.**

“Energy Storage Resource” shall mean flywheel or battery storage facility solely used for short term storage and injection of energy at a later time to participate in the PJM energy and/or Ancillary Services markets as a Market Seller.

#### **1.3.2 Equivalent Load.**

“Equivalent Load” shall mean the sum of a Market Participant’s net system requirements to serve its customer load in the PJM Region, if any, plus its net bilateral transactions.

#### **1.3.2A Economic Load Response Participant.**

“Economic Load Response Participant” shall mean a Member or Special Member that qualifies under Section 1.5A of this Schedule to participate in the PJM Interchange Energy Market and/or Ancillary Services markets through reductions in demand.

##### **1.3.2A.01 Economic Minimum.**

“Economic Minimum” shall mean the lowest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

##### **1.3.2A.02 Economic Maximum.**

“Economic Maximum” shall mean the highest incremental MW output level, submitted to PJM market systems by a Market Participant, that a unit can achieve while following economic dispatch.

#### **1.3.2B Energy Market Opportunity Cost.**

“Energy Market Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of available run hours due to limitations imposed on the unit by Applicable Laws and Regulations (as defined in PJM Tariff), and (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Energy Market Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same compliance period, which compliance period is determined by the applicable regulatory authority and is reflected in the rules set forth in PJM Manual 15. Energy Market Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.3 External Market Buyer.**

“External Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for consumption by end-users outside the PJM Region, or for load in the PJM Region that is not served by Network Transmission Service.

### **1.3.4 External Resource.**

“External Resource” shall mean a generation resource located outside the metered boundaries of the PJM Region.

### **1.3.5 Financial Transmission Right.**

“Financial Transmission Right” or “FTR” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2 of this Schedule.

#### **1.3.5A Financial Transmission Right Obligation.**

“Financial Transmission Right Obligation” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(b) of this Schedule.

#### **1.3.5B Financial Transmission Right Option.**

“Financial Transmission Right Option” shall mean a right to receive Transmission Congestion Credits as specified in Section 5.2.2(c) of this Schedule.

### **1.3.6 Generating Market Buyer.**

“Generating Market Buyer” shall mean an Internal Market Buyer that is a Load Serving Entity that owns or has contractual rights to the output of generation resources capable of serving the Market Buyer’s load in the PJM Region, or of selling energy or related services in the PJM Interchange Energy Market or elsewhere.

### **1.3.7 Generator Forced Outage.**

“Generator Forced Outage” shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

### **1.3.8 Generator Maintenance Outage.**

“Generator Maintenance Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform necessary repairs on specific components of the facility, if removal of the facility meets the guidelines specified in the PJM Manuals.

### **1.3.9 Generator Planned Outage.**

“Generator Planned Outage” shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

#### **1.3.9A Increment Offer.**

“Increment Offer” shall mean an offer to sell energy at a specified location in the Day-ahead Energy Market. An accepted Increment Offer results in scheduled generation at the specified location in the Day-ahead Energy Market.

#### **1.3.9B Interface Pricing Point.**

“Interface Pricing Point” shall have the meaning specified in section 2.6A.

### **1.3.10 Internal Market Buyer.**

“Internal Market Buyer” shall mean a Market Buyer making purchases of energy from the PJM Interchange Energy Market for ultimate consumption by end-users inside the PJM Region that are served by Network Transmission Service.

### **1.3.11 Inadvertent Interchange.**

“Inadvertent Interchange” shall mean the difference between net actual energy flow and net scheduled energy flow into or out of the individual Control Areas operated by PJM.

#### **1.3.11.01 Load Management.**

“Load Management” shall mean a Demand Resource (“DR”) as defined in the Reliability Assurance Agreement.

### **1.3.11A Load Reduction Event.**

“Load Reduction Event” shall mean a reduction in demand by a Member or Special Member for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.11A.01 Location.**

“Location” as used in the Economic Load Response rules shall mean an end-use customer site as defined by the relevant electric distribution company account number.

### **1.3.11B Loss Price.**

“Loss Price” shall mean the loss component of the Locational Marginal Price, which is the effect on transmission loss costs (whether positive or negative) associated with increasing the output of a generation resource or decreasing the consumption by a Demand Resource based on the effect of increased generation from or consumption by the resource on transmission losses, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.12 Market Operations Center.**

“Market Operations Center” shall mean the equipment, facilities and personnel used by or on behalf of a Market Participant to communicate and coordinate with the Office of the Interconnection in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.12A Maximum Emergency.**

“Maximum Emergency” shall mean the designation of all or part of the output of a generating unit for which the designated output levels may require extraordinary procedures and therefore are available to the Office of the Interconnection only when the Office of the Interconnection declares a Maximum Generation Emergency and requests generation designated as Maximum Emergency to run. The Office of the Interconnection shall post on the PJM website the aggregate amount of megawatts that are classified as Maximum Emergency.

### **1.3.13 Maximum Generation Emergency.**

“Maximum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection to address either a generation or transmission emergency in which the Office of the Interconnection anticipates requesting one or more Generation Capacity Resources, or Non-Retail Behind The Meter Generation resources to operate at its maximum net or gross electrical power output, subject to the equipment stress limits for such Generation Capacity Resource or Non-Retail Behind The Meter resource in order to manage, alleviate, or end the Emergency.

### **1.3.14 Minimum Generation Emergency.**

“Minimum Generation Emergency” shall mean an Emergency declared by the Office of the Interconnection in which the Office of the Interconnection anticipates requesting one or more generating resources to operate at or below Normal Minimum Generation, in order to manage, alleviate, or end the Emergency.

#### **1.3.14A NERC Interchange Distribution Calculator.**

“NERC Interchange Distribution Calculator” shall mean the NERC mechanism that is in effect and being used to calculate the distribution of energy, over specific transmission interfaces, from energy transactions.

#### **1.3.14B Net Benefits Test.**

“Net Benefits Test” shall mean a calculation to determine whether the benefits of a reduction in price resulting from the dispatch of Economic Load Response exceeds the cost to other loads resulting from the billing unit effects of the load reduction, as specified in Section 3.3A.4 of this Schedule.

#### **1.3.15 Network Resource.**

“Network Resource” shall have the meaning specified in the PJM Tariff.

#### **1.3.16 Network Service User.**

“Network Service User” shall mean an entity using Network Transmission Service.

#### **1.3.17 Network Transmission Service.**

“Network Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff, or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner.

#### **1.3.17A Non-Regulatory Opportunity Cost.**

“Non-Regulatory Opportunity Cost” shall mean the difference between (a) the forecasted cost to operate a specific generating unit when the unit only has a limited number of starts or available run hours resulting from (i) the physical equipment limitations of the unit, for up to one year, due to original equipment manufacturer recommendations or insurance carrier restrictions, (ii) a fuel supply limitation, for up to one year, resulting from an event of force majeure; and, (b) the forecasted future hourly Locational Marginal Price at which the generating unit could run while not violating such limitations. Non-Regulatory Opportunity Cost therefore is the value associated with a specific generating unit’s lost opportunity to produce energy during a higher valued period of time occurring within the same period of time in which the unit is bound by the referenced restrictions, and is reflected in the rules set forth in PJM Manual 15. Non-Regulatory Opportunity Costs shall be limited to those resources which are specifically delineated in Schedule 2 of the Operating Agreement.

### **1.3.17B Non-Synchronized Reserve.**

“Non-Synchronized Reserve” shall mean the reserve capability of non-emergency generation resources that can be converted fully into energy within ten minutes of a request from the Office of the Interconnection dispatcher, and is provided by equipment that is not electrically synchronized to the Transmission System.

### **1.3.17C Non-Synchronized Reserve Event.**

“Non-Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources able and assigned to provide Non-Synchronized Reserve within ten minutes to increase the energy output by the amount of assigned Non-Synchronized Reserve capability.

### **1.3.17D Non-Variable Loads.**

“Non-Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

### **1.3.18 Normal Maximum Generation.**

“Normal Maximum Generation” shall mean the highest output level of a generating resource under normal operating conditions.

### **1.3.19 Normal Minimum Generation.**

“Normal Minimum Generation” shall mean the lowest output level of a generating resource under normal operating conditions.

### **1.3.20 Offer Data.**

“Offer Data” shall mean the scheduling, operations planning, dispatch, new resource, and other data and information necessary to schedule and dispatch generation resources and Demand Resource(s) for the provision of energy and other services and the maintenance of the reliability and security of the transmission system in the PJM Region, and specified for submission to the PJM Interchange Energy Market for such purposes by the Office of the Interconnection.

### **1.3.21 Office of the Interconnection Control Center.**

“Office of the Interconnection Control Center” shall mean the equipment, facilities and personnel used by the Office of the Interconnection to coordinate and direct the operation of the PJM Region and to administer the PJM Interchange Energy Market, including facilities and equipment used to communicate and coordinate with the Market Participants in connection with transactions in the PJM Interchange Energy Market or the operation of the PJM Region.

### **1.3.21A On-Site Generators.**

“On-Site Generators” shall mean generation facilities (including Behind The Meter Generation) that (i) are not Capacity Resources, (ii) are not injecting into the grid, (iii) are either synchronized or non-synchronized to the Transmission System, and (iv) can be used to reduce demand for the purpose of participating in the PJM Interchange Energy Market.

#### **1.3.22 Operating Day.**

“Operating Day” shall mean the daily 24 hour period beginning at midnight for which transactions on the PJM Interchange Energy Market are scheduled.

#### **1.3.23 Operating Margin.**

“Operating Margin” shall mean the incremental adjustments, measured in megawatts, required in PJM Region operations in order to accommodate, on a first contingency basis, an operating contingency in the PJM Region resulting from operations in an interconnected Control Area. Such adjustments may result in constraints causing Transmission Congestion Charges, or may result in Ancillary Services charges pursuant to the PJM Tariff.

#### **1.3.24 Operating Margin Customer.**

“Operating Margin Customer” shall mean a Control Area purchasing Operating Margin pursuant to an agreement between such other Control Area and the LLC.

#### **1.3.25 PJM Interchange.**

“PJM Interchange” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds, or is exceeded by, the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller; or (e) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (f) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

#### **1.3.26 PJM Interchange Export.**

“PJM Interchange Export” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load is exceeded by the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup sales; or (c) the hourly scheduled deliveries of Spot Market Energy by a Market Seller from an External Resource; or (d) the hourly net metered output of any other Market Seller.

#### **1.3.27 PJM Interchange Import.**

“PJM Interchange Import” shall mean the following, as determined in accordance with the Schedules to this Agreement: (a) for a Market Participant that is a Network Service User, the amount by which its hourly Equivalent Load exceeds the sum of the hourly outputs of its operating generating resources; or (b) for a Market Participant that is not a Network Service User, the amount of its Spot Market Backup purchases; or (c) the hourly scheduled deliveries of Spot Market Energy to an External Market Buyer; or (d) the hourly scheduled deliveries to an Internal Market Buyer that is not a Network Service User.

### **1.3.28 PJM Open Access Same-time Information System.**

“PJM Open Access Same-time Information System” shall mean the electronic communication system for the collection and dissemination of information about transmission services in the PJM Region, established and operated by the Office of the Interconnection in accordance with FERC standards and requirements.

#### **1.3.28A Planning Period Quarter.**

“Planning Period Quarter” shall mean any of the following three month periods in the Planning Period: June, July and August; September, October and November; December, January and February; or March, April and May.

#### **1.3.28B Planning Period Balance.**

“Planning Period Balance” shall mean the entire period of time remaining in the Planning Period following the month that a monthly auction is conducted.

### **1.3.29 Point-to-Point Transmission Service.**

“Point-to-Point Transmission Service” shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

#### **1.3.29A PRD Curve.**

PRD Curve shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29B PRD Provider.**

PRD Provider shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29C PRD Reservation Price.**

PRD Reservation Price shall have the meaning provided in the Reliability Assurance Agreement.

#### **1.3.29D PRD Substation.**

PRD Substation shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29E Price Responsive Demand.**

Price Responsive Demand shall have the meaning provided in the Reliability Assurance Agreement.

**1.3.29F Primary Reserve.**

“Primary Reserve” shall mean the total reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes of a request from the Office of the Interconnection dispatcher, and is comprised of both Synchronized Reserve and Non-Synchronized Reserve.

**1.3.30 Ramping Capability.**

“Ramping Capability” shall mean the sustained rate of change of generator output, in megawatts per minute.

**1.3.30.01 Real-time Congestion Price.**

“Real-time Congestion Price” shall mean the Congestion Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30.02 Real-time Loss Price.**

“Real-time Loss Price” shall mean the Loss Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30A Real-time Prices.**

“Real-time Prices” shall mean the Locational Marginal Prices resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

**1.3.30B Real-time Energy Market.**

“Real-time Energy Market” shall mean the purchase or sale of energy and payment of Transmission Congestion Charges for quantity deviations from the Day-ahead Energy Market in the Operating Day.

**1.3.30B.01 Real-time System Energy Price.**

“Real-time System Energy Price” shall mean the System Energy Price resulting from the Office of the Interconnection’s dispatch of the PJM Interchange Energy Market in the Operating Day.

### **1.3.31 Regulation.**

“Regulation” shall mean the capability of a specific generation resource or Demand Resource with appropriate telecommunications, control and response capability to increase or decrease its output or adjust load in response to a regulating control signal, in accordance with the specifications in the PJM Manuals.

#### **1.3.31.001 Reserve Penalty Factor.**

“Reserve Penalty Factor” shall mean the cost, in \$/MWh, associated with being unable to meet a specific reserve requirement in a Reserve Zone or Reserve Sub-zone. A Reserve Penalty Factor will be defined for each reserve requirement in a Reserve Zone or Reserve Sub-zone.

#### **1.3.31.01 Residual Auction Revenue Rights.**

“Residual Auction Revenue Rights” shall mean incremental stage 1 Auction Revenue Rights created within a Planning Period by an increase in transmission system capability, including the return to service of existing transmission capability, that was not modeled pursuant to section 7.5 of Schedule 1 of this Agreement in compliance with section 7.4.2(h) of Schedule 1 of this Agreement, and, if modeled, would have increased the amount of stage 1 Auction Revenue Rights allocated pursuant to section 7.4.2 of Schedule 1 of this Agreement; provided that, the foregoing notwithstanding, Residual Auction Revenue Rights shall exclude: 1) Incremental Auction Revenue Rights allocated pursuant to Part VI of the Tariff; and 2) Auction Revenue Rights allocated to entities that are assigned cost responsibility pursuant to Schedule 6 of this Agreement for transmission upgrades that create such rights.

#### **1.3.31.01A Residual Metered Load.**

“Residual Metered Load” shall mean all load remaining in an electric distribution company’s fully metered franchise area(s) or service territory(ies) after all nodally priced load of entities serving load in such area(s) or territory(ies) has been carved out.

#### **1.3.31.02 Special Member.**

“Special Member” shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response and Pre-Emergency Load Response Programs.

### **1.3.32 Spot Market Backup.**

“Spot Market Backup” shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

### **1.3.33 Spot Market Energy.**

“Spot Market Energy” shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

### **1.3.33A State Estimator.**

“State Estimator” shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

### **1.3.33B Station Power.**

“Station Power” shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource; or (v) used in association with restoration or black start service.

#### **1.3.33B.001 Sub-meter.**

“Sub-meter” shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

#### **1.3.33B.01 Synchronized Reserve.**

“Synchronized Reserve” shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

#### **1.3.33B.02 Synchronized Reserve Event.**

“Synchronized Reserve Event” shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

#### **1.3.33B.03 System Energy Price.**

“System Energy Price” shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

### **1.3.33C Target Allocation.**

“Target Allocation” shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

### **1.3.34 Transmission Congestion Charge.**

“Transmission Congestion Charge” shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

### **1.3.35 Transmission Congestion Credit.**

“Transmission Congestion Credit” shall mean the allocated share of total Transmission Congestion Charges credited to each holder of Financial Transmission Rights, calculated and allocated as specified in Section 5.2 of this Schedule.

### **1.3.36 Transmission Customer.**

“Transmission Customer” shall mean an entity using Point-to-Point Transmission Service.

### **1.3.37 Transmission Forced Outage.**

“Transmission Forced Outage” shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

### **1.3.37A Transmission Loading Relief.**

“Transmission Loading Relief” shall mean NERC’s procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

### **1.3.37B Transmission Loading Relief Customer.**

“Transmission Loading Relief Customer” shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

### **1.3.37C Transmission Loss Charge.**

“Transmission Loss Charge” shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

### **1.3.38 Transmission Planned Outage.**

“Transmission Planned Outage” shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

#### **1.3.38.01 Up-to Congestion Transaction.**

“Up-to Congestion Transaction” shall have the meaning specified in Section 1.10.1A of this Schedule.

#### **1.3.38A Variable Loads.**

“Variable Loads” shall have the meaning specified in section 1.5A.6 of this Schedule.

#### **1.3.38B Virtual Transaction.**

“Virtual Transaction” shall mean a Decrement Bid, Increment Offer and/or Up-to Congestion Transaction.

### **1.3.39 Zonal Base Load.**

“Zonal Base Load” shall mean the lowest daily zonal peak load from the twelve month period ending October 21 of the calendar year immediately preceding the calendar year in which an annual Auction Revenue Right allocation is conducted, increased by the projected load growth rate for the relevant Zone.

## **1.5A Economic Load Response Participant.**

As used in this section 1.5A, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number.

### **1.5A.1 Qualification.**

A Member or Special Member that is an end-use customer, Load Serving Entity or Curtailment Service Provider that has the ability to cause a reduction in demand as metered on an electric distribution company account basis or has an On-Site Generator that enables demand reduction may become an Economic Load Response Participant by complying with the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with this section 1.5A including, but not limited to, section 1.5A.3. A Member or Special Member may aggregate multiple individual end-use customer sites to qualify as an Economic Load Response Participant, subject to the requirements of Section 1.5A.10.

### **1.5A.2 Special Member.**

Entities that are not Members and desire to participate solely in the Real-time Energy Market by reducing demand may become a Special Member by paying an annual membership fee of \$500 plus 10% of each payment owed by PJM Settlement for a Load Reduction Event not to exceed \$5,000 in a calendar year. For entities that become Special Members pursuant to this section, the following obligations are waived: (1) the \$1,500 membership application fee set forth in section 1.4.3 of this Agreement; (ii) liability under section 15.2 of this Agreement for Member defaults; (iii) thirty days notice for waiting period; and (iv) the requirement for 24/7 control center coverage. In addition, such Members shall not have voting privileges in committees or sector designations, and shall not be permitted to form user groups. On January 1 of a calendar year, a Special Member under this section, at its sole election, may become a Member rather than a Special Member subject to all rules governing being a Member, including regular application and membership fee requirements.

### **1.5A.3 Registration.**

1. Prior to participating in the PJM Interchange Energy Market or Ancillary Services Market, Economic Load Response Participants must complete either the Economic Load Response or Economic Load Response Regulation Only Registration Form posted on the Office of the Interconnection’s website and submit such form to the Office of the Interconnection for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Notwithstanding the below sub-provisions, Economic Load Response Regulation Only registrations will not require the identification of the relevant Load Serving Entity, nor will such relevant Load Serving Entity be notified of such registration or requested to verify such registration. All other below sub-provisions apply equally to Economic Load Response Regulation Only registrations as well as Economic Load Response registrations.

a. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is subject to another contractual obligation or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. A relevant electric distribution company or Load Serving Entity which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in PJM's Economic Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to other contractual obligations or to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Economic Load Response Program, and the Office of the Interconnection shall accept the registration, provided it meets the requirements of this section 1.5A.

b. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

i. After confirming that an entity has met all of the qualifications to be an Economic Load Response Participant, the Office of the Interconnection shall notify the relevant electric distribution company or Load Serving Entity, as determined based upon the type of registration submitted (i.e., either an Economic Load Response registration or an Economic Load Response Regulation Only registration), of an Economic Load Response Participant's registration and request verification as to whether the load that may be reduced is permitted to participate in PJM's Economic Load Response Program. The relevant electric distribution company or Load Serving Entity shall have ten business days to respond. If the relevant electric distribution company or Load Serving Entity

verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then the electric distribution company or the Load Serving Entity must provide to the Office of the Interconnection within the referenced ten business day review period evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

ii. In the absence of a response from the relevant electric distribution company or Load Serving Entity within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with section 1.5A hereof, including section 1.5A.3, the Economic Load Response Participant may submit a new registration for consideration if a prior registration has been rejected pursuant to this subsection.

2. In the event that the end-use customer is subject to another contractual obligation, special settlement terms may be employed to accommodate such contractual obligation. The Office of the Interconnection shall notify the end-use customer or appropriate Curtailment Service Provider, or relevant electric distribution company and/or Load Serving Entity that the Economic Load Response Participant has or has not met the requirements of this section 1.5A. An end-use customer that desires not to be simultaneously registered to reduce demand under the Emergency Load Response and Pre-Emergency Load Response Programs and under this section, upon one-day advance notice to the Office of the Interconnection, may switch its registration for reducing demand, if it has been registered to reduce load for 15 consecutive days under its current registration.

#### **1.5A.3.01 Economic Load Response Registrations in Effect as of August 28, 2009**

1. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. Effective as of the later of either August 28, 2009 (the effective date of Wholesale Competition in Regions with Organized Electric Markets, Order 719-A, 128 FERC ¶ 61,059 (2009) ("Order 719-A")) or the effective date of a Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning (which condition the electric distribution company or Load Serving Entity asserts has not been satisfied) the end-use customer's participation in

PJM's Economic Load Response Program, the existing Economic Load Response Participant's registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated upon an electric distribution company or Load Serving Entity submitting to the Office of the Interconnection either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

2. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. Effective as of August 28, 2009 (the effective date of Order 719-A), an existing Economic Load Response Participant's registration submitted to the Office of the Interconnection prior to August 28, 2009, will be deemed to be terminated unless an electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program and provides evidence to the Office of the Interconnection documenting that the permission or conditional permission is pursuant to the laws or regulations of the Relevant Electric Retail Regulatory Authority. If the electric distribution company or Load Serving Entity verifies that the existing registration is permitted or conditionally permitted (which condition the electric distribution company or Load Serving Entity asserts has been satisfied) to participate in the Economic Load Response Program, then, within ten business days of verifying such permission or conditional permission, the electric distribution company or Load Serving Entity must provide to the Office of the Interconnection evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program. Evidence from the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the Economic Load Response Participant to participate in the Economic Load Response Program shall be in the form of either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

- i. For registrations terminated pursuant to this section, all Economic Load Response Participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

3. All registrations submitted to the Office of the Interconnection on or after August 28, 2009, including requests to extend existing registrations, will be processed by the Office of the Interconnection in accordance with the provisions of section 1.5A, including section 1.5A.3.

#### **1.5A.3. 02 Economic Load Response Regulation Only Registrations.**

An Economic Load Response Regulation Only registration allows end-use customer participation in the Regulation market only, and may be submitted by a Curtailment Service Provider that is different than the Curtailment Service Provider that submits an Emergency Load Response Program registration, Pre-Emergency Load Response Program registration or Economic Load Response registration for the same end-use customer. An end-use customer that is registered as Economic Load Response Regulation Only shall not be permitted to register and/or participate in any other Ancillary Service markets at the same time, but may have a second, simultaneously existing Economic Load Response registration to participate in the PJM Interchange Energy Market as set forth in the PJM Manuals.

#### **1.5A.4 Metering and Electronic Dispatch Signal.**

a) The Curtailment Service Provider is responsible to ensure that end-use customers have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy, or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. End-use customer reductions in demand must be metered by recording integrated hourly values for On-Site Generators running to serve local load (net of output used by the On-Site Generator), or by metering load on an electric distribution company account basis and comparing actual metered load to its Customer Baseline Load, calculated pursuant to section 3.3A of this Schedule, or on an alternative metering basis approved by the Office of the Interconnection and agreed upon by all relevant parties, including any Curtailment Service Provider, Load Serving Entity, electric distribution company and end-use customer. To qualify for compensation for such load reductions that are not metered directly by the Office of the Interconnection, hourly data reflecting meter readings for each day during which the load reduction occurred and all associated days to determine the reduction must be submitted to the Office of the Interconnection in accordance with the PJM Manuals within 60 days of the load reduction.

Curtailment Service Providers that have end-use customers that will participate in the Regulation market may be permitted to use Sub-metered load data instead of load data at the electric distribution company account number level for Regulation measurement and verification as set forth in the PJM Manuals and subject to the following:

- a. Curtailment Service Providers, must clearly identify for the Office of the Interconnection all electrical devices that will provide Regulation and identify all other devices used for similar processes within the same Location that will not provide Regulation. The Location must contribute to management of frequency control on the PJM electric grid or PJM shall deny use of Sub-metered load data for the Location.
- b. If the registration to participate in the Regulation market contains an aggregation of Locations, the relevant Curtailment Service Provider will provide the Office of the Interconnection with load data for each Location's Sub-meter through an after-the-fact load data submission process.
- c. The Office of the Interconnection may conduct random, unannounced audits of all Locations that are registered to participate in the Regulation market to ensure that devices that are registered by the Curtailment Service Providers as providing Regulation service are not otherwise being offset by a change in usage of other devices within the same Location.
- d. The Office of the Interconnection may suspend the Regulation market activity of Economic Load Response Participants, including Curtailment Service Providers, that do not comply with the Economic Load Response and Regulation market requirements as set forth in Schedule 1 and the PJM Manuals, and may refer the matter to the Independent Market Monitor and/or the Federal Energy Regulatory Commission Office of Enforcement.

b) Curtailment Service Providers shall be responsible for maintaining, or ensuring that Economic Load Response Participants maintain, the capability to receive and act upon an electronic dispatch signal from the Office of the Interconnection in accordance with any standards and specifications contained in the PJM Manuals.

#### **1.5A.5 On-Site Generators.**

An Economic Load Response Participant that intends to use an On-Site Generator for the purpose of reducing demand to participate in the PJM Interchange Energy Market shall represent to the Office of the Interconnection in writing that it holds all necessary environmental permits applicable to the operation of the On-Site Generator. Unless notified otherwise, the Office of the Interconnection shall deem such representation applies to each time the On-Site Generator is used to reduce demand to enable participation in the PJM Interchange Energy Market and that the On-Site Generator is being operated in compliance with all applicable permits, including any emissions, run-time limits or other operational constraints that may be imposed by such permits.

#### **1.5A.6 Variable-Load Customers.**

The loads of an Economic Load Response Participant shall be categorized as Variable or Non-variable at the time the load is registered, based on hourly load data for the most recent 60 days

provided by the participant in the registration process; provided, however, that any alternative means of making such determination when 60 days of data is not available shall be subject to review and approval by the Office of the Interconnection and provided further that 60 days of hourly load data shall not be required on an individual customer basis for residential or small commercial customers that provide Economic Load Response through a direct load control program under which an electric distribution company, Load Serving Entity, or CSP has direct control over such customer's load, without reliance upon any action by such customer to reduce load. Non-Variable Loads shall be those for which the Customer Baseline Load calculation and adjustment methods prescribed by sections 3.3A.2 and 3.3A.3 result in a relative root mean square hourly error of twenty percent or less compared to the actual hourly loads based on the hourly load data provided in the registration process and using statistical methods prescribed in the PJM Manuals. All other loads shall be Variable Loads.

#### **1.5A.7 Non-Hourly Metered Customer Pilot.**

Non-hourly metered customers may participate in the PJM Interchange Energy Market as Economic Load Response Participants on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider or Load Serving Entity must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time specified by the Office of the Interconnection ("Pilot Period"). In the event an alternative measurement mechanism is approved, the Office of the Interconnection shall notify the affected Load Serving Entity(ies) that a proposed alternate measurement mechanism has been approved for a Pilot Period. Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in the Emergency Load Response Program, Pre-Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering as set forth in Section 1.5A.4 of this Schedule, non-hourly metered customers that qualify as Economic Load Response Participants pursuant to this section 1.5A.7 shall be subject to the rules and procedures for participation by Economic Load Response Participants in the PJM Interchange Energy Market, including, without limitation, the Net Benefits Test and the requirement for dispatch by the Office of the Interconnection. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the PJM Interchange Energy Market.

#### **1.5A.8 Batch Load Demand Resource Provision of Synchronized Reserve or Day-ahead Scheduling Reserves.**

(a) A Batch Load Demand Resource may provide Synchronized Reserve or Day-ahead Scheduling Reserves in the PJM Interchange Energy Market provided it has pre-qualified by providing the Office of the Interconnection with documentation acceptable to the Office of the Interconnection that shows six months of one minute incremental load history of the Batch Load Demand Resource, or in the event such history is unavailable, other such information or data acceptable to the Office of the Interconnection to demonstrate that the resource meets the definition of "Batch Load Demand Resource" pursuant to section 1.3.1A.001 of this Schedule.

This requirement is a one-time pre-qualification requirement for a Batch Load Demand Resource.

(b) Batch Load Demand Resources may provide up to 20 percent of the total system-wide PJM Synchronized Reserve requirement in any hour, or up to 20 percent of the total system-wide Day-ahead Scheduling Reserves requirement in any hour; provided, however, that in the event the Office of the Interconnection determines in its sole discretion that satisfying 20 percent of either such requirement from Batch Load Demand Resources is causing or may cause a reliability degradation, the Office of the Interconnection may reduce the percentage of either such requirement that may be satisfied by Batch Load Demand Resources in any hour to as low as 10 percent. This reduction will be effective seven days after the posting of the reduction on the PJM website. Notwithstanding anything to the contrary in this Agreement, as soon as practicable, the Office of the Interconnection unilaterally shall make a filing under section 205 of the Federal Power Act to revise the rules for Batch Load Demand Resources so as to continue such reduction. The reduction shall remain in effect until the Commission acts upon the Office of the Interconnection's filing and thereafter if approved or accepted by the Commission.

(c) A Batch Load Demand Resource that is consuming energy at the start of a Synchronized Reserve Event, or, if committed to provide Day-ahead Scheduling Reserves, at the time of a dispatch instruction from the Office of the Interconnection to reduce load, shall respond to the Office of the Interconnection's calling of a Synchronized Reserve Event, or to such instruction to reduce load, by reducing load as quickly as it is capable and by keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following the reduction, or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required. A Batch Load Demand Resource that has reduced its consumption of energy for its production processes to minimal or zero megawatts before the start of a Synchronized Reserve Event (or, in the case of Day-ahead Scheduling Reserves, before a dispatch instruction to reduce load) shall respond to the Office of the Interconnection's calling of a Synchronized Reserve Event (or such instruction to reduce load) by reducing any load that is present at the time the Synchronized Reserve Event is called (or at the time of such instruction to reduce load) as quickly as it is capable, delaying the restart of its production processes, and keeping its consumption at or near zero megawatts for the entire length of the Synchronized Reserve Event following any such reduction (or, in the case of Day-ahead Scheduling Reserves, until a dispatch instruction that load reductions are no longer required). Failure to respond as described in this section shall be considered non-compliance with the Office of the Interconnection's dispatch instruction associated with a Synchronized Reserve Event, or as applicable, associated with an instruction to a resource committed to provide Day-ahead Scheduling Reserves to reduce load.

#### **1.5A.9 Day-ahead and Real-time Energy Market Participation.**

Economic Load Response Participants shall be compensated under section 3.3A.5 and 3.3A.6 only if they participate in the Day-ahead or Real-time Energy Markets as a dispatchable resource.

#### **1.5A.10 Aggregation for Economic Load Response Registrations.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Energy Market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis or can provide less than 0.1 megawatt of demand response in the Day-Ahead Scheduling Reserve, Synchronized Reserve or Regulation markets when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company or Load Serving Entity where the electric distribution company is the Load Serving Entity for all End-Use Customers in the aggregation. If the aggregation will provide Synchronized Reserves, all customers in the aggregation must also be part of the same Synchronized Reserve sub-zone;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. A single CBL for the aggregation shall be used to determine settlements pursuant to Sections 3.3A.5 and 3.3A.6;
- v. If the aggregation will only provide energy to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve. If the aggregation will provide an Ancillary Service to the market then only one End-Use Customer within the aggregation shall have the ability to reduce more than 0.099 megawatt of load unless the Curtailment Service Provider, Load Serving Entity and PJM approve;
- vi. Each End-Use Customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for energy or the 0.1 megawatt minimum load reduction requirement for Ancillary Services; and
- vii. An End-Use Customer's participation in the Energy and Ancillary Services markets shall be administered under one economic registration.

**1.5A.10.01 Aggregation for Economic Load Response Regulation Only Registrations**

The purpose for aggregation is to allow the participation of end-use customers in the Regulation market that can provide less than 0.1 megawatt of demand response when they currently have no alternative opportunity to participate on an individual basis. Aggregations pursuant to Section 1.5A.1 shall be subject to the following requirements:

- i. All end-use customers in an aggregation shall be specifically identified;
- ii. All end-use customers in the aggregation must be served by the same electric distribution company and must also be part of the same Transmission Zone; and
- iii. Each end-use customer site must meet the requirements for market participation by a demand resource except for the 0.1 megawatt minimum load reduction requirement for Regulation service.

#### **1.5A.11 Reporting**

- (a) PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.
- (b) As PJM receives evidence from the electric distribution companies or Load Serving Entities pursuant to section 1.5A.3, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies or Load Serving Entities assert prohibit or condition retail participation in PJM's Economic Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies or Load Serving Entities.

## **1.10 Scheduling.**

### **1.10.1 General.**

- (a) The Office of the Interconnection shall administer scheduling processes to implement a Day-ahead Energy Market and a Real-time Energy Market. PJMSettlement shall be the Counterparty to the purchases and sales of energy that clear the Day-ahead Energy Market and the Real-time Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a Generating Market Buyer's self-schedule or self-supply of its generation resources up to that Generating Market Buyer's Equivalent Load.
- (b) The Day-ahead Energy Market shall enable Market Participants to purchase and sell energy through the PJM Interchange Energy Market at Day-ahead Prices and enable Transmission Customers to reserve transmission service with Transmission Congestion Charges and Transmission Loss Charges based on locational differences in Day-ahead Prices. Up-to Congestion Transactions submitted in the Day-ahead Energy Market shall not require transmission service and Transmission Customers shall not reserve transmission service for such Up-to Congestion Transactions. Market Participants whose purchases and sales, and Transmission Customers whose transmission uses are scheduled in the Day-ahead Energy Market, shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, at the applicable Day-ahead Prices for the amounts scheduled.
- (c) In the Real-time Energy Market, Market Participants that deviate from the amounts of energy purchases or sales, or Transmission Customers that deviate from the transmission uses, scheduled in the Day-ahead Energy Market shall be obligated to purchase or sell energy, or pay Transmission Congestion Charges and Transmission Loss Charges, for the amount of the deviations at the applicable Real-time Prices or price differences, unless otherwise specified by this Schedule.
- (d) The following scheduling procedures and principles shall govern the commitment of resources to the Day-ahead Energy Market and the Real-time Energy Market over a period extending from one week to one hour prior to the real-time dispatch. Scheduling encompasses the day-ahead and hourly scheduling process, through which the Office of the Interconnection determines the Day-ahead Energy Market and determines, based on changing forecasts of conditions and actions by Market Participants and system constraints, a plan to serve the hourly energy and reserve requirements of the Internal Market Buyers and the purchase requests of the External Market Buyers in the least costly manner, subject to maintaining the reliability of the PJM Region. Scheduling shall be conducted as specified in Section 1.10.1A below, subject to the following condition. If the Office of the Interconnection's forecast for the next seven days projects a likelihood of Emergency conditions, the Office of the Interconnection may commit, for all or part of such seven day period, to the use of generation resources with notification or start-up times greater than one day as necessary in order to alleviate or mitigate such Emergency, in accordance with the Market Sellers' offers for such units for such periods and the specifications in the PJM Manuals.

### **1.10.1A Day-ahead Energy Market Scheduling.**

The following actions shall occur not later than 12:00 noon on the day before the Operating Day for which transactions are being scheduled, or such other deadline as may be specified by the Office of the Interconnection in order to comply with the practical requirements and the economic and efficiency objectives of the scheduling process specified in this Schedule.

(a) Each Market Participant may submit to the Office of the Interconnection specifications of the amount and location of its customer loads and/or energy purchases to be included in the Day-ahead Energy Market for each hour of the next Operating Day, such specifications to comply with the requirements set forth in the PJM Manuals. Each Market Buyer shall inform the Office of the Interconnection of the prices, if any, at which it desires not to include its load in the Day-ahead Energy Market rather than pay the Day-ahead Price. PRD Providers that have committed Price Responsive Demand in accordance with the Reliability Assurance Agreement shall submit to the Office of the Interconnection, in accordance with procedures specified in the PJM Manuals, any desired updates to their previously submitted PRD Curves, provided that such updates are consistent with their Price Responsive Demand commitments, and provided further that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. Price Responsive Demand that has been committed in accordance with the Reliability Assurance Agreement shall be presumed available for the next Operating Day in accordance with the most recently submitted PRD Curve unless the PRD Curve is updated to indicate otherwise. PRD Providers may also submit PRD Curves for any Price Responsive Demand that is not committed in accordance with the Reliability Assurance Agreement; provided that PRD Providers that are not Load Serving Entities for the Price Responsive Demand at issue may only submit PRD Curves for the Real-time Energy Market. All PRD Curves shall be on a PRD Substation basis, and shall specify the maximum time period required to implement load reductions.

(b) Each Generating Market Buyer shall submit to the Office of the Interconnection:  
(i) hourly schedules for resource increments, including hydropower units, self-scheduled by the Market Buyer to meet its Equivalent Load; and (ii) the Dispatch Rate at which each such self-scheduled resource will disconnect or reduce output, or confirmation of the Market Buyer's intent not to reduce output.

(c) All Market Participants shall submit to the Office of the Interconnection schedules for any energy exports, energy imports, and wheel through transactions involving use of generation or Transmission Facilities as specified below, and shall inform the Office of the Interconnection if the transaction is to be scheduled in the Day-ahead Energy Market. Any Market Participant that elects to schedule an export, import or wheel through transaction in the Day-ahead Energy Market may specify the price (such price not to exceed the maximum price that may be specified in the PJM Manuals), if any, at which the export, import or wheel through transaction will be wholly or partially curtailed. The foregoing price specification shall apply to the applicable interface pricing point. Any Market Participant that elects not to schedule its export, import or wheel through transaction in the Day-ahead Energy Market shall inform the Office of the Interconnection if the parties to the transaction are not willing to incur Transmission Congestion and Loss Charges in the Real-time Energy Market in order to complete any such scheduled

transaction. Scheduling of such transactions shall be conducted in accordance with the specifications in the PJM Manuals and the following requirements:

- i) Market Participants shall submit schedules for all energy purchases for delivery within the PJM Region, whether from resources inside or outside the PJM Region;
- ii) Market Participants shall submit schedules for exports for delivery outside the PJM Region from resources within the PJM Region that are not dynamically scheduled to such entities pursuant to Section 1.12; and
- iii) In addition to the foregoing schedules for exports, imports and wheel through transactions, Market Participants shall submit confirmations of each scheduled transaction from each other party to the transaction in addition to the party submitting the schedule, or the adjacent Control Area.

(c-1) A Market Participant may elect to submit in the Day-ahead Energy Market a form of Virtual Transaction that combines an offer to sell energy at a source, with a bid to buy the same megawatt quantity of energy at a sink where such transaction specifies the maximum difference between the Locational Marginal Prices at the source and sink. The Office of Interconnection will schedule these transactions only to the extent this difference in Locational Marginal Prices is within the maximum amount specified by the Market Participant. A Virtual Transaction of this type is referred to as an “Up-to Congestion Transaction.” Such Up-to Congestion Transactions may be wholly or partially scheduled depending on the price difference between the source and sink locations in the Day-ahead Energy Market. *The maximum difference between the source and sink prices that a participant may specify shall be limited to +/- \$50/MWh.* The foregoing price specification shall apply to the price difference between the specified source and sink in the day-ahead scheduling process only. An accepted Up-to Congestion Transaction results in scheduled injection at a specified source and scheduled withdrawal of the same megawatt quantity at a specified sink in the Day-ahead Energy Market. The source-sink paths on which an Up-to Congestion Transaction may be submitted are limited to those *paths posted on the PJM internet site and determined by the Office of the Interconnection using the following criteria:*

*Step 1: Start with the historic set of eligible nodes that were available as sources and sinks for interchange transactions on the PJM OASIS.*

*Step 2: Remove from the list of nodes described in Step 1 all load buses below 69 kV.*

*Step 3: Remove from the resulting set of nodes from Step 2 all generator buses at which no generators of 100 megawatts or more are connected.*

*Step 4: Remove from the results of Step 3 all electrically equivalent nodes.*

(d) Market Sellers wishing to sell into the Day-ahead Energy Market shall submit offers for the supply of energy (including energy from hydropower units), demand reductions, Regulation,

Operating Reserves or other services for the following Operating Day. Offers shall be submitted to the Office of the Interconnection in the form specified by the Office of the Interconnection and shall contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Market Sellers owning or controlling the output of a Generation Capacity Resource that was committed in an FRR Capacity Plan, self-supplied, offered and cleared in a Base Residual Auction or Incremental Auction, or designated as replacement capacity, as specified in Attachment DD of the PJM Tariff, and that has not been rendered unavailable by a Generator Planned Outage, a Generator Maintenance Outage, or a Generator Forced Outage shall submit offers for the available capacity of such Generation Capacity Resource, including any portion that is self-scheduled by the Generating Market Buyer. Any offer not designated as a Maximum Emergency Offer shall be considered available for scheduling and dispatch under both Emergency and non-Emergency conditions. Offers may only be designated as Maximum Emergency Offers to the extent that the Generation Capacity Resource falls into at least one of the following categories:

- i) Environmental limits. If the resource has a limit on its run hours imposed by a federal, state, or other governmental agency that will significantly limit its availability, on either a temporary or long-term basis. This includes a resource that is limited to operating only during declared PJM capacity emergencies by a governmental authority.
- ii) Fuel limits. If physical events beyond the control of the resource owner result in the temporary interruption of fuel supply and there is limited on-site fuel storage. A fuel supplier's exercise of a contractual right to interrupt supply or delivery under an interruptible service agreement shall not qualify as an event beyond the control of the resource owner.
- iii) Temporary emergency conditions at the unit. If temporary emergency physical conditions at the resource significantly limit its availability.
- iv) Temporary megawatt additions. If a resource can provide additional megawatts on a temporary basis by oil topping, boiler over-pressure, or similar techniques, and such megawatts are not ordinarily otherwise available.

The submission of offers for resource increments that have not cleared in a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall be optional, but any such offers must contain the information specified in the Office of the Interconnection's Offer Data specification, this Section 1.10.1A(d), Schedule 2 of the Operating Agreement, and the PJM Manuals, as applicable. Energy offered from generation resources that have not cleared a Base Residual Auction or an Incremental Auction, were not committed in an FRR Capacity Plan, and were not designated as replacement capacity under Attachment DD of the PJM Tariff shall not be supplied from resources that are included in or otherwise committed to supply the Operating Reserves of a Control Area outside the PJM Region. The foregoing offers:

- i) Shall specify the Generation Capacity Resource or Demand Resource and energy or demand reduction amount, respectively, for each hour in the offer period, and the minimum run time for generation resources and minimum down time for Demand Resources;
- ii) Shall specify the amounts and prices for the entire Operating Day for each resource component offered by the Market Seller to the Office of the Interconnection;
- iii) If based on energy from a specific generation resource, may specify start-up and no-load fees equal to the specification of such fees for such resource on file with the Office of the Interconnection, if based on reductions in demand from a Demand Resource may specify shutdown costs;
- iv) Shall set forth any special conditions upon which the Market Seller proposes to supply a resource increment, including any curtailment rate specified in a bilateral contract for the output of the resource, or any cancellation fees;
- v) May include a schedule of offers for prices and operating data contingent on acceptance by the deadline specified in this Schedule, with a second schedule applicable if accepted after the foregoing deadline;
- vi) Shall constitute an offer to submit the resource increment to the Office of the Interconnection for scheduling and dispatch in accordance with the terms of the offer, which offer shall remain open through the Operating Day for which the offer is submitted;
- vii) Shall be final as to the price or prices at which the Market Seller proposes to supply energy or other services to the PJM Interchange Energy Market, such price or prices being guaranteed by the Market Seller for the period extending through the end of the following Operating Day;
- viii) Shall not exceed an energy offer price of \$1,000/megawatt-hour for all Generation Capacity Resources; and
- ix) Shall not exceed an energy offer price of \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00, for all Economic Load Response Resources;
- x) Shall not exceed an offer price as follows for Emergency Load Response and Pre-Emergency Load Response participants with:

- a) a 30 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus the applicable Primary Reserve Penalty Factor, minus \$1.00;
- b) an approved 60 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provision of Schedule 6 of the RAA, \$1,000/megawatt-hour, plus [the applicable Primary Reserve Penalty Factor divided by 2]; and
- c) an approved 120 minute lead time, pursuant to Section A.2 of Attachment DD-1 of the Tariff and the parallel provisions of Schedule 6 of the RAA, \$1,100/megawatt-hour.

(e) A Market Seller that wishes to make a resource available to sell Regulation service shall submit an offer for Regulation that shall specify the megawatt of Regulation being offered, which must equal or exceed 0.1 megawatts, the Regulation Zone for which such regulation is offered, the price of the capability offer in dollars per MW, the price of the performance offer in Dollars per change in MW, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the resource's opportunity costs. The total of the performance offer multiplied by the historical average mileage used in the market clearing plus the capability offer shall not exceed \$100 per MWh in the case of Regulation offered for all Regulation Zones. In addition to any market-based offer for Regulation, the Market Seller also shall submit a cost-based offer. A cost-based offer must be in the form specified in the PJM Manuals and consist of the following components as well as any other components specified in the PJM Manuals:

- i. The costs (in \$/MW) of the fuel cost increase due to the steady-state heat rate increase resulting from operating the unit at lower megawatt output incurred from the provision of Regulation shall apply to the capability offer;
- ii. The cost increase (in \$/ΔMW) in costs associated with movement of the regulation resource incurred from the provision of Regulation shall apply to the performance offer; and
- iii. An adder of up to \$12.00 per megawatt of Regulation provided applied to the capability offer.

Qualified Regulation capability must satisfy the measurement and verification tests specified in the PJM Manuals.

(f) Each Market Seller owning or controlling the output of a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative shall submit a forecast of the availability of each such Generation Capacity Resource for the next seven days. A Market Seller (i) may submit a non-binding

forecast of the price at which it expects to offer a generation resource increment to the Office of the Interconnection over the next seven days, and (ii) shall submit a binding offer for energy, along with start-up and no-load fees, if any, for the next seven days or part thereof, for any generation resource with minimum notification or start-up requirement greater than 24 hours.

(g) Each offer by a Market Seller of a Generation Capacity Resource shall remain in effect for subsequent Operating Days until superseded or canceled.

(h) The Office of the Interconnection shall post the total hourly loads scheduled in the Day-ahead Energy Market, as well as, its estimate of the combined hourly load of the Market Buyers for the next four days, and peak load forecasts for an additional three days.

(i) Except for Economic Load Response Participants, all Market Participants may submit Virtual Transactions that apply to the Day-ahead Energy Market only. Such Virtual Transactions must comply with the requirements set forth in the PJM Manuals and must specify amount, location and price, if any, at which the Market Participant desires to purchase or sell energy in the Day-ahead Energy Market. The Office of the Interconnection may require that a market participant shall not submit in excess of a defined number of bid/offer segments in the Day-ahead Energy Market, as specified in the PJM Manuals, when the Office of the Interconnection determines that such limit is required to avoid or mitigate significant system performance problems related to bid/offer volume. Notice of the need to impose such limit shall be provided prior to 10:00 a.m. EPT on the day that the Day-ahead Energy Market will clear. For purposes of this provision, a bid/offer segment is each pairing of price and megawatt quantity submitted as part of an Increment Offer or Decrement Bid. For purposes of applying this provision to an Up-to Congestion Transaction, a bid/offer segment shall refer to the pairing of a source and sink designation, as well as price and megawatt quantity, that comprise each Up-to Congestion Transaction.

(j) A Market Seller that wishes to make a generation resource or Demand Resource available to sell Synchronized Reserve shall submit an offer for Synchronized Reserve that shall specify the megawatts of Synchronized Reserve being offered, which must equal or exceed 0.1 megawatts, the price of the offer in dollars per megawatt hour, and such other information specified by the Office of the Interconnection as may be necessary to evaluate the offer and the energy used by the generation resource to provide the Synchronized Reserve and the generation resource's unit specific opportunity costs. The price of the offer shall not exceed the variable operating and maintenance costs for providing Synchronized Reserve plus seven dollars and fifty cents.

(k) An Economic Load Response Participant that wishes to participate in the Day-ahead Energy Market by reducing demand shall submit an offer to reduce demand to the Office of the Interconnection. The offer must equal or exceed 0.1 megawatts, and the offer shall specify: (i) the amount of the offered curtailment in minimum increments of .1 megawatts; (ii) the Day-ahead Locational Marginal Price above which the end-use customer will reduce load, subject to section 1.10.1A(d)(ix); and (iii) at the Economic Load Response Participant's option, start-up costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum of number of contiguous hours for which the load reduction must be

committed. Economic Load Response Participants submitting offers to reduce demand in the Day-ahead Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs).

(l) Market Sellers owning or controlling the output of a Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or that offered and cleared in a Base Residual Auction or Incremental Auction, may submit demand reduction bids for the available load reduction capability of the Demand Resource. The submission of demand reduction bids for Demand Resource increments that were not committed in an FRR Capacity Plan, or that have not cleared in a Base Residual Auction or Incremental Auction, shall be optional, but any such bids must contain the information required to be included in such bids, as specified in the PJM Economic Load Response Program. A Demand Resource that was committed in an FRR Capacity Plan, or that was self-supplied or offered and cleared in a Base Residual Auction or Incremental Auction, may submit a demand reduction bid in the Day-ahead Energy Market as specified in the Economic Load Response Program; provided, however, that in the event of an Emergency PJM shall require Demand Resources to reduce load, notwithstanding that the Zonal LMP at the time such Emergency is declared is below the price identified in the demand reduction bid.

(m) Market Sellers providing Day-ahead Scheduling Reserves Resources shall submit in the Day-ahead Scheduling Reserves Market: 1) a price offer in dollars per megawatt hour; and 2) such other information specified by the Office of the Interconnection as may be necessary to determine any relevant opportunity costs for the resource(s). The foregoing notwithstanding, to qualify to submit Day-ahead Scheduling Reserves pursuant to this section, the Day-ahead Scheduling Reserves Resources shall submit energy offers in the Day-ahead Energy Market including start-up and shut-down costs for generation resource and Demand Resources, respectively, and all generation resources that are capable of providing Day-ahead Scheduling Reserves that a particular resource can provide that service. The MW quantity of Day-ahead Scheduling Reserves that a particular resource can provide in a given hour will be determined based on the energy Offer Data submitted in the Day-ahead Energy Market, as detailed in the PJM Manuals.

### **1.10.2 Pool-scheduled Resources.**

Pool-scheduled resources are those resources for which Market Participants submitted offers to sell energy in the Day-ahead Energy Market and offers to reduce demand in the Day-ahead Energy Market, which the Office of the Interconnection scheduled in the Day-ahead Energy Market as well as generators committed by the Office of the Interconnection subsequent to the Day-ahead Energy Market. Such resources shall be committed to provide energy in the real-time dispatch unless the schedules for such units are revised pursuant to Sections 1.10.9 or 1.11. Pool-scheduled resources shall be governed by the following principles and procedures.

(a) Pool-scheduled resources shall be selected by the Office of the Interconnection on the basis of the prices offered for energy and demand reductions and related services, whether the resource is expected to be needed to maintain system reliability during the Operating Day, start-up, no-load and cancellation fees, and the specified operating characteristics, offered by

Market Sellers to the Office of the Interconnection by the offer deadline specified in Section 1.10.1A.

(b) A resource that is scheduled by a Market Participant to support a bilateral sale, or that is self-scheduled by a Generating Market Buyer, shall not be selected by the Office of the Interconnection as a pool-scheduled resource except in an Emergency.

(c) Market Sellers offering energy from hydropower or other facilities with fuel or environmental limitations may submit data to the Office of the Interconnection that is sufficient to enable the Office of the Interconnection to determine the available operating hours of such facilities.

(d) The Market Seller of a resource selected as a pool-scheduled resource shall receive payments or credits for energy, demand reductions or related services, or for start-up and no-load fees, from the Office of the Interconnection on behalf of the Market Buyers in accordance with Section 3 of this Schedule 1. Alternatively, the Market Seller shall receive, in lieu of start-up and no-load fees, its actual costs incurred, if any, up to a cap of the resource's start-up cost, if the Office of the Interconnection cancels its selection of the resource as a pool-scheduled resource and so notifies the Market Seller before the resource is synchronized.

(e) Market Participants shall make available their pool-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone.

(f) Economic Load Response Participants offering to reduce demand shall specify: (i) the amount of the offered curtailment, which offer must equal or exceed 0.1 megawatts, in minimum increments of .1 megawatts; (ii) the real-time Locational Marginal Price above which the end-use customer will reduce load; and (iii) at the Economic Load Response Participant's option, shut-down costs associated with reducing load, including direct labor and equipment costs, opportunity costs, and/or a minimum number of contiguous hours for which the load reduction must be committed. Economic Load Response Participants submitting offers to reduce demand in the Real-time Energy Market may establish an incremental offer curve, provided that such offer curve shall be limited to ten price pairs (in MWs). Economic Load Response Participants offering to reduce demand shall also indicate the hours that the demand reduction is not available.

### **1.10.3 Self-scheduled Resources.**

Self-scheduled resources shall be governed by the following principles and procedures.

(a) Each Generating Market Buyer shall use all reasonable efforts, consistent with Good Utility Practice, not to self-schedule resources in excess of its Equivalent Load.

(b) The offered prices of resources that are self-scheduled, or otherwise not following the dispatch orders of the Office of the Interconnection, shall not be considered by the Office of the Interconnection in determining Locational Marginal Prices.

(c) Market Participants shall make available their self-scheduled resources to the Office of the Interconnection for coordinated operation to supply the Operating Reserves needs of the applicable Control Zone, by submitting an offer as to such resources.

(d) A Market Participant self-scheduling a resource in the Day-ahead Energy Market that does not deliver the energy in the Real-time Energy Market, shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

#### **1.10.4 Capacity Resources.**

(a) A Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that is selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection. Such a Generation Capacity Resource that does not deliver energy as scheduled shall be deemed to have experienced a Generator Forced Outage to the extent of such energy not delivered. A Market Participant offering such Generation Capacity Resource in the Day-ahead Energy Market shall replace the energy not delivered with energy from the Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Energy from a Generation Capacity Resource committed to service of PJM loads under the Reliability Pricing Model or Fixed Resource Requirement Alternative that has not been scheduled in the Day-ahead Energy Market may be sold on a bilateral basis by the Market Seller, may be self-scheduled, or may be offered for dispatch during the Operating Day in accordance with the procedures specified in this Schedule. Such a Generation Capacity Resource that has not been scheduled in the Day-ahead Energy Market and that has been sold on a bilateral basis must be made available upon request to the Office of the Interconnection for scheduling and dispatch during the Operating Day if the Office of the Interconnection declares a Maximum Generation Emergency. Any such resource so scheduled and dispatched shall receive the applicable Real-time Price for energy delivered.

(c) A resource that has been self-scheduled shall not receive payments or credits for start-up or no-load fees.

#### **1.10.5 External Resources.**

(a) External Resources may submit offers to the PJM Interchange Energy Market, in accordance with the day-ahead and real-time scheduling processes specified above. An External Resource selected as a pool-scheduled resource shall be made available for scheduling and dispatch at the direction of the Office of the Interconnection, and except as specified below shall be compensated on the same basis as other pool-scheduled resources. External Resources that are not capable of dynamic dispatch shall, if selected by the Office of the Interconnection on the basis of the Market Seller's Offer Data, be block loaded on an hourly scheduled basis. Market Sellers shall offer External Resources to the PJM Interchange Energy Market on either a resource-specific or an aggregated resource basis. A Market Participant whose pool-scheduled

resource does not deliver the energy scheduled in the Day-ahead Energy Market shall replace such energy not delivered as scheduled in the Day-ahead Energy Market with energy from the PJM Real-time Energy Market and shall pay for such energy at the applicable Real-time Price.

(b) Offers for External Resources from an aggregation of two or more generating units shall so indicate, and shall specify, in accordance with the Offer Data requirements specified by the Office of the Interconnection: (i) energy prices; (ii) hours of energy availability; (iii) a minimum dispatch level; (iv) a maximum dispatch level; and (v) unless such information has previously been made available to the Office of the Interconnection, sufficient information, as specified in the PJM Manuals, to enable the Office of the Interconnection to model the flow into the PJM Region of any energy from the External Resources scheduled in accordance with the Offer Data.

(c) Offers for External Resources on a resource-specific basis shall specify the resource being offered, along with the information specified in the Offer Data as applicable.

#### **1.10.6 External Market Buyers.**

(a) Deliveries to an External Market Buyer not subject to dynamic dispatch by the Office of the Interconnection shall be delivered on a block loaded basis to the bus or buses at the electrical boundaries of the PJM Region, or in such area with respect to an External Market Buyer's load within such area not served by Network Service, at which the energy is delivered to or for the External Market Buyer. External Market Buyers shall be charged (which charge may be positive or negative) at either the Day-ahead Prices or Real-time Prices, whichever is applicable, for energy at the foregoing bus or buses.

(b) An External Market Buyer's hourly schedules for energy purchased from the PJM Interchange Energy Market shall conform to the ramping and other applicable requirements of the interconnection agreement between the PJM Region and the Control Area to which, whether as an intermediate or final point of delivery, the purchased energy will initially be delivered.

(c) The Office of the Interconnection shall curtail deliveries to an External Market Buyer if necessary to maintain appropriate reserve levels for a Control Zone as defined in the PJM Manuals, or to avoid shedding load in such Control Zone.

#### **1.10.6A Transmission Loading Relief Customers.**

(a) An entity that desires to elect to pay Transmission Congestion Charges in order to continue its energy schedules during an Operating Day over contract paths outside the PJM Region in the event that PJM initiates Transmission Loading Relief that otherwise would cause PJM to request security coordinators to curtail such Member's energy schedules shall:

- (i) enter its election on OASIS by 12:00 p.m. of the day before the Operating Day, in accordance with procedures established by PJM, which election shall be applicable for the entire Operating Day; and

- (ii) if PJM initiates Transmission Loading Relief, provide to PJM, at such time and in accordance with procedures established by PJM, the hourly integrated energy schedules that impacted the PJM Region (as indicated from the NERC Interchange Distribution Calculator) during the Transmission Loading Relief.

(b) If an entity has made the election specified in Section (a), then PJM shall not request security coordinators to curtail such entity's energy transactions, except as may be necessary to respond to Emergencies.

(c) In order to make elections under this Section 1.10.6A, an entity must (i) have met the creditworthiness standards established by the Office of the Interconnection or provided a letter of credit or other form of security acceptable to the Office of the Interconnection, and (ii) have executed either the Agreement, a Service Agreement under the PJM Tariff, or other agreement committing to pay all Transmission Congestion Charges incurred under this Section.

### **1.10.7 Bilateral Transactions.**

Bilateral transactions as to which the parties have notified the Office of the Interconnection by the deadline specified in Section 1.10.1A that they elect not to be included in the Day-ahead Energy Market and that they are not willing to incur Transmission Congestion Charges in the Real-time Energy Market shall be curtailed by the Office of the Interconnection as necessary to reduce or alleviate transmission congestion. Bilateral transactions that were not included in the Day-ahead Energy Market and that are willing to incur congestion charges and bilateral transactions that were accepted in the Day-ahead Energy Market shall continue to be implemented during periods of congestion, except as may be necessary to respond to Emergencies.

### **1.10.8 Office of the Interconnection Responsibilities.**

(a) The Office of the Interconnection shall use its best efforts to determine (i) the least-cost means of satisfying the projected hourly requirements for energy, Operating Reserves, and other ancillary services of the Market Buyers, including the reliability requirements of the PJM Region, of the Day-ahead Energy Market, and (ii) the least-cost means of satisfying the Operating Reserve and other ancillary service requirements for any portion of the load forecast of the Office of the Interconnection for the Operating Day in excess of that scheduled in the Day-ahead Energy Market. In making these determinations, the Office of the Interconnection shall take into account: (i) the Office of the Interconnection's forecasts of PJM Interchange Energy Market and PJM Region energy requirements, giving due consideration to the energy requirement forecasts and purchase requests submitted by Market Buyers and PRD Curves properly submitted by Load Serving Entities for the Price Responsive Demand loads they serve; (ii) the offers submitted by Market Sellers; (iii) the availability of limited energy resources; (iv) the capacity, location, and other relevant characteristics of self-scheduled resources; (v) the objectives of each Control Zone for Operating Reserves, as specified in the PJM Manuals; (vi) the requirements of each Regulation Zone for Regulation and other ancillary services, as specified in the PJM Manuals; (vii) the benefits of avoiding or minimizing transmission

constraint control operations, as specified in the PJM Manuals; and (viii) such other factors as the Office of the Interconnection reasonably concludes are relevant to the foregoing determination, including, without limitation, transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6. The Office of the Interconnection shall develop a Day-ahead Energy Market based on the foregoing determination, and shall determine the Day-ahead Prices resulting from such schedule. The Office of the Interconnection shall report the planned schedule for a hydropower resource to the operator of that resource as necessary for plant safety and security, and legal limitations on pond elevations.

(b) Not earlier than 4:00 p.m. of the day before each Operating Day, or such other deadline as may be specified by the Office of the Interconnection in the PJM Manuals, the Office of the Interconnection shall: (i) post the aggregate Day-ahead Energy Market results; (ii) post the Day-ahead Prices; and (iii) inform the Market Sellers, Market Buyers, and Economic Load Response Participants of their scheduled injections, withdrawals, and demand reductions respectively. The foregoing notwithstanding, the deadlines set forth in this subsection shall not apply if the Office of the Interconnection is unable to obtain Market Participant bid/offer data due to extraordinary circumstances. For purposes of this subsection, extraordinary circumstances shall mean a technical malfunction that limits, prohibits or otherwise interferes with the ability of the Office of the Interconnection to obtain Market Participant bid/offer data prior to 11:59 p.m. on the day before the affected Operating Day. Extraordinary circumstances do not include a Market Participant's inability to submit bid/offer data to the Office of the Interconnection. If the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day as a result of such extraordinary circumstances, the Office of the Interconnection shall notify Members as soon as practicable.

(c) Following posting of the information specified in Section 1.10.8(b), and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, the Office of the Interconnection shall revise its schedule of generation resources to reflect updated projections of load, conditions affecting electric system operations in the PJM Region, the availability of and constraints on limited energy and other resources, transmission constraints, and other relevant factors.

(d) Market Buyers shall pay PJMSettlement and Market Sellers shall be paid by PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is positive. Market Buyers shall be paid by PJMSettlement and Market Sellers shall pay PJMSettlement for the quantities of energy scheduled in the Day-ahead Energy Market at the Day-ahead Prices when the Day-ahead Price is negative. Economic Load Response Participants shall be paid for scheduled demand reductions pursuant to Section 3.3A of this Schedule. Notwithstanding the foregoing, if the Office of the Interconnection is unable to clear the Day-ahead Energy Market prior to 11:59 p.m. on the day before the affected Operating Day due to extraordinary circumstances as described in subsection (b) above, no settlements shall be made for the Day-ahead Energy Market, no scheduled megawatt quantities shall be established, and no Day-ahead Prices shall be established for that Operating Day. Rather, for purposes of settlements for such Operating Day, the Office of the Interconnection shall utilize a scheduled megawatt quantity and price of zero and all settlements,

including Financial Transmission Right Target Allocations, will be based on the real-time quantities and prices as determined pursuant to Sections 2.4 and 2.5 hereof.

(e) If the Office of the Interconnection discovers an error in prices and/or cleared quantities in the Day-ahead Energy Market, Real-time Energy Market, Ancillary Services Markets or Day Ahead Scheduling Reserve Market after it has posted the results for these markets on its Web site, the Office of the Interconnection shall notify Market Participants of the error as soon as possible after it is found, but in no event later than 12:00 p.m. of the second business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the second business day following the initial publication of the results for the Day-ahead Scheduling Reserve Market and Day-ahead Energy Market. After this initial notification, if the Office of the Interconnection determines it is necessary to post modified results, it shall provide notification of its intent to do so, together with all available supporting documentation, by no later than 5:00 p.m. of the fifth business day following the Operating Day for the Ancillary Services Markets and Real-time Energy Market, and no later than 5:00 p.m. of the fifth business day following the initial publication of the results in the Day-ahead Scheduling Reserve Market and the Day-ahead Energy Market. Thereafter, the Office of the Interconnection must post on its Web site the corrected results by no later than 5:00 p.m. of the tenth calendar day following the Operating Day for the Ancillary Services Markets, Day-ahead Energy Market and Real-time Energy Market, and no later than 5:00 p.m. of the tenth calendar day following the initial publication of the results in the Day-ahead Scheduling Reserve Market. Should any of the above deadlines pass without the associated action on the part of the Office of the Interconnection, the originally posted results will be considered final. Notwithstanding the foregoing, the deadlines set forth above shall not apply if the referenced market results are under publicly noticed review by the FERC.

(f) Consistent with Section 18.17.1 of the PJM Operating Agreement, and notwithstanding anything to the contrary in the Operating Agreement or in the PJM Tariff, to allow the tracking of Market Participants' non-aggregated bids and offers over time as required by FERC Order No. 719, the Office of the Interconnection shall post on its Web site the non-aggregated bid data and Offer Data submitted by Market Participants (for participation in the PJM Interchange Energy Market) approximately four months after the bid or offer was submitted to the Office of the Interconnection.

### **1.10.9 Hourly Scheduling.**

(a) Following the initial posting by the Office of the Interconnection of the Locational Marginal Prices resulting from the Day-ahead Energy Market, and subject to the right of the Office of the Interconnection to schedule and dispatch pool-scheduled resources and to direct that schedules be changed in an Emergency, and absent extraordinary circumstances preventing the clearing of the Day-ahead Energy Market, a generation rebidding period shall exist. Typically the rebidding period shall be from 4:00 p.m. to 6:00 p.m. on the day before each Operating Day. However, should the clearing of the Day-ahead Energy Market be significantly delayed, the Office of the Interconnection may establish a revised rebidding period. During the rebidding period, Market Participants may submit revisions to generation Offer Data for any generation resource that was not selected as a pool-scheduled resource in the Day-ahead Energy

Market. Adjustments to the Day-ahead Energy Market shall be settled at the applicable Real-time Prices, and shall not affect the obligation to pay or receive payment for the quantities of energy scheduled in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(b) A Market Participant may adjust the schedule of a resource under its dispatch control on an hour-to-hour basis beginning at 10:00 p.m. of the day before each Operating Day, provided that the Office of the Interconnection is notified not later than 60 minutes prior to the hour in which the adjustment is to take effect, as follows:

- i) A Generating Market Buyer may self-schedule any of its resource increments, including hydropower resources, not previously designated as self-scheduled and not selected as a pool-scheduled resource in the Day-ahead Energy Market;
- ii) A Market Participant may request the scheduling of a non-firm bilateral transaction; or
- iii) A Market Participant may request the scheduling of deliveries or receipts of Spot Market Energy; or
- iv) A Generating Market Buyer may remove from service a resource increment, including a hydropower resource, that it had previously designated as self-scheduled, provided that the Office of the Interconnection shall have the option to schedule energy from any such resource increment that is a Capacity Resource at the price offered in the scheduling process, with no obligation to pay any start-up fee.

(c) With respect to a pool-scheduled resource that is included in the Day-ahead Energy Market, a Market Seller may not change or otherwise modify its offer to sell energy.

(d) An External Market Buyer may refuse delivery of some or all of the energy it requested to purchase in the Day-ahead Energy Market by notifying the Office of the Interconnection of the adjustment in deliveries not later than 60 minutes prior to the hour in which the adjustment is to take effect, but any such adjustment shall not affect the obligation of the External Market Buyer to pay for energy scheduled on its behalf in the Day-ahead Energy Market at the applicable Day-ahead Prices.

(e) For each hour in the Operating Day, as soon as practicable after the deadlines specified in the foregoing subsection of this Section 1.10, the Office of the Interconnection shall provide External Market Buyers and External Market Sellers and parties to bilateral transactions with any revisions to their schedules for the hour.

## 2.2 General.

The Office of the Interconnection shall determine the least cost security-constrained economic dispatch, which is the least costly means of serving load and meeting reserve requirements at different locations in the PJM Region based on actual operating conditions existing on the power grid (including transmission constraints on external coordinated flowgates to the extent provided by section 1.7.6) and on the prices at which Market Sellers have offered to supply energy and offers by Economic Load Response Participants to reduce demand that qualify to set Locational Marginal Prices in the PJM Interchange Energy Market. Locational Marginal Prices for the generation and load buses in the PJM Region, including interconnections with other Control Areas, will be calculated based on the actual economic dispatch and the prices of energy and demand reduction offers. The process for the determination of Locational Marginal Prices shall be as follows:

(a) To determine actual operating conditions on the power grid in the PJM Region, the Office of the Interconnection shall use a computer model of the interconnected grid that uses available metered inputs regarding generator output, loads, and power flows to model remaining flows and conditions, producing a consistent representation of power flows on the network. The computer model employed for this purpose, referred to as the State Estimator program, is a standard industry tool and is described in Section 2.3 below. It will be used to obtain information regarding the output of generation supplying energy to the PJM Region, loads at buses in the PJM Region, transmission losses, and power flows on binding transmission constraints for use in the calculation of Locational Marginal Prices. Additional information used in the calculation, including Dispatch Rates and real time schedules for external transactions between PJM and other Control Areas and dispatch and pricing information from entities with whom PJM has executed a joint operating agreement, will be obtained from the Office of the Interconnection's dispatchers.

(b) Using the prices at which energy is offered by Market Sellers and demand reductions are offered by Economic Load Response Participants, Pre-Emergency Load Response participants and Emergency Load Response participants to the PJM Interchange Energy Market, the Office of the Interconnection shall determine the offers of energy and demand reductions that will be considered in the calculation of Locational Marginal Prices. As described in Section 2.4 below, every qualified offer for demand reduction and of energy by a Market Seller from resources that are dispatched by the Office of the Interconnection will be utilized in the calculation of Locational Marginal Prices, including, without limitation, qualified offers from Economic Load Response Participants in either the Day-ahead or Real-time Energy Markets or from Emergency Load Response and Pre-Emergency Load Response participants in the Real-time Energy Market.

(c) Based on the system conditions on the PJM power grid, determined as described in (a), and the eligible energy and demand reduction offers, determined as described in (b), the Office of the Interconnection shall determine the least costly means of obtaining energy to serve the next increment of load at each bus in the PJM Region, in the manner described in Section 2.5 below. The result of that calculation shall be a set of Locational Marginal Prices based on the system conditions at the time.

(d) The Office of the Interconnection shall use its security-constrained economic dispatch software program to monitor system conditions to avoid transient conditions that incorrectly imply that a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage (“false positives”) by: (i) forecasting system conditions for up to several hours into the future and producing an interim security-constrained economic dispatch solution, and (ii) forecasting system conditions on a shorter term basis and producing a real-time security-constrained economic dispatch solution. If the security-constrained economic dispatch software program forecasts a Primary Reserve Shortage and/or a Synchronized Reserve shortage in both the interim and real-time security-constrained economic dispatch solutions, as may be further described in the PJM Manuals, the Office of the Interconnection shall deem this to be a Primary Reserve shortage and/or a Synchronized Reserve shortage and shall implement shortage pricing through the inclusion of Primary Reserve and/or Synchronized Reserve Penalty Factors in the Real-Time Locational Marginal Price program. Shortage pricing shall exist until both the interim and real-time security-constrained economic dispatch solutions are able to meet the specified reserve requirements and no Voltage Reduction Action or Manual Load Dump Action is still in effect. If a Primary Reserve shortage and/or Synchronized Reserve shortage exists and cannot be accurately forecasted by the Office of the Interconnection due to a technical problem with or malfunction of the security-constrained economic dispatch software program, including but not limited to program failures or data input failures, the Office of the Interconnection will utilize the best available alternate data sources to determine if a Reserve Zone or Reserve Sub-zone is experiencing a Primary Reserve shortage and/or a Synchronized Reserve shortage.

(e) The Office of the Interconnection shall submit to the Commission, for informational purposes, a status report within sixty (60) days of the occurrence of a false positive or actual Primary Reserve shortage and/or a Synchronized Reserve shortage.

**8. EMERGENCY AND PRE-EMERGENCY LOAD RESPONSE PROGRAM**

## **8.1 Emergency Load Response and Pre-Emergency Load Response Program Options**

The Emergency Load Response Program and Pre-Emergency Load Response Program are designed to provide a method by which end-use customers may be compensated by PJM for reducing load immediately prior to an anticipated emergency event (“pre-emergency event”) or during an emergency event. As used in the Emergency Load Response Program and Pre-Emergency Load Response Program, the term “end-use customer” refers to an individual location or aggregation of locations that consume electricity as identified by a unique electric distribution company account number. There are two options for participation in the Emergency Load Response Program and Pre-Emergency Load Response Program:

- ◆ Full Program Option

Participants in the Full Program Option receive, pursuant to Attachment DD of the Tariff and as applicable, (i) an energy payment for load reductions during a pre-emergency or emergency event, and (ii) a capacity payment for load reductions during a pre-emergency event or emergency event measured as set forth in the Reporting and Compliance provisions below.

- ◆ Energy Only Option

Participants in the Energy Only Option receive only an energy payment for load reductions during an emergency event.

## 8.2 Participant Qualifications

Two primary types of distributed resources are candidates to participate in the PJM Emergency Load Response Program and Pre-Emergency Load Response Program:

### On Site Generators

These generators (including Behind The Meter Generation) can be either synchronized or non-synchronized to the grid. Capacity Resources are not eligible for compensation under this program. Injections into the grid by local generators also will not be eligible for compensation under this program.

### Load Reductions

A participant that has the ability to reduce a measurable and verifiable portion of its load, as metered on an EDC account basis.

Only Members or Special Members may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program by complying with all of the requirements of the applicable Relevant Electric Retail Regulatory Authority and all other applicable federal, state and local regulatory entities together with the Emergency Load Response and Pre-Emergency Load Response Program provisions herein, including, but not limited to, the Registration section. Special membership provisions have been established for program participants in the Energy Only Option, as described below. The special membership provisions shall not apply to program participants in the Full Program Option. Any existing PJM Member or Special Member may participate in the Emergency Load Response Program and Pre-Emergency Load Response Program on behalf of non-members as the Curtailment Service Provider. All payments are made to the PJM Member or Special Member in such case. Curtailment Service Providers must become signatories to the PJM Operating Agreement, as described in the *PJM Manual for Administrative Services for the Operating Agreement of the PJM Interconnection, L.L.C.* However, for Special Members the \$5,000 annual member fee, the \$1,500 application fee, and liability for Member defaults are waived, along with the following other modifications.

- Special Members are limited to be PJM market sellers;
- Voting privileges and sector designation are waived;
- Thirty day notice for waiting period is waived;
- Requirement for 24/7 control center coverage is waived;
- No PJM-supported user group capability is permitted.

To participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, the Demand Resource must:

- Be capable of reducing at least 100 kW of load;
- Be capable of receiving notification of a Load Management event.

### **8.3 Metering Requirements**

The Curtailment Service Provider is responsible to ensure that the Emergency Load Response Program and Pre-Emergency Load Response Program Participants have metering equipment that provides integrated hourly kWh values on an electric distribution company account basis. The metering equipment shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including Potential Transformers and Current Transformers) and the metering equipment and associated data shall meet the requirements set forth herein and in the PJM Manuals. The Emergency Load Response Program and Pre-Emergency Load Response Program participants must meter reductions in demand by using either of the following two methods:

(a) Using metering equipment that is capable of recording integrated hourly values for generation running to serve local load (net of that used by the generator); or

(b) Using metering equipment that provides actual load change by measuring actual load before and after the reduction request, such that there is a valid integrated hourly value for the hour prior to the event and each hour during the event. This value cannot be estimated nor can it be averaged over some historical period. This load will be metered on an electric distribution company account basis.

Metered load reductions will be adjusted up to consider transmission and distribution losses as submitted by the Curtailment Service Provider and verified by PJM with the electric distribution company.

The installed metering equipment must be one of the following:

(a) Metering equipment used for retail electric service;

(b) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read electronically by PJM in accordance with the requirements herein and in the PJM Manuals; or

(c) Customer-owned metering equipment or metering equipment acquired by the Curtailment Service Provider, approved by PJM, that is read by the customer (or the Curtailment Service Provider), and such readings are then forwarded to PJM, in accordance with the requirements set forth herein and in the PJM Manuals.

Nothing herein changes the existence of one recognized meter by the state commissions as the official billing meter for recording consumption.

## 8.4 Registration

1. Curtailment Service Providers must complete the applicable PJM Load Response Program Registration Form (“Registration Form”) that is posted on the PJM website ([www.pjm.com](http://www.pjm.com)) for each end-use customer, or aggregation of end-use customers, pursuant to the requirements set forth in the PJM Manuals. Because of the required electric distribution company ten business day review period, as described herein, Curtailment Service Providers should submit completed Registration Forms to the Office of the Interconnection no later than one day before the tenth business day preceding the relevant Delivery Year. All registrations that have not been approved on or before May 31<sup>st</sup> preceding the relevant Delivery Year shall be rejected by the Office of the Interconnection. To the extent that a completed Registration Form is submitted to the Office of the Interconnection prior to one day before the tenth business day preceding the relevant Delivery Year and such registration is rejected by the electric distribution company or the Office of the Interconnection because of incorrect data on the Registration Form, such registration may be resubmitted by the Curtailment Service Provider before May 31<sup>st</sup> preceding the relevant Delivery Year, but such registration will be rejected by the Office of the Interconnection unless the electric distribution company has verified the registration on or before May 31<sup>st</sup> preceding the relevant Delivery Year. Incomplete Registration Forms will be rejected by the Office of the Interconnection; Curtailment Service Providers may not resubmit registrations that were rejected for being incomplete unless they are able to do so no later than one day before the tenth business day preceding the relevant Delivery Year. The following general steps will be followed:

2. For end-use customers of an electric distribution company that distributed more than 4 million MWh in the previous fiscal year:

a. The Curtailment Service Provider completes the Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response or Pre-Emergency Load Response Program participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response Program participant’s registration and request verification as to whether the load that may be reduced is subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer’s participation in PJM’s Emergency Load Response and Pre-Emergency Load Response Programs pursuant to the process described below. The electric distribution company *has* ten business days to respond. An electric distribution company which seeks to assert that the laws or regulations of the Relevant Electric Retail Regulatory Authority prohibit or condition (which condition the electric distribution company asserts has not been satisfied) an end-use customer’s participation in PJM’s Emergency Load Response and Pre-Emergency Load Response program shall provide to PJM, within the referenced ten business day review period, either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority prohibiting or conditioning the end-use customer’s participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority’s legal counsel attesting to the existence of a regulation or law prohibiting or conditioning the end-use customer’s participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting

to the existence of a regulation or law prohibiting or conditioning the end-use customer's participation.

- i. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection on or after May 31<sup>st</sup> preceding the applicable Delivery Year, then the existing end-use customer's registration for Demand Resource (as defined in the Reliability Assurance Agreement) will remain in effect for the applicable Delivery Year. If evidence provided by an electric distribution company to the Office of the Interconnection indicates that a Relevant Electric Retail Regulatory Authority law or regulation prohibits or conditions (which condition the electric distribution company asserts has not been satisfied) the end-use customer's participation and is received by the Office of the Interconnection before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide supporting documentation to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had an executed contract with the end-use customer for Demand Resource participation before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction, and that the date that the Demand Resource cleared the applicable Reliability Pricing Model Auction was prior to the effective date of the Relevant Electric Retail Regulatory Authority law or regulation prohibiting or conditioning the end-use customer's participation, then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year, and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.
  - b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall assume that the load to be reduced is not subject to laws or regulations of the Relevant Electric Retail Regulatory Authority that prohibit or condition the end-use customer's participation in PJM's Emergency Load Response and Pre-Emergency Load Response Programs, and the Office of the Interconnection shall accept the registration, provided it meets all other Emergency Load Response and Pre-Emergency Load Response Program requirements.
  - c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.
3. For end-use customers of an electric distribution company that distributed 4 million MWh or less in the previous fiscal year:

a. The Curtailment Service Provider completes the Emergency Registration Form located on the PJM website. PJM reviews the application and ensures that the qualifications are met, including verifying that the appropriate metering exists. After confirming that an entity has met all of the qualifications to be an Emergency Load Response and Pre-Emergency Load Response participant, PJM shall notify the appropriate electric distribution company of an Emergency Load Response and Pre-Emergency Load Response participant's registration and request verification as to whether the load that may be reduced is permitted to participate by the Relevant Electric Retail Regulatory Authority pursuant to the process described below. The electric distribution company *has* ten business days to respond. If the electric distribution company verifies that the load that may be reduced is permitted or conditionally permitted (which condition the electric distribution company asserts has been satisfied) to participate in the Emergency Load Response Program and Pre-Emergency Load Response Program, then the electric distribution company must provide to the Office of the Interconnection within the referenced ten business day review period either: (a) an order, resolution or ordinance of the Relevant Electric Retail Regulatory Authority permitting or conditionally permitting the end-use customer's participation, (b) an opinion of the Relevant Electric Retail Regulatory Authority's legal counsel attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation, or (c) an opinion of the state Attorney General, on behalf of the Relevant Electric Retail Regulatory Authority, attesting to the existence of a regulation or law permitting or conditionally permitting the end-use customer's participation.

i. If the electric distribution company denies the end-use customer's Demand Resource (as defined in the Reliability Assurance Agreement) registration on or before May 31<sup>st</sup> preceding the applicable Delivery Year and the Curtailment Service Provider does not provide the above referenced Relevant Electric Retail Regulatory Authority evidence to the Office of the Interconnection on or before May 31<sup>st</sup> preceding the applicable Delivery Year demonstrating that the Curtailment Service Provider had Relevant Electric Retail Regulatory Authority permission or conditional permission (which condition the electric distribution company asserts has been satisfied) for the end-use customer's participation and an executed contract with the end-use customer Demand Resource before the date the Demand Resource cleared the applicable Reliability Pricing Model Auction then, unless the below exception applies, the existing end-use customer's registration for Demand Resource participation shall be deemed to be terminated for the applicable Delivery Year and the Curtailment Service Provider will be subject to the Reliability Pricing Model provisions, as specified in Attachment DD of the PJM Tariff.

b. In the absence of a response from the electric distribution company within the referenced ten business day review period, the Office of the Interconnection shall reject the registration. If it is able to do so in compliance with all of the Emergency Load Response and Pre-Emergency Load Response Program requirements, including the registration section, the Emergency Load Response and Pre-Emergency Load Response participant may submit a new registration to the Office of the Interconnection for consideration if a prior registration has been rejected pursuant to the terms of the Emergency Load Response and Pre-Emergency Load Response Program provisions.

c. For those registrations terminated pursuant to this section, all Emergency Load Response and Pre-Emergency Load Response participant activity incurred prior to the termination date of the registration shall be settled by PJM Settlement in accordance with the terms and conditions contained in the PJM Tariff, PJM Operating Agreement and PJM Manuals.

4. PJM will inform the requesting Curtailment Service Provider of acceptance into the Emergency Load Response Program and Pre-Emergency Load Response Program and notify the appropriate electric distribution company of the requesting Curtailment Service Provider's acceptance into the program or notifies the requesting Curtailment Service Provider and appropriate electric distribution company of PJM's rejection of the requesting participant's registration.

5. Any end-use customer intending to run distributed generating units in support of local load for the purpose of participating in this program must represent in writing to PJM that it holds all applicable environmental and use permits for running those generators. Continuing participation in this program will be deemed as a continuing representation by the owner that each time its distributed generating unit is run in accordance with this program, it is being run in compliance with all applicable permits, including any emissions, run-time limit or other constraint on plant operations that may be imposed by such permits.

## 8.5 Pre-Emergency Operations

All participants in the Emergency Load Response Program shall be subject to the pre-emergency procedures herein, unless the participant can demonstrate it: (1) relies on Behind the Meter generation to fulfill its load reduction obligations; and (2) it has environmental restrictions on when it can operate such that it is only permitted to operate if PJM is in emergency conditions, in which case the participant shall be subject to the emergency operation procedures contained in Section 8.6. In such case, the Curtailment Service Provider shall submit a request for the relevant Demand Resource(s) to be an emergency (versus pre-emergency) Demand Resource to the Office of the Interconnection, at the time the Registration Form is submitted in accordance with this Agreement. A Curtailment Service Provider shall not submit a request for an exception unless it has done its due diligence to confirm that the Demand Resource meets the requirements referenced herein and has obtained from the end-use customer documentation supporting the exception request. The Curtailment Service Provider shall provide the Office of the Interconnection with a copy of such supporting documentation within three (3) business days of a request therefor. Failure to provide such supporting documentation by the deadline shall result in the Demand Resource being subject to the pre-emergency procedures herein.

PJM will initiate a pre-emergency event prior to the declaration of a Maximum Generation Emergency or an emergency event when practicable. A pre-emergency event is implemented when economic resources are not adequate to serve load and maintain reserves or maintain system reliability, and prior to proceeding into emergency procedures. Understanding the primary responsibility of the Office of the Interconnection to maintain system security, the Office of the Interconnection will strive to exhaust, but it is not obligated to exhaust, all economic resources prior to initiating a pre-emergency event. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the pre-emergency event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the pre-emergency event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Pre-Emergency Load Response Program are eligible to set the real time Locational Marginal Prices ("LMP") when the Office of the Interconnection has implemented pre-emergency procedures and such resources are required to reduce demand in the PJM Region and as

described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailed Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, and comply with operational procedures, as described in detail in the PJM Manuals.

## 8.6 Emergency Operations

PJM will initiate the notification of a Load Management event coincident with the declaration of Maximum Generation emergency. (Implementation of the Emergency Load Response Program can be used for regional emergencies.) A Load Management event is implemented whenever economic generating capacity is not adequate to serve load and maintain reserves or maintain system reliability. PJM will initiate an electronic message to Curtailment Service Providers notifying them of the Load Management event; Curtailment Service Providers are required to have the capability to retrieve this electronic message as described in the PJM Manuals. Additionally, PJM will post the Load Management Event information on the PJM website and issue a separate All-Call message.

Following PJM's request to reduce load, (i) participants in the Energy Only Option voluntarily may reduce load; and (ii) participants in the Full Program Option are required to reduce load unless they already have reduced load pursuant to the Economic Load Response Program. PJM will dispatch the resources of all Emergency Load Response Program participants (not already dispatched under the Economic Load Response Program) based on the availability, location, minimum notification time, dispatch price and/or quantity of load reduction needed, subject to transmission constraints in the PJM Region. To give PJM dispatchers the flexibility to address reliability concerns in the most effective and timely manner and invoke the resources that offer the most assurance of effective relief of emergency conditions, the dispatch of Demand Resources may not be based solely on the least-cost resources since such dispatch shall be based not only on price, but also on availability, location, minimum notification time and/or quantity of megawatts of load or load reduction needed.

The dispatch price of Full Program Option resources and Energy Only Option resources in the Emergency Load Response Program are eligible to set the real time LMP when the Office of the Interconnection has implemented Emergency procedures and such resources are required to reduce demand in the PJM Region and as described in Section 2 of Schedule 1 of the PJM Operating Agreement and the parallel provisions of Attachment K-Appendix of the PJM Tariff. Energy Only Option resources must also satisfy PJM's telemetry requirements.

Curtailment Service Providers with resources registered to participate in the Emergency Load Response and Pre-Emergency Load Response Programs must provide real-time operational data regarding the availability and status of their resources to PJM, as described in detail in the PJM Manuals. Operational procedures are described in detail in the *PJM Manual for Emergency Operations*.

## **8.7 Verification**

PJM requires that the load reduction meter data be submitted to PJM within 60 days of the Load Management event. If the data are not received within 60 days, no payment for participation shall be provided. Meter data must be provided for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction.

These data files are to be communicated to PJM either via the Load Response Program web site or email. Files that are emailed must be in the PJM-approved file format. Meter data will be forwarded to the electric distribution company upon receipt, and these parties will then have ten (10) business days to provide feedback to PJM.

## 8.8 Market Settlements

Payment for reducing load is based on the actual kWh relief provided plus the adjustment for losses, subject to the Reporting and Compliance provisions below. The minimum duration of a load reduction request is one hour. The magnitude of capacity relief provided by Full Program Option participants shall be the amount determined in accordance with the Reporting and Compliance provisions below. The magnitude of relief provided by Energy Only Option participants, and the magnitude of energy relief provided by Full Program Option participants, may be less than, equal to, or greater than the kW amount declared on the Emergency Registration Form. Compensation will be provided for reductions in energy consumption during emergency events by Full Program Option participants and Energy Only Option participants regardless of whether the participant's load during the event exceeds its peak load contribution for the applicable Delivery Year.

PJM Settlement pays the applicable LMP to the PJM Member that nominates the load. Payment will be equal to the measured energy load reduction adjusted for losses times the applicable LMP. The measured energy load reduction for locations with approved Economic Load Response registrations prior to emergency energy settlement submission will use the associated economic CBL to determine the energy load reduction unless the locations on the Emergency Load Response registration are not the same locations as those included on the Economic Load Response registration. If, at the time that an emergency event is initiated by PJM, an end-use customer is already responding economically (i.e., pursuant to the Economic Load Response rules) and economic CBL is based on Symmetric Additive Adjustment, then the CBL calculated based on the Symmetric Additive Adjustment period prior to the economic event will be used. Locations that do not have an approved Economic Load Response registration prior to submission of emergency energy settlement by the Curtailment Service Provider will use the measured load the hour before the load reduction as the CBL to determine the energy load reduction.

If, however, the sum of the hourly energy payments to a Curtailment Service Provider with a Demand Resource dispatched by PJM for actual, achieved reductions is not greater than or equal to the offer value (i.e. Minimum Dispatch Price and shut down costs) then the Curtailment Service Provider will be made whole up to the offer value for its actual, achieved reductions for the Demand Resource.

Locations on Economic Load Response registrations dispatched in the Real-time Energy Market or cleared in the Day-ahead Energy Market that are also included on an Emergency Load Response and Pre-Emergency Load Response registration as Full Program Option, and that have also been dispatched as part of an emergency event for the same hour (i.e., have an "overlapping dispatch hour") will be compensated for energy based on emergency energy settlement and cost allocation rules as set forth in this section and in the PJM Manuals. Overlapping dispatch hours will use shutdown costs based on what was considered for the economic event, and no balancing Operating Reserve charges will be assessed for deviations from real-time dispatch amounts or from cleared day-ahead commitments. To avoid duplicative energy payments, overlapping dispatch hours for an aggregate registration (i.e., multiple locations on the same registration) or dispatch groups where locations on the Emergency Load Response and Pre-Emergency Load

Response registration are not the same locations as those on the Economic Load Response registration will have hourly economic energy load reduction and/or hourly emergency energy load reduction prorated based on load reduction capability provided by the Curtailment Service Provider for the locations.

Full Program Option participants that fail to provide a load reduction (as measured as set forth in the Reporting and Compliance provisions below) when dispatched by PJM shall be assessed penalties and/or charges as specified in Attachment DD of the PJM Tariff and the Reliability Assurance Agreement, as applicable.

During emergency conditions, costs for emergency purchases in excess of LMP are allocated among PJM Market Buyers in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour in the Real-time Energy Market compared to the Day-ahead Energy Market. Consistent with this pricing methodology, all charges under the Emergency Load Response and Pre-Emergency Load Response Programs are allocated to purchasers of energy, in proportion to their increase in net purchases minus real-time dispatch reduction megawatts from the PJM energy market during the hour from day-ahead to real-time.

Emergency Load Response and Pre-Emergency Load Response Program charges and credits will appear on the PJM Members monthly bill, as described in the *PJM Manual for Operating Agreement Accounting* and the *PJM Manual for Billing*.

## 8.9 Reporting and Compliance

Actual load reductions of Energy Only Option emergency resources will be added back for the purpose of peak load calculations for capacity for the following Delivery Year.

Actual Emergency Load Response, Pre-Emergency Load Response and Economic Load Response load reductions for Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources which occur from June 1 through September 30, will be added back for the purpose of calculating peak load for capacity for the following Delivery Year, as set forth in the PJM Manuals and consistent with the load response recognized for capacity compliance as set forth in the Reporting and Compliance provisions below. Capacity Only resources are Full Program Option resources that do not receive an energy payment for load reductions during a pre-emergency or emergency event.

Actual load reductions of Load Management resources registered as Emergency Load Response or Pre-Emergency Load Response Full Program Option or Capacity Only resources used to determine Load Management event and test capacity compliance for Firm Service Level and Guaranteed Load Drop end-use customers shall be equal to the load reduction provided to the electric distribution company as follows and in accordance with the PJM Manuals:

- i) For Guaranteed Load Drop end-use customers, the lesser of (a) comparison load used to best represent what the load would have been if the Office of the Interconnection did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the metered load (“Load”) and then multiplied by the loss factor (“LF”) or (b) the current Delivery Year peak load contribution (“PLC”) minus the metered load multiplied by the loss factor (“LF”). A load reduction will only be recognized for capacity compliance if the metered load multiplied by the loss factor is less than the current Delivery Year peak load contribution. The calculation is represented by:

Minimum of  $\{(comparison\ load - Load) * LF, PLC - (Load * LF)\}$

Methodologies for establishing comparison load for Guaranteed Load Drop end-use customers include the following:

- ◆ Comparable Day
- ◆ Same Day
- ◆ Customer Baseline
- ◆ Regression Analysis
- ◆ Generation

Each of these methodologies is described in greater detail in Manual M-19, *PJM Manual for Load Forecasting and Analysis*, at Attachment A: Load Drop Estimate Guidelines.

- ii) For Firm Service Level end-use customers the current Delivery Year PLC minus the Load multiplied by the LF. The calculation is represented by:

$$\text{PLC} - (\text{Load} * \text{LF})$$

The capacity compliance of Load Management resources that are registered as Emergency Load Response and Pre-Emergency Load Response Full Program Option, as determined in accordance with these Reporting and Compliance provisions, shall not affect energy payments to such resources for load reductions during an emergency event, as provided in the Market Settlements provisions above and Attachment DD of the Tariff.

PJM will submit any required reports to FERC on behalf of the Emergency Load Response and Pre-Emergency Load Response Program participants. PJM will also post this document, as well as any other program-related documentation on the PJM website.

PJM will post on its website a report of demand response activity, and will provide a summary thereof to the PJM Markets and Reliability Committee on an annual basis.

As PJM receives evidence from the electric distribution companies pursuant to section 1.5A.3 of PJM's Economic Load Response Program, PJM will post on its website a list of those Relevant Electric Retail Regulatory Authorities that the electric distribution companies assert prohibit or condition retail participation in PJM's Emergency Load Response and Pre-Emergency Load Response Program together with a corresponding reference to the Relevant Electric Retail Regulatory Authority evidence that is provided to PJM by the electric distribution companies.

## **8.10 Non-Hourly Metered Customer Pilot**

Non-hourly metered customers may participate in the Emergency Load Response Program on a pilot basis under the following circumstances. The customer or its Curtailment Service Provider must propose an alternate method for measuring hourly demand reductions. The Office of the Interconnection shall approve alternate measurement mechanisms on a case-by-case basis for a time period specified by the Office of the Interconnection (“Pilot Period”). Demand reductions by non-hourly metered customers using alternate measurement mechanisms on a pilot basis shall be limited to a combined total of 500 MW of reductions in both the Emergency Load Response Program and the PJM Interchange Energy Market. With the sole exception of the requirement for hourly metering, non-hourly metered customers shall be subject to the rules and procedures for participation in the Emergency Load Response Program. Following completion of a Pilot Period, the alternate method shall be evaluated by the Office of the Interconnection to determine whether such alternate method should be included in the PJM Manuals as an accepted measurement mechanism for demand reductions in the Emergency Load Response Program.

### **8.11 Emergency Load Response and Pre-Emergency Load Response Participant Aggregation.**

The purpose for aggregation is to allow the participation of End-Use Customers in the Emergency Load Response and Pre-Emergency Load Response Programs that can provide less than 100 kW of demand response on an individual basis. Emergency Load Response and Pre-Emergency Load Response Participant aggregations shall be subject to the following requirements:

- i. All End-Use Customers in an aggregation shall be specifically identified;
- ii. All End-Use Customers in an aggregation shall be served by the same electric distribution company ;
- iii. All End-Use Customers in an aggregation that settle at Transmission Zone, existing load aggregate, or node prices shall be located in the same Transmission Zone, existing load aggregate or at the same node, respectively;
- iv. Energy settlement will be based on each individual customer's load reductions pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals. Capacity compliance will be based on each individual customers' load reductions and then aggregated pursuant to section 3.3A of Schedule 1 of this Agreement, the PJM Reliability Assurance Agreement Among Load Serving Entities in the PJM Region and the PJM Manuals; and
- v. Each End-Use Customer site must meet the requirements for market participation by a Demand Resource.
- vi. Certain aggregations of End-Use Customers registered as Full Program Option or Capacity Only Option are subject to the "Demand Response Transition Provision for RPM Delivery Years 2012/2013, 2013/2014, and 2014/2015" in Section 5.14A of Attachment DD of the Tariff.

Section(s) of the  
PJM Reliability Assurance Agreement  
(Clean Format)

## **ARTICLE 1 – DEFINITIONS**

Unless the context otherwise specifies or requires, capitalized terms used herein shall have the respective meanings assigned herein or in the Schedules hereto for all purposes of this Agreement (such definitions to be equally applicable to both the singular and the plural forms of the terms defined). Unless otherwise specified, all references herein to Articles, Sections or Schedules, are to Articles, Sections or Schedules of this Agreement. As used in this Agreement:

### **1.1 Agreement**

Agreement shall mean this Reliability Assurance Agreement, together with all Schedules hereto, as amended from time to time.

### **1.1A Annual Demand Resource**

Annual Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection during the Delivery Year, and will be available for an unlimited number of interruptions during such Delivery Year by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time for the months of June through October and the following May, and 6:00AM through 9:00PM Eastern Prevailing Time for the months of November through April unless there is an Office of the Interconnection approved maintenance outage during October through April. The Annual Demand Resource must be available in the corresponding Delivery year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Annual Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

### **1.2 Applicable Regional Entity**

Applicable Regional Entity shall have the same meaning as in the PJM Tariff.

### **1.3 Base Residual Auction**

Base Residual Auction shall have the same meaning as in Attachment DD to the PJM Tariff.

### **1.4 Behind The Meter Generation**

Behind The Meter Generation shall mean a generating unit that delivers energy to load without using the Transmission System or any distribution facilities (unless the entity that owns or leases the distribution facilities consented to such use of the distribution facilities and such consent has been demonstrated to the satisfaction of the Office of the Interconnection; provided, however, that Behind The Meter Generation does not include (i) at any time, any portion of such generating unit's capacity that is designated as a Capacity Resource or (ii) in any hour, any portion of the output of such generating unit that is sold to another entity for consumption at another electrical location or into the PJM Interchange Energy Market.

## **1.5 Black Start Capability**

Black Start Capability shall mean the ability of a generating unit or station to go from a shutdown condition to an operating condition and start delivering power without assistance from the power system.

## **1.6 Capacity Emergency Transfer Objective (“CETO”)**

Capacity Emergency Transfer Objective (“CETO”) shall mean the amount of electric energy that a given area must be able to import in order to remain within a loss of load expectation of one event in 25 years when the area is experiencing a localized capacity emergency, as determined in accordance with the PJM Manuals. Without limiting the foregoing, CETO shall be calculated based in part on EFORD determined in accordance with Paragraph C of Schedule 5.

## **1.7 Capacity Emergency Transmission Limit (“CETL”)**

Capacity Emergency Transmission Limit (“CETL”) shall mean the capability of the transmission system to support deliveries of electric energy to a given area experiencing a localized capacity emergency as determined in accordance with the PJM Manuals.

### **1.7A Capacity Import Limit**

*Capacity Import Limit shall mean, (a) for the PJM Region, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines for each Delivery Year, through appropriate modeling and the application of engineering judgment, the transmission system can receive, in aggregate at the interface of the PJM Region with all external balancing authority areas and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus (2) the then-applicable Capacity Benefit Margin; and (b) for certain source zones identified in the PJM manuals as groupings of one or more balancing authority areas, (1) the maximum megawatt quantity of external Generation Capacity Resources that PJM determines the transmission system can receive at the interface of the PJM Region with each such source zone and deliver to load in the PJM Region under capacity emergency conditions without violating applicable reliability criteria on any bulk electric system facility of 100kV or greater, internal or external to the PJM Region, that has an electrically significant response to transfers on such interface, minus the then-applicable Capacity Benefit Margin times (2) the ratio of the maximum import quantity from each such source zone divided by the PJM total maximum import quantity. As more fully set forth in the PJM Manuals, PJM shall make such determination based on the latest peak load forecast for the studied period, the same computer simulation model of loads, generation and transmission topography employed in the determination of Capacity Emergency Transmission Limit for such Delivery Year, including external facilities from an industry standard model of the loads, generation, and transmission topography of the Eastern Interconnection under peak conditions.*

*PJM shall specify in the PJM Manuals the areas and minimum distribution factors for identifying monitored bulk electric system facilities that have an electrically significant response to such transfers on the PJM interface. Employing such tools, PJM shall model increased power transfers from external areas into PJM to determine the transfer level at which one or more reliability criteria is violated on any monitored bulk electric system facilities that have an electrically significant response to such transfers. For the PJM Region Capacity Import Limit, PJM shall optimize transfers from other source areas not experiencing any reliability criteria violations as appropriate to increase the Capacity Import Limit. The aggregate megawatt quantity of transfers into PJM at the point where any increase in transfers on the interface would violate reliability criteria will establish the Capacity Import Limit. Notwithstanding the foregoing, a Capacity Resource located outside the PJM Region shall not be subject to the Capacity Import Limit if the Capacity Market Seller seeks an exception thereto by demonstrating to PJM, by no later than five (5) business days prior to the commencement of the offer period for the relevant RPM Auction, that such resource meets all of the following requirements:*

*(i) it has, at the time such exception is requested, met all applicable requirements to be treated as equivalent to PJM Region internal generation that is not subject to NERC tagging as an interchange transaction, or the Capacity Market Seller has committed in writing that it will meet such requirements, unless prevented from doing so by circumstances beyond the control of the Capacity Market Seller, prior to the relevant Delivery Year;*

*(ii) at the time such exception is requested, it has long-term firm transmission service confirmed on the complete transmission path from such resource into PJM; and*

*(iii) it is, by written commitment of the Capacity Market Seller, subject to the same obligations imposed on Generation Capacity Resources located in the PJM Region by section 6.6 of Attachment DD of the PJM Tariff to offer their capacity into RPM Auctions;*

*provided, however, that (a) the total megawatt quantity of all exceptions granted hereunder for a Delivery Year, plus the Capacity Import Limit for the applicable interface determined for such Delivery Year, may not exceed the total megawatt quantity of Network External Designated Transmission Service on such interface that PJM has confirmed for such Delivery Year; and (b) if granting a qualified exception would result in a violation of the rule in clause (a), PJM shall grant the requested exception but reduce the Capacity Import Limit by the quantity necessary to ensure that the total quantity of Network External Designated Transmission Service is not exceeded.*

## **1.8 Capacity Resources**

Capacity Resources shall mean megawatts of (i) net capacity from existing or Planned Generation Capacity Resources meeting the requirements of Schedules 9 and 10 that are or will be owned by or contracted to a Party and that are or will be committed to satisfy that Party's obligations under this Agreement, or to satisfy the reliability requirements of the PJM Region, for a Delivery Year; (ii) net capacity from existing or Planned Generation Capacity Resources within the PJM Region not owned or contracted for by a Party which are accredited to the PJM Region pursuant to the procedures set forth in Schedules 9 and 10; and (iii) load reduction

capability provided by Demand Resources or Energy Efficiency Resources that are accredited to the PJM Region pursuant to the procedures set forth in Schedule 6.

### **1.9 Capacity Transfer Right**

Capacity Transfer Right shall have the meaning specified in Attachment DD to the PJM Tariff.

### **1.10 Control Area**

Control Area shall mean an electric power system or combination of electric power systems bounded by interconnection metering and telemetry to which a common generation control scheme is applied in order to:

- (a) match the power output of the generators within the electric power system(s) and energy purchased from entities outside the electric power system(s), with the load within the electric power system(s);
- (b) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice;
- (c) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice and the criteria of NERC and each Applicable Regional Entity;
- (d) maintain power flows on transmission facilities within appropriate limits to preserve reliability; and
- (e) provide sufficient generating capacity to maintain operating reserves in accordance with Good Utility Practice.

### **1.11 Daily Unforced Capacity Obligation**

Daily Unforced Capacity Obligation shall have the meaning set forth in Schedule 8 or, as to an FRR Entity, in Schedule 8.1.

### **1.12 Delivery Year**

Delivery Year shall mean a Planning Period for which a Capacity Resource is committed pursuant to the auction procedures specified in Attachment DD to the Tariff or pursuant to an FRR Capacity Plan.

### **1.13 Demand Resource**

Demand Resource or “DR” shall mean a Limited Demand Resource, Extended Summer Demand Resource, or Annual Demand Resource with a demonstrated capability to provide a

reduction in demand or otherwise control load in accordance with the requirements of Schedule 6 that offers and that clears load reduction capability in a Base Residual Auction or Incremental Auction or that is committed through an FRR Capacity Plan. As set forth in Schedule 6, a Limited Demand Resource, Extended Summer Demand Resource or Annual Demand Resource may be an existing demand response resource or a Planned Demand Resource.

#### **1.13A Demand Resource Officer Certification Form**

Demand Resource Officer Certification Form shall mean a certification as to an intended Demand Resource Sell Offer, in accordance with Schedules 6 and 8.1 of this Agreement and the PJM Manuals.

#### **1.14 [Reserved for Future Use]**

#### **1.14A Demand Resource Sell Offer Plan**

Demand Resource Sell Offer Plan shall mean the plan required by Schedules 6 and 8.1 of this Agreement in support of an intended offer of Demand Resources in an RPM Auction, or an intended inclusion of Demand Resources in an FRR Capacity Plan.

#### **1.15 DR Factor**

DR Factor shall mean that factor approved from time to time by the PJM Board used to determine the unforced capacity value of a Demand Resource in accordance with Schedule 6.

#### **1.16 [Reserved for Future Use]**

#### **1.17 Electric Cooperative**

Electric Cooperative shall mean an entity owned in cooperative form by its customers that is engaged in the generation, transmission, and/or distribution of electric energy.

#### **1.18 Electric Distributor**

Electric Distributor shall mean an entity that owns or leases with rights equivalent to ownership electric distribution facilities that are providing electric distribution service to electric load within the PJM Region.

#### **1.19 Emergency**

Emergency shall mean (i) an abnormal system condition requiring manual or automatic action to maintain system frequency, or to prevent loss of firm load, equipment damage, or tripping of system elements that could adversely affect the reliability of an electric system or the safety of persons or property; or (ii) a fuel shortage requiring departure from normal operating procedures in order to minimize the use of such scarce fuel; or (iii) a condition that requires implementation of emergency procedures as defined in the PJM Manuals.

## **1.20 End-Use Customer**

End-Use Customer shall mean a Member that is a retail end-user of electricity within the PJM Region.

### **1.20A Energy Efficiency Resource**

Energy Efficiency Resource shall mean a project, including installation of more efficient devices or equipment or implementation of more efficient processes or systems, meeting the requirements of Schedule 6 of this Agreement and exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described in Schedule 6 and the PJM Manuals) reduction in electric energy consumption that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

#### **1.20A.1 Existing Demand Resource**

Existing Demand Resource shall mean a Demand Resource for which the Demand Resource Provider has identified existing end-use customer sites that are registered for the current Delivery Year with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the Delivery Year for which such resource is offered.

### **1.20B Existing Generation Capacity Resource**

Existing Generation Capacity Resource shall mean, for purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource that, as of the date on which bidding commences for such auction: (a) is in service; or (b) is not yet in service, but has cleared any RPM Auction for any prior Delivery Year. Notwithstanding the foregoing, a Generation Capacity Resource for which construction has not commenced and which would otherwise have been treated as a Planned Generation Capacity Resource but for the fact that it was bid into RPM Auctions for at least two consecutive Delivery Years, and cleared the last such auction only because it was considered existing and its mitigated offer cap was accepted when its price offer would not have otherwise been accepted, shall be deemed to be a Planned Generation Capacity Resource. A Generation Capacity Resource shall be deemed to be in service if interconnection service has ever commenced (for resources located in the PJM Region), or if it is physically and electrically interconnected to an external Control Area and is in full commercial operation (for resources not located in the PJM Region). The additional megawatts of a Generation Capacity Resource that is being, or has been, modified to increase the number of megawatts of available installed capacity thereof shall not be deemed to be an Existing Generation Capacity Resource until such time as those megawatts (a) are in service; or (b) are not yet in service, but have cleared any RPM Auction for any prior Delivery Year.

### **1.20C Extended Summer Demand Resource**

Extended Summer Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection and that will be available June through October and the following May, and will be available for an unlimited number of interruptions during such months by the Office of the Interconnection, and will be capable of maintaining each such interruption for at least a 10-hour duration between the hours of 10:00AM to 10:00PM Eastern Prevailing Time. The Extended Summer Demand Resource must be available June through October and the following May in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as an Extended Summer Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

### **1.21 Facilities Study Agreement**

Facilities Study Agreement shall have the same meaning as in the PJM Tariff

### **1.22 FERC**

FERC shall mean the Federal Energy Regulatory Commission or any successor federal agency, commission or department.

### **1.23 Firm Point-To-Point Transmission Service**

Firm Point-To-Point Transmission Service shall mean Firm Transmission Service provided pursuant to the rates, terms and conditions set forth in Part II of the PJM Tariff.

### **1.24 Firm Transmission Service**

Firm Transmission Service shall mean transmission service that is intended to be available at all times to the maximum extent practicable, subject to an Emergency, an unanticipated failure of a facility, or other event beyond the control of the owner or operator of the facility or the Office of the Interconnection.

### **1.25 Fixed Resource Requirement Alternative or FRR Alternative**

Fixed Resource Requirement Alternative or FRR Alternative shall mean an alternative method for a Party to satisfy its obligation to provide Unforced Capacity hereunder, as set forth in Schedule 8.1 to this Agreement.

### **1.26 Forecast Pool Requirement**

Forecast Pool Requirement or FPR shall mean the amount equal to one plus the unforced reserve margin (stated as a decimal number) for the PJM Region required pursuant to this Agreement, as approved by the PJM Board pursuant to Schedule 4.1.

**1.27 [Reserved]**

**1.28 [Reserved]**

**1.29 FRR Capacity Plan**

FRR Capacity Plan shall mean a long-term plan for the commitment of Capacity Resources to satisfy the capacity obligations of a Party that has elected the FRR Alternative, as more fully set forth in Schedule 8.1 to this Agreement.

**1.30 FRR Entity**

FRR Entity shall mean, for the duration of such election, a Party that has elected the FRR Alternative hereunder.

**1.31 FRR Service Area**

FRR Service Area shall mean (a) the service territory of an IOU as recognized by state law, rule or order; (b) the service area of a Public Power Entity or Electric Cooperative as recognized by franchise or other state law, rule, or order; or (c) a separately identifiable geographic area that is: (i) bounded by wholesale metering, or similar appropriate multi-site aggregate metering, that is visible to, and regularly reported to, the Office of the Interconnection, or that is visible to, and regularly reported to an Electric Distributor and such Electric Distributor agrees to aggregate the load data from such meters for such FRR Service Area and regularly report such aggregated information, by FRR Service Area, to the Office of the Interconnection; and (ii) for which the FRR Entity has or assumes the obligation to provide capacity for all load (including load growth) within such area. In the event that the service obligations of an Electric Cooperative or Public Power Entity are not defined by geographic boundaries but by physical connections to a defined set of customers, the FRR Service Area in such circumstances shall be defined as all customers physically connected to transmission or distribution facilities of such Electric Cooperative or Public Power Entity within an area bounded by appropriate wholesale aggregate metering as described above.

**1.32 Full Requirements Service**

Full Requirements Service shall mean wholesale service to supply all of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

**1.33 Generation Capacity Resource**

Generation Capacity Resource shall mean a generation unit, or the right to capacity from a specified generation unit, that meets the requirements of Schedules 9 and 10 of this Agreement. A Generation Capacity Resource may be an Existing Generation Capacity Resource or a Planned Generation Capacity Resource.

### **1.34 Generation Owner**

Generation Owner shall mean a Member that owns or leases with rights equivalent to ownership facilities for the generation of electric energy that are located within the PJM Region. Purchasing all or a portion of the output of a generation facility shall not be sufficient to qualify a Member as a Generation Owner.

### **1.35 Generator Forced Outage**

Generator Forced Outage shall mean an immediate reduction in output or capacity or removal from service, in whole or in part, of a generating unit by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the facility, as specified in the relevant portions of the PJM Manuals. A reduction in output or removal from service of a generating unit in response to changes in market conditions shall not constitute a Generator Forced Outage.

### **1.36 Generator Maintenance Outage**

Generator Maintenance Outage shall mean the scheduled removal from service, in whole or in part, of a generating unit in order to perform repairs on specific components of the facility, if removal of the facility qualifies as a maintenance outage pursuant to the PJM Manuals.

### **1.37 Generator Planned Outage**

Generator Planned Outage shall mean the scheduled removal from service, in whole or in part, of a generating unit for inspection, maintenance or repair with the approval of the Office of the Interconnection in accordance with the PJM Manuals.

### **1.38 Good Utility Practice**

Good Utility Practice shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric utility industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather is intended to include acceptable practices, methods, or acts generally accepted in the region.

### **1.39 [Reserved]**

### **1.40 Incremental Auction**

Incremental Auction shall mean the First Incremental Auction, the Second Incremental Auction, the Third Incremental Auction, or the Conditional Incremental Auction, each as defined in Attachment DD to the PJM Tariff.

#### **1.41 Interconnection Agreement**

Interconnection Agreement shall have the same meaning as in the PJM Tariff.

#### **1.42 [Reserved]**

#### **1.43 IOU**

IOU shall mean an investor-owned utility with substantial business interest in owning and/or operating electric facilities in any two or more of the following three asset categories: generation, transmission, distribution.

#### **1.43A Limited Demand Resource**

Limited Demand Resource shall mean a resource that is placed under the direction of the Office of the Interconnection and that will, at a minimum, be available for interruption for at least 10 times during the summer period of June through September in the Delivery Year, and will be capable of maintaining each such interruption for at least a 6-hour duration. At a minimum, the Limited Demand Resource shall be available for such interruptions on weekdays, other than NERC holidays, from 12:00PM (noon) to 8:00PM Eastern Prevailing Time. The Limited Demand Resource must be available during the summer period of June through September in the corresponding Delivery Year to be offered for sale or Self-Supplied in an RPM Auction, or included as a Limited Demand Resource in an FRR Capacity Plan for the corresponding Delivery Year.

#### **1.44 Load Serving Entity or LSE**

Load Serving Entity or LSE shall mean any entity (or the duly designated agent of such an entity), including a load aggregator or power marketer, (i) serving end-users within the PJM Region, and (ii) that has been granted the authority or has an obligation pursuant to state or local law, regulation or franchise to sell electric energy to end-users located within the PJM Region. Load Serving Entity shall include any end-use customer that qualifies under state rules or a utility retail tariff to manage directly its own supply of electric power and energy and use of transmission and ancillary services.

#### **1.45 Locational Reliability Charge**

Locational Reliability Charge shall mean the charge determined pursuant to Schedule 8.

#### **1.46 Markets and Reliability Committee**

Markets and Reliability Committee shall mean the committee established pursuant to the Operating Agreement as a Standing Committee of the Members Committee.

#### **1.46A Maximum Emergency Service Level**

Maximum Emergency Service Level or MESL of Price Responsive Demand shall mean the level, determined at a PRD Substation level, to which Price Responsive Demand shall be reduced during the Delivery Year when a Maximum Generation Emergency is declared and the Locational Marginal Price exceeds the price associated with such Price Responsive Demand identified by the PRD Provider in its PRD Plan.

#### **1.47 Member**

Member shall mean an entity that satisfies the requirements of Sections 1.24 and 11.6 of the PJM Operating Agreement. In accordance with Article 4 of this Agreement, each Party to this Agreement also is a Member.

#### **1.48 Members Committee**

Members Committee shall mean the committee specified in Section 8 of the PJM Operating Agreement composed of the representatives of all the Members.

#### **1.49 NERC**

NERC shall mean the North American Electric Reliability Council or any successor thereto.

#### ***1.49A Network External Designated Transmission Service***

*Network External Designated Transmission Service shall mean the quantity of network transmission service confirmed by PJM for use by a market participant to import power and energy from an identified Generation Capacity Resource located outside the PJM Region, upon demonstration by such market participant that it owns such Generation Capacity Resource, has an executed contract to purchase power and energy from such Generation Capacity Resource, or has a contract to purchase power and energy from such Generation Capacity Resource contingent upon securing firm transmission service from such resource.*

#### **1.50 Network Resources**

Network Resources shall have the meaning set forth in the PJM Tariff.

#### **1.51 Network Transmission Service**

Network Transmission Service shall mean transmission service provided pursuant to the rates, terms and conditions set forth in Part III of the PJM Tariff or transmission service comparable to such service that is provided to a Load Serving Entity that is also a Transmission Owner (as that term is defined in the PJM Tariff).

#### **1.51A Nominal PRD Value**

Nominal PRD Value shall mean, as to any PRD Provider, an adjustment, determined in accordance with Schedule 6.1 of this Agreement, to the peak-load forecast used to determine the quantity of capacity sought through an RPM Auction, reflecting the aggregate effect of Price Responsive Demand on peak load resulting from the Price Responsive Demand to be provided by such PRD Provider.

#### **1.52 Nominated Demand Resource Value**

Nominated Demand Resource Value shall have the meaning specified in Attachment DD to the PJM Tariff.

#### **1.53 [Reserved]**

#### **1.54 Non-Retail Behind the Meter Generation**

Non-Retail Behind the Meter Generation shall mean Behind the Meter Generation that is used by municipal electric systems, electric cooperatives, and electric distribution companies to serve load.

#### **1.55 Obligation Peak Load**

Obligation Peak Load shall have the meaning specified in Schedule 8 of this Agreement.

#### **1.56 Office of the Interconnection**

Office of the Interconnection shall mean the employees and agents of PJM Interconnection, L.L.C., subject to the supervision and oversight of the PJM Board, acting pursuant to the Operating Agreement.

#### **1.57 Operating Agreement of PJM Interconnection, L.L.C. or Operating Agreement**

Operating Agreement of PJM Interconnection, L.L.C. or Operating Agreement shall mean that certain agreement, dated April 1, 1997 and as amended and restated June 2, 1997 and as amended from time to time thereafter, among the members of the PJM Interconnection, L.L.C.

#### **1.58 Operating Reserve**

Operating Reserve shall mean the amount of generating capacity scheduled to be available for a specified period of an operating day to ensure the reliable operation of the PJM Region, as specified in the PJM Manuals.

#### **1.59 Other Supplier**

Other Supplier shall mean a Member that is (i) a seller, buyer or transmitter of electric capacity or energy in, from or through the PJM Region, and (ii) is not a Generation Owner, Electric Distributor, Transmission Owner or End-Use Customer.

#### **1.60 Partial Requirements Service**

Partial Requirements Service shall mean wholesale service to supply a specified portion, but not all, of the power needs of a Load Serving Entity to serve end-users within the PJM Region that are not satisfied by its own generating facilities.

#### **1.61 Percentage Internal Resources Required**

Percentage Internal Resources Required shall mean, for purposes of an FRR Capacity Plan, the percentage of the LDA Reliability Requirement for an LDA that must be satisfied with Capacity Resources located in such LDA.

#### **1.62 Party**

Party shall mean an entity bound by the terms of this Agreement.

#### **1.63 PJM**

PJM shall mean the PJM Board and the Office of the Interconnection.

#### **1.64 PJM Board**

PJM Board shall mean the Board of Managers of the PJM Interconnection, L.L.C., acting pursuant to the Operating Agreement.

#### **1.65 PJM Manuals**

PJM Manuals shall mean the instructions, rules, procedures and guidelines established by the Office of the Interconnection for the operation, planning and accounting requirements of the PJM Region.

#### **1.66 PJM Open Access Transmission Tariff or PJM Tariff**

PJM Open Access Transmission Tariff or PJM Tariff shall mean the tariff for transmission service within the PJM Region, as in effect from time to time, including any schedules, appendices, or exhibits attached thereto.

#### **1.67 PJM Region**

PJM Region shall have the same meaning as provided in the Operating Agreement.

#### **1.68 PJM Region Installed Reserve Margin**

PJM Region Installed Reserve Margin shall mean the percent installed reserve margin for the PJM Region required pursuant to this Agreement, as approved by the PJM Board pursuant to Schedule 4.1.

### **1.69 Planned Demand Resource**

Planned Demand Resource shall mean any Demand Resource that does not currently have the capability to provide a reduction in demand or to otherwise control load, but that is scheduled to be capable of providing such reduction or control on or before the start of the Delivery Year for which such resource is to be committed, as determined in accordance with the requirements of Schedule 6. As set forth in Schedules 6 and 8.1 of this Agreement, a Demand Resource Provider submitting a DR Sell Offer Plan shall identify as Planned Demand Resources in such plan all Demand Resources in excess of those that qualify as Existing Demand Resources.

### **1.69A Planned External Generation Capacity Resource**

Planned External Generation Capacity Resource shall mean a proposed Generation Capacity Resource, or a proposed increase in the capability of a Generation Capacity Resource, that (a) is to be located outside the PJM Region, (b) participates in the generation interconnection process of a Control Area external to PJM, (c) is scheduled to be physically and electrically interconnected to the transmission facilities of such Control Area on or before the first day of the Delivery Year for which such resource is to be committed to satisfy the reliability requirements of the PJM Region, and (d) is in full commercial operation prior to the first day of such Delivery Year, such that it is sufficient to provide the Installed Capacity set forth in the Sell Offer forming the basis of such resource's commitment to the PJM Region. Prior to participation in any Reliability Pricing Model Auction for such Delivery Year, the Capacity Market Seller must demonstrate that it has executed an interconnection agreement (functionally equivalent to a System Impact Study Agreement under the PJM Tariff for Base Residual Auction and an Interconnection Service Agreement under the PJM Tariff for Incremental Auction) with the transmission owner to whose transmission facilities or distribution facilities the resource is being directly connected, and if applicable the transmission provider. A Planned External Generation Capacity Resource must provide evidence to PJM that it has been studied as a Network Resource, or such other similar interconnection product in such external Control Area, must provide contractual evidence that it has applied for or purchased transmission service to be deliverable to the PJM border, and must provide contractual evidence that it has applied for transmission service to be deliverable to the bus at which energy is to be delivered, the agreements for which must have been executed prior to participation in any Reliability Pricing Model Auction for such Delivery Year. An External Generation Capacity Resource shall cease to be considered a Planned External Generation Capacity Resource as of the earlier of (i) the date that interconnection service commences as to such resource; or (ii) the resource has cleared an RPM Auction, in which case it shall become an Existing Generation Capacity Resource for purposes of the mitigation of offers for any RPM Auction for all subsequent Delivery Years.

### **1.70 Planned Generation Capacity Resource**

Planned Generation Capacity Resource shall mean a Generation Capacity Resource participating in the generation interconnection process under Part IV, Subpart A of the PJM Tariff, for which: (i) Interconnection Service is scheduled to commence on or before the first day of the Delivery Year for which such resource is to be committed to RPM or to an FRR Plan; (ii) a System Impact Study Agreement has been executed prior to the Base Residual Auction for such Delivery Year; (iii) an Interconnection Service Agreement has been executed prior to any Incremental Auction for such Delivery Year in which such resource plans to participate; and (iv) no megawatts of capacity have cleared an RPM Auction for any prior Delivery Year. For purposes of the must-offer requirement and mitigation of offers for any RPM Auction for a Delivery Year, a Generation Capacity Resource shall cease to be considered a Planned Generation Capacity Resource as of the earlier of (i) the date that Interconnection Service commences as to such resource; or (ii) the resource has cleared an RPM Auction for any Delivery Year, in which case it shall become an Existing Generation Capacity Resource for any RPM Auction for all subsequent Delivery Years. Notwithstanding the foregoing, a Generation Capacity Resource for which construction has not commenced and which would otherwise have been treated as a Planned Generation Capacity Resource but for the fact that it was bid into RPM Auctions for at least two consecutive Delivery Years, and cleared the last such auction only because it was considered existing and its mitigated offer cap was accepted when its price offer would not have otherwise been accepted, shall be deemed to be a Planned Generation Capacity Resource.

### **1.71 Planning Period**

Planning Period shall mean the 12 months beginning June 1 and extending through May 31 of the following year, or such other period approved by the Members Committee.

#### **1.71A PRD Curve**

PRD Curve shall mean a price-consumption curve at a PRD Substation level, if available, and otherwise at a Zonal (or sub-Zonal LDA, if applicable) level, that details the base consumption level of Price Responsive Demand and the decreasing consumption levels at increasing prices.

#### **1.71B PRD Provider**

PRD Provider shall mean (i) a Load Serving Entity that provides PRD; or (ii) an entity without direct load serving responsibilities that has entered contractual arrangements with end-use customers served by a Load Serving Entity that satisfy the eligibility criteria for Price Responsive Demand.

#### **1.71C PRD Provider's Zonal Expected Peak Load Value of PRD**

PRD Provider's Zonal Expected Peak Load Value of PRD shall mean the expected contribution to Delivery Year peak load of a PRD Provider's Price Responsive Demand, were such demand not to be reduced in response to price, based on the contribution of the end-use

customers comprising such Price Responsive Demand to the most recent prior Delivery Year's peak demand, escalated to the Delivery Year in question, as determined in a manner consistent with the Office of the Interconnection's load forecasts used for purposes of the RPM Auctions.

#### **1.71D PRD Reservation Price**

PRD Reservation Price shall mean an RPM Auction clearing price identified in a PRD Plan for Price Responsive Demand load below which the PRD Provider desires not to commit the identified load as Price Responsive Demand.

#### **1.71E PRD Substation**

PRD Substation shall mean an electrical substation that is located in the same Zone or in the same sub-Zonal LDA as the end-use customers identified in a PRD Plan or PRD registration and that, in terms of the electrical topography of the Transmission Facilities comprising the PJM Region, is as close as practicable to such loads.

#### **1.71F Price Responsive Demand**

Price Responsive Demand or PRD shall mean end-use customer load registered by a PRD Provider pursuant to Schedule 6.1 of the PJM Reliability Assurance Agreement that have, as set forth in more detail in the PJM Manuals, the metering capability to record electricity consumption at an interval of one hour or less, Supervisory Control capable of curtailing such load (consistent with applicable RERRA requirements) at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection, and a retail rate structure, or equivalent contractual arrangement, capable of changing retail rates as frequently as an hourly basis, that is linked to or based upon changes in real-time Locational Marginal Prices at a PRD Substation level and that results in a predictable automated response to varying wholesale electricity prices.

#### **1.71G Price Responsive Demand Credit**

Price Responsive Demand Credit shall mean a credit, based on committed Price Responsive Demand, as determined under Schedule 6.1 of this Agreement.

#### **1.71H Price Responsive Demand Plan or PRD Plan**

Price Responsive Demand Plan or PRD Plan shall mean a plan, submitted by a PRD Provider and received by the Office of the Interconnection in accordance with Schedule 6.1 of this Agreement and procedures specified in the PJM Manuals, claiming a peak demand limitation due to Price Responsive Demand to support the determination of such PRD Provider's Nominal PRD Value.

#### **1.72 Public Power Entity**

Public Power Entity shall mean any agency, authority, or instrumentality of a state or of a political subdivision of a state, or any corporation wholly owned by any one or more of the foregoing, that is engaged in the generation, transmission, and/or distribution of electric energy.

### **1.73 Qualifying Transmission Upgrades**

Qualifying Transmission Upgrades shall have the meaning specified in Attachment DD to the PJM Tariff.

### **1.74 [Reserved for Future Use]**

#### **1.74A Relevant Electric Retail Regulatory Authority**

Relevant Electric Retail Regulatory Authority or RERRA shall have the meaning specified in the PJM Operating Agreement.

### **1.75 Reliability Principles and Standards**

Reliability Principles and Standards shall mean the principles and standards established by NERC or an Applicable Regional Entity to define, among other things, an acceptable probability of loss of load due to inadequate generation or transmission capability, as amended from time to time.

### **1.76 Required Approvals**

Required Approvals shall mean all of the approvals required for this Agreement to be modified or to be terminated, in whole or in part, including the acceptance for filing by FERC and every other regulatory authority with jurisdiction over all or any part of this Agreement.

### **1.77 Self-Supply**

Self Supply shall have the meaning provided in Attachment DD to the PJM Tariff.

### **1.78 [Reserved for Future Use]**

### **1.79 [Reserved for Future Use]**

### **1.80 State Consumer Advocate**

State Consumer Advocate shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

### **1.81 State Regulatory Structural Change**

State Regulatory Structural Change shall mean as to any Party, a state law, rule, or order that, after September 30, 2006, initiates a program that allows retail electric consumers served by such Party to choose from among alternative suppliers on a competitive basis, terminates such a program, expands such a program to include classes of customers or localities served by such Party that were not previously permitted to participate in such a program, or that modifies retail electric market structure or market design rules in a manner that materially increases the likelihood that a substantial proportion of the customers of such Party that are eligible for retail choice under such a program (a) that have not exercised such choice will exercise such choice; or (b) that have exercised such choice will no longer exercise such choice, including for example, without limitation, mandating divestiture of utility-owned generation or structural changes to such Party's default service rules that materially affect whether retail choice is economically viable.

### **1.81A Supervisory Control**

Supervisory Control shall mean the capability to curtail, in accordance with applicable RERRA requirements, load registered as Price Responsive Demand at each PRD Substation identified in the relevant PRD Plan or PRD registration in response to a Maximum Generation Emergency declared by the Office of the Interconnection. Except to the extent automation is not required by the provisions of this Agreement, the curtailment shall be automated, meaning that load shall be reduced automatically in response to control signals sent by the PRD Provider or its designated agent directly to the control equipment where the load is located without the requirement for any action by the end-use customer.

### **1.82 Threshold Quantity**

Threshold Quantity shall mean, as to any FRR Entity for any Delivery Year, the sum of (a) the Unforced Capacity equivalent (determined using the Pool-Wide Average EFORD) of the Installed Reserve Margin for such Delivery Year multiplied by the Preliminary Forecast Peak Load for which such FRR Entity is responsible under its FRR Capacity Plan for such Delivery Year, plus (b) the lesser of (i) 3% of the Unforced Capacity amount determined in (a) above or (ii) 450 MW. If the FRR Entity is not responsible for all load within a Zone, the Preliminary Forecast Peak Load for such entity shall be the FRR Entity's Obligation Peak Load last determined prior to the Base Residual Auction for such Delivery Year, times the Base FRR Scaling Factor (as determined in accordance with Schedule 8.1).

### **1.83 Transmission Facilities**

Transmission Facilities shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

#### **1.84 Transmission Owner**

Transmission Owner shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner.

#### **1.85 Transmission Owners Agreement**

Transmission Owners Agreement shall mean that certain Consolidated Transmission Owners Agreement, dated as of December 15, 2005 and as amended from time to time, among transmission owners within the PJM Region.

#### **1.86 Unforced Capacity**

Unforced Capacity shall mean installed capacity rated at summer conditions that is not on average experiencing a forced outage or forced derating, calculated for each Capacity Resource on the 12-month period from October to September without regard to the ownership of or the contractual rights to the capacity of the unit.

#### **1.87 [Reserved for Future Use]**

#### **1.88 Zonal Capacity Price**

Zonal Capacity Price shall mean the price of Unforced Capacity in a Zone that an LSE that has not elected the FRR Alternative is obligated to pay for a Delivery Year as determined pursuant to Attachment DD to the PJM Tariff.

#### **1.89 Zone or Zonal**

Zone or Zonal shall refer to an area within the PJM Region, as set forth in Schedule 15, or as such areas may be (i) combined as a result of mergers or acquisitions or (ii) added as a result of the expansion of the boundaries of the PJM Region. A Zone shall include any Non-Zone Network Load (as defined in the PJM Tariff) located outside the PJM Region that is served from such Zone under Schedule H-A of the PJM Tariff.

## SCHEDULE 6

### **PROCEDURES FOR DEMAND RESOURCES AND ENERGY EFFICIENCY**

A. Parties can partially or wholly offset the amounts payable for the Locational Reliability Charge with Demand Resources that are operated under the direction of the Office of the Interconnection. FRR Entities may reduce their capacity obligations with Demand Resources that are operated under the direction of the Office of the Interconnection and detailed in such entity's FRR Capacity Plan. Demand Resources qualifying under the criteria set forth below may be offered for sale or designated as Self-Supply in the Base Residual Auction, included in an FRR Capacity Plan, or offered for sale in any Incremental Auction, for any Delivery Year for which such resource qualifies. Qualified Demand Resources generally fall in one of three categories, i.e., Guaranteed Load Drop, Firm Service Level, or Direct Load Control, as further specified in section G and the PJM Manuals. Qualified Demand Resources may be provided by a Curtailment Service Provider, notwithstanding that such Curtailment Service Provider is not a Party to this Agreement. Such Curtailment Service Providers must satisfy the requirements hereof and the PJM Manuals.

1. A Party must formally notify, in accordance with the requirements of the PJM Manuals and section F hereof, as applicable, the Office of the Interconnection of the Demand Resource that it is placing under the direction of the Office of the Interconnection. A Party must further notify the Office of the Interconnection whether the resource is a Limited Demand Resource, an Extended Summer Demand Resource or an Annual Demand Resource.

2. A Demand Resource must achieve its full load reduction within the following time period:

(a) For the 2014/2015 Delivery Year, Curtailment Service Providers may elect a notification time period from the Office of the Interconnection of 30, 60 or 120 minutes prior to their Demand Resources being required to fully respond to a Load Management event.

(b) For the 2015/2016 Delivery Year and subsequent Delivery Years, a Demand Resource must be able to fully respond to a Load Management event within 30 minutes of notification from the Office of the Interconnection. This default 30 minute prior notification shall apply unless a Curtailment Service Provider obtains an exception from the Office of the Interconnection due to physical operational limitations that prevent the Demand Resource from reducing load within that timeframe. In such case, the Curtailment Service Provider shall submit a request for an exception to the 30 minute prior notification requirement to the Office of the Interconnection, at the time the Registration Form for that resource is submitted in accordance with Attachment K-Appendix of this Tariff. The only alternative notification times that the Office of Interconnection will permit, upon approval of an exception request, are 60 minutes and 120 minutes prior to a Load Management event. The Curtailment Service Provider shall indicate in writing, in the appropriate application, that it seeks an exception to permit a prior notification time of 60 minutes or 120 minutes, and the reason(s) for the requested exception. A Curtailment Service Provider shall not submit a request for an exception to the default 30 minute notification period unless it has done its due diligence to confirm that the Demand Resource is physically incapable of responding within that timeframe based on one or more of the reasons set forth below

and as may be further defined in the PJM Manuals and has obtained detailed data and documentation to support this determination.

In order to establish that a Demand Resource is reasonably expected to be physically unable to reduce load in that timeframe, the Curtailment Service Provider that registered the resource must demonstrate that:

1) The manufacturing processes for the Demand Resource require gradual reduction to avoid damaging major industrial equipment used in the manufacturing process, or damage to the product generated or feedstock used in the manufacturing process;

2) Transfer of load to back-up generation requires time-intensive manual process taking more than 30 minutes;

3) On-site safety concerns prevent location from implementing reduction plan in less than 30 minutes; or,

4) The Demand Resource is comprised of mass market residential customers which collectively cannot be notified of a Load Management event within a 30-minute timeframe due to unavoidable communications latency, in which case the requested notification time shall be no longer than 120 minutes.

The Office of the Interconnection may request data and documentation from the Curtailment Service Provider and such Curtailment Service Provider shall provide to the Office of the Interconnection within three (3) business days of a request therefor, a copy of all of the data and documentation supporting the exception request. Failure to provide a timely response to such request shall cause the exception to terminate the following Operating Day.

At its sole option and discretion, the Office of the Interconnection may review the data and documentation provided by the Curtailment Service Provider to determine if the Demand Resource has met one or more of the criteria above. The Office of the Interconnection will notify the Curtailment Service Provider in writing of its determination by no later than ten (10) business days after receipt of the data and documentation.

The Curtailment Service Provider shall provide written notification to the Office of the Interconnection of a material change to the facts that supported its exception request within three (3) business days of becoming aware of such material change in facts, and, if the Office of Interconnection determines that the physical limitation criteria above are no longer being met, the Demand Resource shall be subject to the default notification period of 30 minutes immediately upon such determination.

3. The initiation of load reduction, upon the request of the Office of the Interconnection, must be within the authority of the dispatchers of the Party. No additional approvals should be required.

4. The initiation of load reduction upon the request of the Office of the Interconnection is considered a pre-emergency or emergency action and must be implementable prior to a voltage reduction.

5. A Curtailment Service Provider intending to offer for sale or designate for self-supply, a Demand Resource in any RPM Auction, or intending to include a Demand Resource in any FRR Capacity Plan must demonstrate, to PJM's satisfaction, that such resource shall have the capability to provide a reduction in demand, or otherwise control load, on or before the start of the Delivery Year for which such resource is committed. As part of such demonstration, each such Curtailment Service Provider shall submit a Demand Resource Sell Offer Plan in accordance with the standards and procedures set forth in section A-1 of Schedule 6, Schedule 8.1 (as to FRR Capacity Plans) and the PJM Manuals, no later than 15 business days prior to, as applicable, the RPM Auction in which such resource is to be offered, or the deadline for submission of the FRR Capacity Plan in which such resource is to be included. PJM may verify the Curtailment Service Provider's adherence to the Demand Resource Sell Offer Plan at any time. A Curtailment Service Provider with a PJM-approved Demand Resource Sell Offer Plan will be permitted to offer up to the approved Demand Resource quantity into the subject RPM Auction or include such resource in its FRR Capacity Plan.

6. Selection of a Demand Resource in an RPM Auction results in commitment of capacity to the PJM Region. Demand Resources that are so committed must be registered to participate in the Full Program Option or as a Capacity Only resource of the Emergency Load Response and Pre-Emergency Load Response Program and thus available for dispatch during PJM-declared pre-emergency events and emergency events.

A-1. A Demand Resource Sell Offer Plan shall consist of a completed template document in the form posted on the PJM website, requiring the information set forth below and in the PJM Manuals, and a Demand Resource Officer Certification Form signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification. The Demand Resource Sell Offer Plan must provide information that supports the Demand Resource Provider's intended Demand Resource Sell Offers and demonstrates that the Demand Resources are being offered with the intention that the MW quantity that clears the auction is reasonably expected to be physically delivered through Demand Resource registrations for the relevant Delivery Year. The Demand Resource Sell Offer Plan shall include all Existing Demand Resources and all Planned Demand Resources that the Demand Resource Provider intends to offer into an RPM Auction or include in an FRR Capacity Plan.

1. Demand Resource Sell Offer Plan Template. The Demand Resource Sell Offer Plan template, in the form provided on the PJM website, shall require the Demand Resource Provider to provide the following information and such other information as specified in the PJM Manuals:

(a) Summary Information. The completed template shall include the Demand Resource Provider's company name, contact information, and the Nominated DR Value in ICAP MWs by Zone/sub-Zone that the Demand Resource Provider intends to offer, stated separately for Existing Demand Resources and Planned Demand Resources. The total

Nominated DR Value in MWs for each Zone/sub-Zone shall be the sum of the Nominated DR Value of Existing Demand Resources and the Nominated DR Value of Planned Demand Resources, and shall be the maximum MW amount the Provider intends to offer in the RPM Auction for the indicated Zone/sub-Zone, provided that nothing herein shall preclude the Demand Resource Provider from offering in the auction a lesser amount than the total Nominated DR Value shown in its Demand Resource Sell Offer Plan.

(b) Existing Demand Resources. The Demand Resource Provider shall identify all Existing Demand Resources by identifying end-use customer sites that are currently registered with PJM (even if not registered by such Demand Resource Provider) and that the Demand Resource Provider reasonably expects to have under a contract to reduce load based on PJM dispatch instructions by the start of the auction Delivery Year.

(c) Planned Demand Resources. The Demand Resource Provider shall provide the details of, and key assumptions underlying, the Planned Demand Resource quantities (i.e., all Demand Resource quantities in excess of Existing Demand Resource quantities) contained in the Demand Resource Sell Offer Plan, including:

(i) key program attributes and assumptions used to develop the Planned Demand Resource quantities, including, but not limited to, discussion of:

- method(s) of achieving load reduction at customer site(s);
- equipment to be controlled or installed at customer site(s), if any;
- plan and ability to acquire customers;
- types of customer targeted;
- support of market potential and market share for the target customer base, with adjustments for Existing Demand Resource customers within this market and the potential for other Demand Resource Providers targeting the same customers;
- assumptions regarding regulatory approval of program(s), if applicable; and
- if applicable, Direct Load Control (DLC) program details such as: a description of the cycling control strategy, any assumptions regarding switch operability rate, and a list (and copy) of all load research studies used to develop the estimated nominated ICAP value per customer (i.e., the per-participant impact).

(ii) Zone/sub-Zone information by end-use customer segment for all Nominated DR Values for which an end-use customer site is not identified, to include the number in each segment of end-use customers expected to be registered for the subject Delivery Year, the average Peak Load Contribution per end-use customer for such segment, and the average Nominated DR Value per customer for such segment. End-use customer segments may include residential, commercial, small industrial, medium industrial, and large industrial, as identified and defined in the PJM Manuals, provided that nothing herein or in the Manuals shall

preclude the Provider from identifying more specific customer segments within the commercial and industrial categories, if known.

(iii) Information by end-use customer site to the extent required by subsection A-1(1)(c)(iv) or, if not required by such subsection, to the extent known at the time of the submittal of the Demand Resource Sell Offer Plan, to include: customer EDC account number (if known), customer name, customer premise address, Zone/sub-Zone in which the customer is located, end-use customer segment, current Peak Load Contribution value (or an estimate if actual value not known) and an estimate of expected Peak Load Contribution for the subject Delivery Year, and an estimated Nominated DR Value.

(iv) End-use customer site-specific information shall be required for any Zones or sub-Zones identified by PJM pursuant to this subsection for the portion, if any, of a Demand Resource Provider's intended offer in such Zones or sub-Zones that exceeds a Sell Offer threshold determined pursuant to this subsection, as any such excess quantity under such conditions should reflect Planned Demand Resources from end-use customer sites that the Provider has a high degree of certainty it will physically deliver for the subject Delivery Year. In accordance with the procedures in subsection A-1(3) below, PJM shall identify, as requiring site-specific information, all Zones and sub-Zones that comprise any LDA group (from a list of LDA groups stated in the PJM Manuals) in which [the quantity of cleared Demand Resources from the most recent Base Residual Auction] plus [the quantity of Demand Resources included in FRR Capacity Plans for the Delivery Year addressed by the most recent Base Residual Auction] in any Zone or sub-Zone of such LDA group exceeds the greater of:

- the maximum Demand Resources quantity registered with PJM for such Zone for any Delivery Year from the current (at time of plan submission) Delivery Year and the two preceding Delivery Years; and
- the potential Demand Resource quantity for such Zone estimated by PJM based on an independent published assessment of demand response potential that is reasonably applicable to such Zone, as identified in the PJM Manuals.

For each such Zone and sub-Zone, the Sell Offer threshold for each Demand Resource Provider shall be the higher of:

- the Demand Resource Provider's maximum Demand Resource quantity registered with PJM for such Zone/sub-Zone over the

current Delivery Year (at the time of plan submission) and two preceding Delivery Years;

- the Demand Resource Provider's maximum for any single Delivery Year of [such provider's cleared Demand Resource quantity] plus [such provider's quantity of Demand Resources included in FRR Capacity Plans] from the three forward Delivery Years addressed by the three most recent Base Residual Auctions for such Zone/sub-Zone; and
- 10 MW.

(d) Schedule. The Demand Resource Provider shall provide an approximate timeline for procuring end-use customer sites as needed to physically deliver the total Nominated DR Value (for both Existing Demand Resources and Planned Demand Resources) by Zone/sub-Zone in the Demand Resource Sell Offer Plan. The Demand Resource Provider must specify the cumulative number of customers and the cumulative Nominated DR Value associated with each end-use customer segment within each Zone/sub-Zone that the Demand Resource Provider expects (at the time of plan submission) to have under contract as of June 1 each year between the time of the auction and the subject Delivery Year.

2. Demand Resource Officer Certification Form. Each Demand Resource Sell Offer Plan must include a Demand Resource Officer Certification, signed by an officer of the Demand Resource Provider that is duly authorized to provide such a certification, in the form shown in the PJM Manuals, which form shall include the following certifications:

(a) that the signing officer has reviewed the Demand Resource Sell Offer Plan and the information supplied to PJM in support of the Plan is true and correct as of the date of the certification; and

(b) that the Demand Resource Provider is submitting the Plan with the reasonable expectation, based upon its analyses as of the date of the certification, to physically deliver all megawatts that clear the RPM Auction through Demand Resource registrations by the specified Delivery Year.

As set forth in the form provided in the PJM manuals, the certification shall specify that it does not in any way abridge, expand, or otherwise modify the current provisions of the PJM Tariff, Operating Agreement and/or RAA, or the Demand Resource Provider's rights and obligations thereunder, including the Demand Resource Provider's ability to adjust capacity obligations through participation in PJM incremental auctions and bilateral transactions.

3. Procedures. No later than December 1 prior to the Base Residual Auction for a Delivery Year, PJM shall post to the PJM website a list of Zones and sub-Zones, if any, for which end-use customer site-specific information shall be required under the conditions specified in subsection A-1(1)(c)(iv) above for all RPM Auctions conducted for such Delivery Year. Once so identified, a Zone or sub-Zone shall remain on the list for future Delivery Years until the

threshold determined under subsection A-1(1)(c)(iv) above is not exceeded for three consecutive Delivery Years. No later than 15 business days prior to the RPM Auction in which a Demand Resource Provider intends to offer a Demand Resource, the Demand Resource Provider shall submit to PJM a completed Demand Resource Sell Offer Plan template and a Demand Resource Officer Certification Form signed by a duly authorized officer of the Provider. PJM will review all submitted DR Sell Offer Plans. No later than 10 business days prior to the subject RPM Auction, PJM shall notify any Demand Resource Providers that have identified the same end-use customer site(s) in their respective DR Sell Offer Plans for the same Delivery Year. In such event, the MWs associated with such site(s) will not be approved for inclusion in a Sell Offer in an RPM Auction by any of the Demand Resource Providers, unless a Demand Resource Provider provides a letter of support from the end-use customer indicating that it is likely to execute a contract with that Demand Resource Provider for the relevant Delivery Year, or provides other comparable evidence of likely commitment. Such letter of support or other supporting evidence must be provided to PJM no later than 7 business days prior to the subject RPM Auction. If an end-use customer provides letters of support for the same site for the same Delivery Year to multiple Demand Resource Providers, the MWs associated with such end-use customer site shall not be approved as a Demand Resource for any of the Demand Resource Providers. No later than 5 business days prior to the subject RPM Auction, PJM will notify each Demand Resource Provider of the approved Demand Resource quantity, by Zone/sub-Zone, that such Demand Resource Provider is permitted to offer into such RPM Auction.

B. The Unforced Capacity value of a Demand Resource will be determined as:

the product of the Nominated Value of the Demand Resource, times the DR Factor, times the Forecast Pool Requirement. Nominated Values shall be determined and reviewed in accordance with sections I and J, respectively, and the PJM Manuals. The DR Factor is a factor established by the PJM Board with the advice of the Members Committee to reflect the increase in the peak load carrying capability in the PJM Region due to Demand Resources. Peak load carrying capability is defined to be the peak load that the PJM Region is able to serve at the loss of load expectation defined in the Reliability Principles and Standards. The DR Factor is the increase in the peak load carrying capability in the PJM Region due to Demand Resources, divided by the total Nominated Value of Demand Resources in the PJM Region. The DR Factor will be determined using an analytical program that uses a probabilistic approach to determine reliability. The determination of the DR Factor will consider the reliability of Demand Resources, the number of interruptions, and the total amount of load reduction.

C. Demand Resources offered and cleared in a Base Residual or Incremental Auction shall receive the corresponding Capacity Resource Clearing Price as determined in such auction, in accordance with Attachment DD of the PJM Tariff. For Delivery Years beginning with the Delivery Year that commences on June 1, 2013, any Demand Resources located in a Zone with multiple LDAs shall receive the Capacity Resource Clearing Price applicable to the location of such resource within such Zone, as identified in such resource's offer. Further, the Curtailment Service Provider shall register its resource in the same location within the Zone as specified in its cleared sell offer, and shall be subject to deficiency charges under Attachment DD of this Tariff to the extent it

fails to provide the resource in such location consistent with its cleared offer. For either of the Delivery Year commencing on June 1, 2010 or commencing on June 1, 2012, if the location of a Demand Resource is not specified by a Seller in the Sell Offer on an individual LDA basis in a Zone with multiple LDAs, then Demand Resources cleared by such Seller will be paid a DR Weighted Zonal Resource Clearing Price, determined as follows: (i) for a Zone that includes non-overlapping LDAs, calculated as the weighted average of the Resource Clearing Prices for such LDAs, weighted by the cleared Demand Resources registered by such Seller in each such LDA; or (ii) for a Zone that contains a smaller LDA within a larger LDA, calculated treating the smaller LDA and the remaining portion of the larger LDA as if they were separate LDAs, and weight-averaging in the same manner as (i) above.

- D. The Party, Electric Distributor, or Curtailment Service Provider that establishes a contractual relationship (by contract or tariff rate) with a customer for load reductions is entitled to receive the compensation specified in section C for a committed Demand Resource, notwithstanding that such provider is not the customer's energy supplier.
- E. Any Party hereto shall demonstrate that its Demand Resources performed during periods when load management procedures were invoked by the Office of the Interconnection. The Office of the Interconnection shall adopt and maintain rules and procedures for verifying the performance of such resources, as set forth in section K hereof and the PJM Manuals. In addition, committed Demand Resources that do not comply with the directions of the Office of the Interconnection to reduce load during an emergency shall be subject to the penalty charge set forth in Attachment DD to the PJM Tariff.
- F. Parties may elect to place Demand Resources associated with Behind The Meter Generation under the direction of the Office of the Interconnection for a Delivery Year by submitting a Sell Offer for such resource (as Self Supply, or with an offer price) in the Base Residual Auction for such Delivery Year. This election shall remain in effect for the entirety of such Delivery Year. In the event such an election is made, such Behind The Meter Generation will not be netted from load for the purposes of calculating the Daily Unforced Capacity Obligations under this Agreement.
- G. PJM measures Demand Resources in the following three ways:

Direct Load Control (DLC) – Load management that is initiated directly by the Curtailment Service Provider's market operations center or its agent, employing a communication signal to cycle equipment (typically water heaters or central air conditioners). DLC programs are qualified based on load research and customer subscription data. Curtailment Service Providers may rely on the results of load research studies identified in the PJM Manuals to set the per-participant load reduction for DLC programs. Each Curtailment Service Provider relying on DLC load management must periodically update its DLC switch operability rates, in accordance with the PJM Manuals.

Firm Service Level (FSL) – Load management achieved by an end-use customer reducing its load to a pre-determined level (the Firm Service Level), upon notification from the Curtailment Service Provider’s market operations center or its agent.

Guaranteed Load Drop (GLD) – Load management achieved by an end-use customer reducing its load by a pre-determined amount (the Guaranteed Load Drop), upon notification from the Curtailment Service Provider’s market operations center or its agent. Typically, the load reduction is achieved through running customer-owned backup generators, or by shutting down process equipment.

H. Each Curtailment Service Provider must satisfy (or contract with another LSE, Curtailment Service Provider, or electric distribution company to provide) the following requirements:

- A point of contact with appropriate backup to ensure single call notification from PJM and timely execution of the notification process;
- Supplemental status reports, detailing Demand Resources available, as requested by PJM;
- Entry of customer-specific Demand Resource credit information, for planning and verification purposes, into the designated PJM electronic system.
- Customer-specific compliance and verification information for each PJM-initiated Demand Resource event, as well as aggregated Provider load drop data for Provider-initiated events, in accordance with established reporting guidelines.
- Load drop estimates for all Demand Resource events, prepared in accordance with the PJM Manuals.

I. The Nominated Value of each Demand Resource shall be determined consistent with the process for determination of the capacity obligation for the customer.

The Nominated Value for a Firm Service Level customer will be based on the peak load contribution for the customer, as determined by the 5CP methodology utilized to determine other ICAP obligation values. The maximum Demand Resource load reduction value for a Firm Service Level customer will be equal to Peak Load Contribution – Firm Contract Level adjusted for system losses.

The Nominated Value for a Guaranteed Load Drop customer will be the guaranteed load drop amount, adjusted for system losses, as established by the customer’s contract with the Curtailment Service Provider. The maximum credit nominated shall not exceed the customer’s Peak Load Contribution.

The Nominated Value for a Direct Load Control program will be based on load research and customer subscription. The maximum value of the program is equal to the approved per-participant load reduction multiplied by the number of active participants, adjusted

for system losses. The per-participant impact is to be estimated at long-term average local weather conditions at the time of the summer peak.

Customer-specific Demand Resource information (EDC account number, peak load, notification period, etc.) will be entered into the designated PJM electronic system to establish credit values. Additional data may be required, as defined in sections J and K.

- J. Nominated Values shall be reviewed based on documentation of customer-specific data and Demand Resource information, to verify the amount of load management available and to set a maximum allowable Nominated Value. Data is provided by both the zone EDC and the Curtailment Service Provider on templates supplied by PJM, and must include the EDC meter number or other unique customer identifier, Peak Load Contribution (5CP), contract firm service level or guaranteed load drop values, applicable loss factor, zone/area location of the load drop, LSE contact information, number of active participants, etc. Such data must be uploaded and approved prior to the first day of the Delivery Year for such resource as a Demand Resource. Curtailment Service Providers must provide this information concurrently to host EDCs.

For Firm Service Level and Guaranteed Load Drop customers, the 5CP values, for the zone and affected customers, will be adjusted to reflect an “unrestricted” peak for a zone, based on information provided by the Curtailment Service Provider. Load drop levels shall be estimated in accordance with guidelines in the PJM Manuals.

For Direct Load Control programs, the Curtailment Service Provider must provide information detailing the number of active participants in each program. Other information on approved DLC programs will be provided by PJM.

- K. Compliance is the process utilized to review Provider performance during PJM-initiated Demand Resource events. Compliance will be established for each Provider on an event specific basis for the Curtailment Service Provider’s Demand Resources dispatched by the Office of the Interconnection during such event. PJM will establish and communicate reasonable deadlines for the timely submittal of event data to expedite compliance reviews. Compliance reviews will be completed as soon after the event as possible, with the expectation that reviews of a single event will be completed within two months of the end of the month in which the event took place. Curtailment Service Providers are responsible for the submittal of compliance information to PJM for each PJM-initiated event during the compliance period.

Compliance for Direct Load Control programs will consider only the transmission of the control signal. Curtailment Service Providers are required to report the time period (during the Demand Resource event) that the control signal was actually sent.

Compliance is checked on an individual customer basis for FSL, by comparing actual load during the event to the firm service level. Curtailment Service Providers must submit actual customer load levels (for the event period) for the compliance report. Compliance for FSL will be based on:

End use customer's current Delivery Year peak load contribution ("PLC") minus the metered load ("Load") multiplied by the loss factor ("LF"). The calculation is represented by:

$$(PLC) - (Load * LF)$$

Compliance is checked on an individual customer basis for GLD, and will be based on:

- (i) the lesser of (a) comparison load used to best represent what the load would have been if PJM did not declare a Load Management event or the CSP did not initiate a test as outlined in the PJM Manuals, minus the Load and then multiplied by the LF, or (b) the PLC minus the Load multiplied by the LF. A load reduction will only be recognized for capacity compliance if the Load multiplied by the LF is less than the PLC.
- (iii) Curtailment Service Providers must submit actual loads and comparison loads for all hours during the day of the Load Management event or the Load Management performance test, and for all hours during any other days as required by the Office of the Interconnection to calculate the load reduction. Comparison loads must be developed from the guidelines in the PJM Manuals, and note which method was employed.

Compliance is averaged over the Load Management event for non-interval metered DLC programs. Compliance is averaged over the Load Management event, for each FSL and GLD customer dispatched by the Office of the Interconnection for at least 30 minutes of the clock hour (i.e., "partial dispatch compliance hour". The registered capacity commitment for the partial dispatch compliance hour will be prorated based on the number of minutes dispatched during the clock hour and as defined in the Manual. Curtailment Service Provider may submit 1 minute load data for use in capacity compliance calculations for partial dispatch compliance hours subject to PJM approval and in accordance with the PJM Manuals where: (a) metering meets all Tariff and Manual requirements, (b) 1 minute load data shall be submitted to PJM for all locations on the registration, and (c) 1 minute load data measures energy consumption over the minute.

Demand Resources may not reduce their load below zero (i.e., export energy into the system). No compliance credit will be given for an incremental load drop below zero. Compliance will be totaled over all FSL and GLD customers and DLC programs to determine a net compliance position for the event for each Provider by Zone, for all Demand Resources committed by such Provider and dispatched by the Office of the Interconnection in the zone. Deficiencies shall be as further determined in accordance with section 11 of Schedule DD to the PJM Tariff.

#### L. Energy Efficiency Resources

- 1. An Energy Efficiency Resource is a project, including installation of more efficient devices or equipment or implementation of more efficient processes or

systems, exceeding then-current building codes, appliance standards, or other relevant standards, designed to achieve a continuous (during peak periods as described herein) reduction in electric energy consumption at the End-Use Customer's retail site that is not reflected in the peak load forecast prepared for the Delivery Year for which the Energy Efficiency Resource is proposed, and that is fully implemented at all times during such Delivery Year, without any requirement of notice, dispatch, or operator intervention.

2. An Energy Efficiency Resource may be offered as a Capacity Resource in the Base Residual or Incremental Auctions for any Delivery Year beginning on or after June 1, 2011. No later than 30 days prior to the auction in which the resource is to be offered, the Capacity Market Seller shall submit to the Office of the Interconnection a notice of intent to offer the resource into such auction and a measurement and verification plan. The notice of intent shall include all pertinent project design data, including but not limited to the peak-load contribution of affected customers, a full description of the equipment, device, system or process intended to achieve the load reduction, the load reduction pattern, the project location, the project development timeline, and any other relevant data. Such notice also shall state the seller's proposed Nominated Energy Efficiency Value, which shall be the expected average load reduction between the hour ending 15:00 EPT and the hour ending 18:00 EPT during all days from June 1 through August 31, inclusive, of such Delivery Year that is not a weekend or federal holiday. The measurement and verification plan shall describe the methods and procedures, consistent with the PJM Manuals, for determining the amount of the load reduction and confirming that such reduction is achieved. The Office of the Interconnection shall determine, upon review of such notice, the Nominated Energy Efficiency Value that may be offered in the Reliability Pricing Model Auction.
3. An Energy Efficiency Resource may be offered with a price offer or as Self-Supply. If an Energy Efficiency Resource clears the auction, it shall receive the applicable Capacity Resource Clearing Price, subject to section 5 below. A Capacity Market Seller offering an Energy Efficiency Resource must comply with all applicable credit requirements as set forth in Attachment Q to the PJM Tariff. The Unforced Capacity value of an Energy Efficiency Resource offered into an RPM Auction shall be the Nominated Energy Efficiency value times the DR Factor and the Forecast Pool Requirement.
4. An Energy Efficiency Resource that clears an auction for a Delivery Year may be offered in auctions for up to three additional consecutive Delivery Years, but shall not be assured of clearing in any such auction; provided, however, an Energy Efficiency Resource may not be offered for any Delivery Year in which any part of the peak season is beyond the expected life of the equipment, device, system, or process providing the expected load reduction; and provided further that a Capacity Market Seller that offers and clears an Energy Efficiency Resource in a

BRA may elect a New Entry Price Adjustment on the same terms as set forth in section 5.14(c) of this Attachment DD.

5. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than 30 days prior to each Auction an updated project status and measurement and verification plan subject to the criteria set forth in the PJM Manuals.
6. For every Energy Efficiency Resource clearing an RPM Auction for a Delivery Year, the Capacity Market Seller shall submit to the Office of the Interconnection, by no later than the start of such Delivery Year, an updated project status and detailed measurement and verification data meeting the standards for precision and accuracy set forth in the PJM Manuals. The final value of the Energy Efficiency Resource during such Delivery Year shall be as determined by the Office of the Interconnection based on the submitted data.
7. The Office of the Interconnection may audit, at the Capacity Market Seller's expense, any Energy Efficiency Resource committed to the PJM Region. The audit may be conducted any time including the Performance Hours of the Delivery Year.

## SCHEDULE 6.1

### **PRICE RESPONSIVE DEMAND**

A. As more fully set forth in this Schedule 6.1 and the PJM Manuals, for any Delivery Year beginning on or after June 1, 2015 (subject to a transition plan, as set forth below), any PRD Provider, including any FRR Entity, may commit that certain loads identified by such PRD Provider shall not exceed a specified demand level at specified prices during Maximum Generation Emergencies, as a consequence of the implementation of Price Responsive Demand. Based on information provided by the PRD Provider in a PRD Plan (and, to the extent such plan identifies a PRD Reservation Price, based on the clearing price in the Base Residual Auction or Third Incremental Auction, as applicable), the Office of the Interconnection shall determine the Nominal PRD Value for the specified loads identified by such PRD Provider by Zone (or sub-Zonal LDA, if applicable). The Office of the Interconnection shall adjust the PJM Region Reliability Requirement and LDA Reliability Requirements, as applicable, to reflect committed PRD. Actual PRD reductions in response to price shall be added back in determining peak load contributions. Any PRD Provider that fails fully to honor its PRD commitments for a Delivery Year shall be assessed compliance charges.

B. End-use customer loads identified in a PRD Plan or PRD registration for a Delivery Year as Price Responsive Demand may not, for such Delivery Year, (i) be registered as Economic Load Response, Pre-Emergency Load Response or Emergency Load Response; (ii) be used as the basis of any Demand Resource Sell Offer or Energy Efficiency Resource Sell Offer in any RPM Auction; or (iii) be identified in a PRD Plan or PRD registration of any other PRD Provider.

C. Any PRD Provider seeking to commit PRD hereunder for a Delivery Year must submit to the Office of the Interconnection a PRD Plan identifying and supporting the Nominal PRD Value (calculated as the difference between the PRD Provider's Zonal Expected Peak Load Value of PRD and the Maximum Emergency Service Level of Price Responsive Demand) for each Zone (or sub-Zonal LDA, if applicable) for which such PRD is committed; such information shall be provided on a PRD Substation level to the extent available at the time the PRD Plan is submitted. Such plan must be submitted no later than the January 15 last preceding the Base Residual Auction for the Delivery Year for which such PRD is committed; any submitted plan that does not contain, by such January 15, all information required hereunder shall be rejected. A PRD Provider may submit a PRD Plan, or a modified PRD Plan, by the January 15 last preceding the Third Incremental Auction for such Delivery Year requesting approval of additional Price Responsive Demand but only in the event, and to the extent, that the final peak load forecast for the relevant LDA for such Delivery Year exceeds the preliminary peak load forecast for such LDA and Delivery Year. The Office of the Interconnection shall revise such requests (as adjusted, to the extent a PRD Reservation Price is specified, for the results of the Third Incremental Auction) for additional Price Responsive Demand downward, in accordance with rules in the PJM Manuals, if the submitted requests (as adjusted) in the aggregate exceed the increase in the load forecast in the LDA modeled. The Office of the Interconnection shall advise the PRD Provider, following the Third Incremental Auction, of its acceptance of, or any downward adjustment to, the Nominal PRD Value based on its review of the PRD Plan and the

results of the auction. Approval of the PRD Plan by the Office of the Interconnection shall establish a firm commitment by the PRD Provider to the specified Nominal PRD Value of Price Responsive Demand at each Zone (or sub-Zonal LDA, if applicable) during the relevant Delivery Year (subject to any PRD Reservation Price), and may not be uncommitted or replaced by any Capacity Resource. Although the PRD Plan may include reasonably supported forecasts and expectations concerning the development of Price Responsive Demand for a Delivery Year, the PRD Provider's commitment to a Nominal PRD Value for such Delivery Year shall not depend or be conditioned upon realization of such forecasts or expectations.

D. All submitted PRD Plans must comply with the requirements and criteria in the PJM Manuals for such plans, including assumptions and standards specified in the PJM Manuals for estimates of expected load levels. The PRD Plan shall explain and justify the methods used to determine the Nominal PRD Value. All assumptions and relevant variables affecting the Nominal PRD Value must be clearly stated. The PRD Plan must include sufficient data to allow a third party to audit the procedures and verify the Nominal PRD Value. Any non-compliance with a Nominal PRD Value for a prior Delivery Year shall be identified and taken into account. In addition, each submitted PRD Plan must include:

(i) documentation, in the form specified in the PJM Manuals, that: (1) where the PRD Provider is a Load Serving Entity, the Relevant Electric Retail Regulatory Authority has provided any required approval (including conditional approval, but only if the Load Serving Entity asserts that all such conditions have been satisfied) of such Load Serving Entity's time-varying retail rate structure and, regardless of whether RERRA approval is required, that such rate structure adheres to PRD implementation standards specified in the PJM Manuals; and (2) where the PRD Provider is not a Load Serving Entity, such PRD Provider has in place contractual arrangements with the relevant end-use customers establishing a time-varying retail rate structure that conforms to any RERRA requirements, and adheres to PRD implementation standards specified in the PJM Manuals; in such cases, the PRD Provider shall provide the Office of the Interconnection copies of its applicable contracts with end-use customers (including any proposed contracts) within ten business days after a request for such contracts, or its PRD Plan shall be rejected;

(ii) the expected peak load value that would apply, absent load reductions in response to price, to the end-use customer loads at a PRD Substation level, including applicable peak-load contribution data for such customers, to the extent available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(iii) the Maximum Emergency Service Level of the identified load given the load's price-responsive characteristics, at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(iv) Price-consumption curves ("PRD Curves") at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level that detail the base consumption level of the identified loads; and the decreasing consumption levels at increasing prices, provided that all identified load reductions must be capable of full implementation within 15 minutes of declaration of a Maximum Generation Emergency by the Office of the Interconnection, and

provided further that the specified prices may not exceed the maximum energy offer price cap under the PJM Tariff and Operating Agreement;

(v) the estimated Nominal PRD Value of the Price Responsive Demand at a PRD Substation level if available and otherwise at a Zonal (or sub-Zonal LDA if applicable) level;

(vi) specifications of equipment used to satisfy the advanced metering and Supervisory Control criteria for eligible Price Responsive Demand, including a timeline and milestones demonstrating that such equipment shall be available and operational for the start of the relevant Delivery Year. Such equipment shall comply with applicable RERRA requirements and shall be designed to meet all PRD requirements, including, without limitation, meter reading requirements and Supervisory Control requirements, specified in the PJM Manuals. The PRD Provider shall demonstrate in the PRD Plan that the Supervisory Control equipment enables an automated load response by Price Responsive Demand to the price trigger; provided, however, that the PRD Provider may request in the PRD Plan an exception to the automation requirement for any individual registered end-use customer that is located at a single site and that has Supervisory Control over processes by which load reduction would be accomplished; and provided further that nothing herein relieves such end-use customer of the obligation to respond within 15 minutes to declaration of a Maximum Generation Emergency in accordance with applicable PRD Curves. In addition to the above requirements and those in the PJM Manuals for metering equipment and associated data, metering equipment shall provide integrated hourly kWh values on an electric distribution company account basis and shall either meet the electric distribution company requirements for accuracy or have a maximum error of two percent over the full range of the metering equipment (including potential transformers and current transformers). The installed metering equipment must be that used for retail electric service; or metering equipment owned by the end-use customer or PRD Provider that is approved by PJM and either read electronically by PJM or read by the customer or PRD Provider and forwarded to PJM, in either case in accordance with requirements set forth in the PJM Manuals; and

(vii) any RPM Auction clearing price below which the PRD Provider does not choose to commit PRD (“PRD Reservation Price”), specifying the relevant auction, Zone (or sub-Zonal LDA if applicable), and, if applicable, a range of up to ten pairs of PRD commitment levels and associated minimum RPM Auction clearing prices; provided however that the Office of the Interconnection may interpolate PRD commitment levels based on clearing prices between prices specified by the PRD Provider.

E. Each PRD Provider that commits Price Responsive Demand through an accepted PRD Plan must, no later than one day before the tenth business day prior to the start of the Delivery Year for which such PRD is committed, register with PJM, in the form and manner specified in the PJM Manuals, sufficient PRD-eligible load at a PRD Substation level to satisfy its Nominal PRD Value commitment. All information required in the PRD Plan to be at a PRD Substation level if available at the time of submission of the PRD Plan that was not provided at the time of submission of such plan must be provided with the registration. The PRD Provider shall also identify in the registration each individual end-use customer with a peak demand of 10 kW or greater included in such Price Responsive Demand, the peak demand of such customers, the Load Serving Entity responsible for serving such customers, and the Load Serving Entities responsible for serving the end-use customers not identified on an individual basis. PJM shall

provide notification of such PRD registrations to the applicable electric distribution company(ies) and load serving entity(ies). The PRD Provider shall maintain, and provide to the Office of the Interconnection upon request, an identification of all individual end-use customers with a peak load contribution of less than 10kW included in such Price Responsive Demand, and the peak load contribution of such customers. The PRD Provider must maintain its PRD Substation-level registration of PRD-eligible load at the level of its Zonal (or sub-zonal LDA, if applicable) Nominal PRD Value commitment during each day of the Delivery Year for which such commitment was made. The PRD Provider may change the end-use customer registered to meet the PRD Provider's commitment during the Delivery Year, but such PRD Provider must always in the aggregate register sufficient Price Responsive Demand to meet or exceed the Zonal (or sub-Zonal LDA, if applicable) committed Nominal PRD Value level. A PRD Provider must timely notify the Office of the Interconnection, in accordance with the PJM Manuals, of all changes in PRD registrations. Such notification must remove from the PRD Provider's registration(s) any end-use customer load that no longer meets the eligibility criteria for PRD, effective as of the first day that such end-use customer load is no longer PRD-eligible.

F. Each PRD Provider that is a Load Serving Entity shall be required to identify its committed Price Responsive Demand as price-sensitive demand at a PRD Substation level in the Day-Ahead and Real-Time Energy Markets. Each PRD Provider that is not a Load Serving Entity shall be required to identify its committed Price Responsive Demand as price-sensitive demand at a PRD Substation level in the Real-Time Energy Market. The most recent PRD Curve submitted by the PRD Provider in its PRD Plan or PRD registration shall be used for such purpose unless and until changed by the PRD Provider in accordance with the market rules of the Office of the Interconnection, provided that any changes to PRD Curves must be consistent with the PRD Provider's commitment of Price Responsive Demand hereunder.

G. The Obligation Peak Load of a Load Serving Entity that serves end-users registered as Price Responsive Demand in any Zone shall be as determined in Schedule 8 to this Agreement; provided, however, that such Load Serving Entity shall receive, for each day that an approved Price Response Demand registration is effective and applicable to such LSE's load, a Price Responsive Demand Credit for such registration during the Delivery Year, against the Locational Reliability Charge otherwise assessed upon such Load Serving Entity in such Zone for such day, determined as follows:

$$\text{LSE PRD Credit} = [(\text{Share of Zonal Nominal PRD Value committed in Base Residual Auction} * (\text{FZWNSP}/\text{FZPLDY}) * \text{Final Zonal RPM Scaling Factor} * \text{FPR} * \text{Final Zonal Capacity Price}) + (\text{Share of Zonal Nominal PRD Value committed in Third Incremental Auction} * (\text{FZWNSP}/\text{FZPLDY}) * \text{Final Zonal RPM Scaling Factor} * \text{FPR} * \text{Final Zonal Capacity Price} * \text{Third Incremental Auction Component of Final Zonal Capacity Price stated as a Percentage})]$$

Where:

Share of Zonal Nominal PRD Value Committed in Base Residual Auction = Nominal PRD Value for such registration/Total Zonal Nominal PRD Value of all Price Responsive Demand registered by the PRD Provider of such registration \*Zonal Nominal PRD Value committed in the Base Residual Auction by the PRD Provider of such registration .

Share of Zonal Nominal PRD Value Committed in Third Incremental Auction =  
Nominal PRD Value for such registration/Total Zonal Nominal PRD Value of all Price  
Responsive Demand registered by the PRD Provider of such registration \*Zonal Nominal  
PRD Value committed in the Third Incremental Auction by the PRD Provider of such  
registration.

FZPLDY = Final Zonal Peak Load Forecast for such Delivery Year; and

FZWNSP = Zonal Weather-Normalized Peak Load for the summer concluding prior to  
the commencement of such Delivery Year;

And where the PRD registration is associated with a sub-Zone, the Share of the Nominal PRD  
Value Committed in Base Residual Auction or Third Incremental Auction will be based on the  
Nominal PRD Values committed and registered in a sub-Zone. A Load Serving Entity will  
receive a LSE PRD Credit for each approved Price Responsive Demand registration that is  
effective and applicable to load served by such Load Serving Entity on a given day. The total  
daily credit to an LSE in a Zone shall be the sum of the credits received as a result of all  
approved registrations in the Zone for load served by such LSE on a given day.

H. A PRD Provider may transfer all or part of its PRD commitment for a Delivery Year in a  
Zone (or sub-Zonal LDA) to another PRD Provider for its use in the same Zone or sub-Zonal  
LDA, through notice of such transfer provided by both the transferor and transferee PRD  
Providers to the Office of the Interconnection in the form and manner specified in the PJM  
Manuals. From and after the effective date of such transfer, and to the extent of such transfer,  
the transferor PRD Provider shall be relieved of its PRD commitment and credit requirements,  
shall not be liable for PRD compliance charges, and shall not be entitled to a Price Responsive  
Demand Credit; and the transferee PRD Provider, to the extent of such transfer, shall assume  
such PRD commitment, credit requirements, and obligation for compliance charges and, if it is a  
Load Serving Entity, shall be entitled to a Price Responsive Demand Credit.

I. Any PRD Provider that commits Price Responsive Demand and does not register and  
maintain registration of sufficient PRD-eligible load, (including, without limitation, failing to  
install or maintain the required advanced metering or Supervisory Control facilities) in a Zone  
(or sub-Zonal LDA, if applicable) to satisfy in full its Nominal PRD Value commitment in such  
Zone (or sub-Zonal LDA) on each day of the Delivery Year for which such commitment is made  
shall be assessed a compliance charge for each day that the registered Price Responsive Demand  
is less than the committed Nominal PRD Value. Such daily penalty shall equal:

[MW Shortfall] \* [Forecast Pool Requirement] \* [(Weighted Final Zonal Capacity Price in  
\$/MW-day)

+ higher of (0.2 \* Weighted Final Zonal Capacity Price) or (\$20/MW-day)]

Where: MW Shortfall = Daily Nominal PRD Value committed in such PRD Provider's PRD  
Plan (including any permitted amendment to such plan) for the relevant Zone or sub-Zonal LDA  
– Daily Nominal PRD Value as a result of PRD registration for such Zone or sub-Zonal LDA;  
and

Weighted Final Zonal Capacity Price is the average of the Final Zonal Capacity Price and the  
price component of the Final Zonal Capacity Price attributable to the Third Incremental Auction,

weighted by the Nominal PRD Values committed by such PRD Provider in connection with the Base Residual Auction and those committed by such PRD Provider in connection with the Third Incremental Auction.

The MW Shortfall shall not be reduced through replacement of the Price Responsive Demand by any Capacity Resource or Excess Commitment Credits, provided, however, that the PRD Provider may register additional PRD-eligible end-use customer load to satisfy its PRD commitment.

J. PRD Providers shall be responsible for verifying the performance of their PRD loads during each maximum emergency event declared by the Office of the Interconnection. PRD Providers shall demonstrate that the identified PRD loads performed in accordance with the PRD Curves submitted at a PRD Substation level in the PRD Plan or PRD registration; provided, however, that the previously submitted MESL value shall be adjusted by a ratio equal to the amount by which the actual Zonal load during the declared event exceeded the PJM load forecast underlying the previously submitted MESL value. In accordance with procedures and deadlines specified in the PJM Manuals, the PRD Providers must submit actual customer load levels for all hours during the declared event and all other information reasonably required by the Office of the Interconnection to verify performance of the committed PRD loads.

K. If the identified loads submitted for a Zone (or sub-Zonal LDA) by a PRD Provider exceed during any Emergency the aggregate Maximum Emergency Service Level (“MESL”) specified in all PRD registrations of such PRD Provider that have a PRD Curve specifying a price at or below the highest Real-time LMP recorded during such Emergency, the PRD Provider that committed such loads as Price Responsive Demand shall be assessed a compliance charge hereunder. The charge shall be based on the net performance during an Emergency of the loads that were identified as Price Responsive Demand for such Delivery Year in the PRD registrations submitted by such PRD Provider in each Zone (or sub-Zonal LDA, if applicable) and that specified a price at the MESL that is at or below the highest Real-Time LMP recorded during such Emergency. The compliance charge hereunder shall equal:

$[MW \text{ Shortfall}] * [Forecast \text{ Pool Requirement}] * [(Weighted \text{ Final Zonal Capacity Price in } \$/MW\text{-day})$

$+ \text{higher of } (0.2 * \text{Final Zonal Capacity Price}) \text{ or } (\$20/MW\text{-day})] * 365 \text{ days}$

Where:  $MW \text{ Shortfall} = [\text{highest hourly integrated aggregate metered load for such PRD Provider's PRD load in the Zone or sub-Zonal LDA meeting the price condition specified above}] - \{(\text{aggregate MESL for the Zone or sub-Zonal LDA}) * \text{the higher of } [1.0] \text{ or } [(\text{actual Zonal load} - \text{actual total PRD load in Zone}) / (\text{Final Zonal Peak Load Forecast} - \text{final Zonal Expected Peak Load Value of PRD in total for all PRD load in Zone meeting the price condition specified above})]\}$ .

For purposes of the above provision, the MW Shortfall for any portion of the Emergency event that is less than a full clock hour shall be treated as a shortfall for a full clock hour unless either: (i) the load was reduced to the adjusted MESL level within 15 minutes of the emergency procedures notification, regardless of the response rate submitted, or (ii) the hourly integrated value of the load was at or below the adjusted MESL. Such MW shortfall shall not be reduced through replacement of the Price Responsive Demand by any Capacity Resource or Excess Commitment Credits; provided, however, that the performance and MW Shortfalls of all PRD-

eligible load registered by the PRD Provider, including any additional or replacement load registered by such PRD Provider, provided that it meets the price condition specified above, shall be reflected in the calculation of the overall MW Shortfall. Any greater MW Shortfall during a subsequent Emergency for such Zone or sub-Zonal LDA during the same Delivery Year shall result in a further charge hereunder, limited to the additional increment of MW Shortfall. As appropriate, the MW Shortfall for non-compliance during an Emergency shall be adjusted downward to the extent such PRD Provider also was assessed a compliance penalty for failure to register sufficient PRD to satisfy its PRD commitment.

L. PRD Providers that register Price Responsive Demand shall be subject to test at least once per year to demonstrate the ability of the registered Price Responsive Demand to reduce to the specified Maximum Emergency Service Level, and such PRD Providers shall be assessed a compliance charge to the extent of failure by the registered Price Responsive Demand during such test to reduce to the Maximum Emergency Service Level, in accordance with the following:

(i) If the Office of the Interconnection does not declare during the relevant Delivery Year a Maximum Generation Emergency that requires the registered PRD to reduce to the Maximum Emergency Service Level then such registered PRD must demonstrate that it was tested for a one-hour period during any hour when a Maximum Generation Emergency may be called during June through October or the following May of the relevant Delivery Year. If a Maximum Generation Emergency that requires the registered PRD to reduce to the Maximum Emergency Service Level is called during the relevant Delivery Year, then no compliance charges will be assessed hereunder.

(ii) All PRD registered in a zone must be tested simultaneously except that, when less than 25 percent (by megawatts) of a PRD Provider's total PRD registered in a Zone fails a test, the PRD Provider may conduct a re-test limited to all registered PRD that failed the prior test, provided that such re-test must be at the same time of day and under approximately the same weather conditions as the prior test, and provided further that all affiliated registered PRD must test simultaneously, where affiliated means registered PRD that has any ability to shift load and that is owned or controlled by the same entity. If less than 25 percent of a PRD Provider's total PRD registered in a Zone fails the test and the PRD Provider chooses to conduct a retest, the PRD Provider may elect to maintain the performance compliance result for registered PRD achieved during the test if the PRD Provider: (1) notifies the Office of the Interconnection 48 hours prior to the re-test under this election; and (2) the PRD Provider retests affiliated registered PRD under this election as set forth in the PJM Manuals.

(iii) A PRD Provider that registered PRD shall be assessed a PRD Test Failure Charge equal to the net PRD capability testing shortfall in a Zone during such test in the aggregate of all of such PRD Provider's registered PRD in such Zone times the PRD Test Failure Charge Rate. The net capability testing shortfall in such Zone shall be the following megawatt quantity, converted to an Unforced Capacity basis using the applicable Forecast Pool Requirement:

MW Shortfall = [highest hourly integrated aggregate metered load for such PRD Provider's PRD load in the Zone or sub-Zonal LDA] – {(aggregate MESL for the Zone or sub-Zonal LDA) \* the

higher of [1.0] or [(actual Zonal load – actual total PRD load in Zone) / (Final Zonal Peak Load Forecast – final Zonal Expected Peak Load Value of PRD in total for all PRD load in Zone)].

The net PRD capability testing shortfall in such Zone shall be reduced by the PRD Provider's summer daily average of the MW shortfalls determined for compliance charge purposes under section I of this Schedule 6.1 in such Zone for such PRD Provider's registered PRD.

(iv) The PRD Test Failure Charge Rate shall equal such PRD Provider's Weighted Final Zonal Capacity Price in such Zone plus the greater of (0.20 times the Weighted Final Zonal Capacity Price in such Zone or \$20/MW-day) times the number of days in the Delivery Year, where the Weighted Final Zonal Capacity Price is the average of the Final Zonal Capacity Price and the price component of the Final Zonal Capacity Price attributable to the Third Incremental Auction, weighted by the Nominal PRD Values committed by such PRD Provider in connection with the Base Residual Auction and those committed by such PRD Provider in connection with the Third Incremental Auction. Such charge shall be assessed daily and charged monthly (or otherwise in accordance with customary PJM billing practices in effect at the time); provided, however, that a lump sum payment may be required to reflect amounts due, as a result of a test failure, from the start of the Delivery Year to the day that charges are reflected in regular billing.

M. The revenue collected from assessment of the charges assessed under subsections I, K, and L of this Schedule 6.1 shall be distributed on a pro-rata basis to all entities that committed Capacity Resources in the RPM Auctions for the Delivery Year for which the compliance charge is assessed, pro rata based on each such entity's revenues from Capacity Market Clearing Prices in such auctions, net of any compliance charges incurred by such entity.

N. Aggregate Price Responsive Demand that may be registered shall be limited for the first three Delivery Years that peak load adjustments for Price Responsive Demand are allowed under this Agreement. The maximum quantity of Price Responsive Demand that may be registered by all PRD Providers for the PJM Region as a whole shall be:

1. 2500 MW for the Delivery Year that begins on June 1, 2016;
2. 3500 MW for the Delivery Year that begins on June 1, 2017; and
3. 4000 MW for the Delivery Year that begins on June 1, 2018.

For Delivery Years in which the region-wide limit is not met, no limit as to the amount of Price Responsive Demand that may register in a Zone (or sub-Zone) shall apply. However, in the event the region-wide limit is met for a Delivery Year, then a portion of such limit shall be assigned to each Zone (or sub-Zonal LDA, if applicable) pro rata based on each such Zone's (or sub-Zone's) Preliminary Zonal Peak Load Forecast for the Delivery Year compared to the PJM Region's Preliminary RTO Peak Load Forecast for such Delivery Year (less, in each case, load expected to be served in such area under the Fixed Resource Requirement). Within each Zone (or sub-Zonal LDA, if applicable) the permitted registrations shall be those quantities within the Zonal (or sub-Zonal LDA) limit with the lowest identified PRD Reservation Prices for their identified loads; and, as between PRD Providers submitting PRD registrations at the same PRD Reservation Price, pro rata based on each such LSE's share of the Preliminary Zonal Peak Load Forecast for such Zone (or sub-Zonal LDA) less load expected to be served under the Fixed Resource Requirement. For Delivery Years in which the region-wide limit is met, any PRD

registrations that are not permitted by operation of this section will, to the extent not permitted, not be required to perform in accordance with its registration, not be considered in determining an LSE's PRD Credit or Nominal PRD Value, and not be accounted for in the applicable PRD Provider's PRD Curves. Nothing in this section precludes price-responsive load from exercising any opportunity it may otherwise have to participate in the day-ahead or real-time energy markets in the PJM Region. For Delivery Years beginning on or after June 1, 2019, there is no limit on the quantity of Price Responsive Demand that may register.